

**SINSINPAS LIDOCAINE PAIN RELIEVING- lidocaine patch**  
**Sinsin Pharmaceutical Co., Ltd**

-----  
**SINSINPAS LIDOCAINE PAIN RELIEVING PATCH**

**Active ingredient**

Lidocaine 4%

Purpose.... Topical anesthetic

**Uses**

For temporary relief of minor pain

**Warnings**

For external use only

**Do not use**

more than 1 patch at a time

on broken, irritated, or swollen skin

on puncture wounds

for more than one week without consulting a doctor

**When using this product**

Use only as directed, Read and follow all directions and warnings on this label

Avoid contact with the eyes or mucous membranes - Do not apply to broken, damaged, or irritated skin Do not bandage tightly or apply local heat (such as heating pads) to the area of use

Rare cases of serious burns have been reported with products of this type

Do not use with other topical analgesics

Keep children and pets away from used or disposed patch. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this product.

**Stop use and ask a doctor if**

condition worsens

irritation develops

redness is present

symptoms persist for more than 7 days or clear up and occur again within a few days

any signs of skin injury appear at the site of the product application such as pain, swelling, bruising, or blistering

If pregnant or breastfeeding, ask a physician before use.

Keep out of reach of children or pets. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Other information**

avoid storing in direct sunlight

protect product from excess moisture

store at room temperature.

Do not exceed 86° Fahrenheit, 30° Celsius

### **Directions**

Adults/children 12 years of age and over

clean and dry affected area

remove film from patch by gently pulling apart from corner

carefully apply to affected area

once patch is positioned, press firmly to adhere to skin

use only one patch at a time for up to 12 hours

### **Ask a doctor**

Children under 12 years of age: consult a healthcare professional

### **Inactive ingredients**

butylated hydroxytoluene, carboxymethylcellulose sodium, Concentrated Glycerin, Disodium edetate Hydrate

isopropyl myristate, kaolin, magnesium aluminosilicate, Nikazole TS-620,

methyl paraben, polyacrylic acid solution, polysorbate 80, propylene glycol, propyl paraben, purified water,

sodium polyacrylate, sorbitan sesquioleate, tartaric acid, titanium dioxide, urea, D-sorbitol solution,

### **Purpose**

Topical anesthetic

**Uses**

For temporary relief of minor pain

**Do not use**

more than 1 patch at a time

on broken, irritated, or swollen skin

on puncture wounds

for more than one week without consulting a doctor

SINSINPAS

MAXIMUM STRENGTH

LIDOCAINE 4% PAIN RELIEVING PATCH

TARGETS PAIN FOR QUICK RELIEF

PERETRATES NERVE RECEPTORS TO NUMB AND DESENSITIZE

LONG LASTING AND UNSCENTED

EASY TO APPLY

5 PATCHES

3.93 IN X 5.51 IN, EACH

ODOR FREE



## SINSINPAS LIDOCAINE PAIN RELIEVING

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55264-106
<b>Route of Administration</b>	TRANSDERMAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	560 mg in 14 g

### Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
GLYCERIN (UNII: PDC6A3C0OX)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	RECTANGLE	<b>Size</b>	14mm

<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-106-03	5 in 1 BOX	05/25/2017	02/04/2022
1	NDC:55264-106-02	1 in 1 POUCH		
1	NDC:55264-106-01	14 g in 1 PATCH; Type 0: Not a Combination Product		

**SINSINPAS<sup>®</sup>**  
Maximum Strength  
**LIDOCAINE**  
4% Pain Relieving Patch

IMPROVED ADHESION

5583412 / CN22014

**SINSINPAS<sup>®</sup>**  
NDC NO. 55264-106-03

Maximum Strength  
**LIDOCAINE**  
4% Pain Relieving Patch

Targets pain for quick relief  
Penetrates nerve receptors to numb and desensitize  
Long lasting and unscented  
Easy to apply

**5 PATCHES**  
3.93 in X 5.51 in (10 cm X 14 cm) EACH

**ODOR FREE**

Maximum Strength  
**LIDOCAINE**  
4% Pain Relieving Patch

**DRUG FACTS**

**Active ingredient**  
Lidocaine 4% **Purpose**  
Topical anesthetic

**Uses** For temporary relief of minor pain

**Warnings**

**For external use only**

**Do not use**  
 ■ more than 1 patch at a time ■ on broken, irritated, or swollen skin ■ on puncture wounds  
 ■ for more than one week without consulting a doctor

**When using this product**  
 ■ Use only as directed. Read and follow all directions and warnings on this label. ■ Avoid contact with the eyes or mucous membranes. ■ Do not apply to broken, damaged, or irritated skin. ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use. ■ Rare cases of serious burns have been reported with products of this type. ■ Do not use with other topical analgesics. ■ Keep children and pets away from used or disposed patch. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the product.

**Stop use and ask a doctor if**  
 ■ condition worsens ■ irritation develops ■ redness is present ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ any signs of skin injury appear at the site of the product application such as pain, swelling, itching, or blistering

**If pregnant or breastfeeding, ask a physician before use.**

**Keep out of reach of children or pets.**  
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Other information**  
 ■ avoid storing in direct sunlight ■ protect product from excess moisture ■ store at room temperature.  
Do not exceed 85° Fahrenheit, 30° Celsius

**Directions ■ Adults/children 12 years of age and over**  
 ■ clean and dry affected area ■ remove film from patch by gently pulling apart from corner ■ carefully apply to affected area ■ once patch is positioned, press firmly to adhere to skin ■ use only one patch at a time for up to 12 hours  
**Children under 12 years of age: consult a healthcare professional!**

**Inactive ingredients**  
 Butylated hydroxytoluene, Carbomethylcellulose Sodium, Disodium Edetate Hydrate, Concentrated Glycerin, Ipprosyl Myristate, Kaolin, Magnesium Aluminum silicate, Nikaole TS-620, Methylparaben, Polyacrylic acid solution, Polysorbate 80, Propylene Glycol, Propylparaben, Purified water, Sodium Polyacrylate, Sorbitan Sesquioleate, Tartaric Acid, Titanium Oxide, Urea, D-Sorbitol solution

Distributed by:  
SIN SIN PHARMACEUTICAL  
Brea, CA 92821  
Made in Korea

LOT:  
EXP:

Do Not Reuse

Maximum Strength  
**LIDOCAINE**  
4% Pain Relieving Patch

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/25/2017	12/30/2049

**Labeler** - Sinsin Pharmaceutical Co., Ltd (823149161)

**Registrant** - Sinsin Pharmaceutical Co., Ltd. (687867143)