

**EXTRA STRENGTH ASPIRIN- aspirin tablet**  
**Health Pharma USA LLC**

-----  
**Extra Strength Aspirin**

**Drug facts**

***Active ingredient (in each tablet)***

Aspirin 325 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever/ Fever reducer

***Uses***

Temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- shock
- facial swelling
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug

- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Do not use**

- if you are allergic to aspirin, or any other pain reliever/fever reducer

**Ask a doctor before use if**

- you have asthma
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug for diabetes, gout, or arthritis
- under a doctor's care for any serious condition
- taking any other drug

**Stop use and ask a doctor if:**

- you experience any of the following signs of stomach bleeding:
  - feel faint
  - have bloody or black stools
  - vomit blood
  - have stomach pain that does not get better
- an allergic reaction occurs.

Seek medical help right away.

- ringing in the ears or loss of hearing occurs.
- pain gets worse or lasts for more than 10 days.
- fever gets worse or lasts for more than 3 days.
- redness or swelling present in the painful area.
- new symptoms occur.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

- drink a full glass of water with each dose
- **adults and children 12 years of age and over:**
  - take 1 to 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- **children under 12 years:**ask a doctor

### Other information

- store at room temperature 15-30°C (59-86°F)
- read all product information before using
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

### Inactive ingredients

Starch, Povidone, Hydroxy propyl methyl cellulose, Polyethylene glycol, Talc, Titanium dioxide.

### Questions or comments?

Call toll free 1-844-832-1138

Mon - Fri 9AM - 4PM EST

## PRINCIPAL DISPLAY PANEL

### Extra Strength Aspirin

### Aspirin 325 mg

Compare to Bayer® EXTRA STRENGTH active ingredients\*

This product is not manufactured or distributed by Bayer HealthCare LLC., owner of the registered trademark Bayer® Low Dose Aspirin.



**Drug Facts**

- Ask a doctor before if:
  - you have asthma
  - stomach bleeding w/ history
  - you have a history of kidney disease
  - you are taking a diu
- Ask a doctor or phar
  - taking a prescription
  - under a doctor's cal
  - taking any other dru
- Stop use and ask a do
  - you experience any blood:
    - feel fair
    - bleeding
    - have stom
  - an allergic reaction
  - Seek medical help r
  - ringing in the ears
  - pain gets worse or l
  - fever gets worse or
  - redness or swelling
  - new symptoms occ

These could be signs of pregnancy or breast-feeding. If pregnant or breast-feeding, ask a health professional before use. Aspirin may cause a severe allergic reaction, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older, have had stomach ulcers or bleeding problems, take a blood thinning (anticoagulant) or steroid drug, take other drugs containing aspirin, or have 3 or more alcoholic drinks every day while using this product. Take more or for a longer time than directed.

**Directions**

- drink a full glass of water with each dose
- take 1 to 2 tablets not to exceed 12 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- children under 12 years of age should not take this product unless directed by a doctor

**Other information**

Store at room temperature. Do not use unless directed by a doctor. Do not use unless directed by a doctor.

**Inactive ingredients**

methylcellulose, Polyethylene glycol, titanium dioxide

Questions or comments? Call toll free 1-844-832-1138

NDC 71679-115-60

Health Pharma

Compare to Bayer® EXTRA STRENGTH active ingredients\*

# Extra Strength Aspirin Aspirin 325 mg

Pain Reliever / Fever Reducer (NSAID)  
Fast, Safe Pain Relief

60 COATED TABLETS



**Drug Facts**

**Active ingredient (in each tablet)**  
Aspirin 325 mg (NSAID)\* ..... Pain reliever/Fever reducer

**Purpose**  
\* nonsteroidal anti-inflammatory drug

**Uses:** temporarily relieves minor aches and pains due to:
 

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if you experience any of the following symptoms, stop use immediately and seek medical help right away. These symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
 

- vomiting
- persistent nausea
- loss of appetite
- lethargy
- blurred vision
- swelling in the feet or legs
- enlarged liver
- enlarged spleen
- enlarged lymph nodes
- enlarged testicles
- enlarged ovaries
- enlarged adrenal glands
- enlarged thyroid gland
- enlarged pancreas
- enlarged stomach
- enlarged intestines
- enlarged bladder
- enlarged uterus
- enlarged vagina
- enlarged cervix
- enlarged uterus
- enlarged vagina
- enlarged cervix

**Other information**

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer. Do not use if you are allergic to aspirin, or any other pain reliever/fever reducer.

**Directions**

Drink a full glass of water with each dose. Take 1 to 2 tablets not to exceed 12 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours. Children under 12 years of age should not take this product unless directed by a doctor.

**Other information**

Store at room temperature. Do not use unless directed by a doctor. Do not use unless directed by a doctor.

**Inactive ingredients**

methylcellulose, Polyethylene glycol, titanium dioxide

Questions or comments? Call toll free 1-844-832-1138

**DRUG FACTS CONTINUED** on back of the label

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Bayer® Low Dose Aspirin.

Mfg/Dist. by: Health Pharma, Rahway, NJ 07065, www.health-pharma.us

Lot No.: 3 71679 11560 0

Exp. Date:

PEEL HERE

NDC 71679-115-03

Health Pharma

Compare to Bayer® EXTRA STRENGTH active ingredients\*

# Extra Strength Aspirin Aspirin 325 mg

Pain Reliever / Fever Reducer (NSAID)  
Fast, Safe Pain Relief

300 COATED TABLETS



**Drug Facts**

**Active ingredient (in each caplet)**  
Aspirin 325 mg (NSAID)\* ..... Pain reliever/Fever reducer

**Purpose**  
\* nonsteroidal anti-inflammatory drug

**Uses:** temporarily relieves minor aches and pains due to:
 

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if you experience any of the following symptoms, stop use immediately and seek medical help right away. These symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
 

- vomiting
- persistent nausea
- loss of appetite
- lethargy
- blurred vision
- swelling in the feet or legs
- enlarged liver
- enlarged spleen
- enlarged lymph nodes
- enlarged testicles
- enlarged ovaries
- enlarged adrenal glands
- enlarged thyroid gland
- enlarged pancreas
- enlarged stomach
- enlarged intestines
- enlarged bladder
- enlarged uterus
- enlarged vagina
- enlarged cervix

**Other information**

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer. Do not use if you are allergic to aspirin, or any other pain reliever/fever reducer.

**Directions**

Drink a full glass of water with each dose. Take 1 to 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours. Children under 12 years of age should not take this product unless directed by a doctor.

**Other information**

Store at room temperature. Do not use unless directed by a doctor. Do not use unless directed by a doctor.

**Inactive ingredients**

methylcellulose, Polyethylene glycol, titanium dioxide

Questions or comments? Call toll free 1-844-832-1138

**DRUG FACTS CONTINUED** on back of the label

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Bayer® Extra Strength.

Mfg/Dist. by: Health Pharma, Rahway, NJ 07065, www.health-pharma.us

Lot No.: 3 71679 11503 7

Exp. Date:

NDC 71679-115-05

Health Pharma

Compare to Bayer® EXTRA STRENGTH active ingredients\*

# Extra Strength Aspirin Aspirin 325 mg

Pain Reliever / Fever Reducer (NSAID)  
Fast, Safe Pain Relief

500 TABLETS



**Drug Facts**

**Active ingredient (in each caplet)**  
Aspirin 325 mg (NSAID)\* ..... Pain reliever/Fever reducer

**Purpose**  
\* nonsteroidal anti-inflammatory drug

**Uses:** temporarily relieves minor aches and pains due to:
 

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if you experience any of the following symptoms, stop use immediately and seek medical help right away. These symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
 

- vomiting
- persistent nausea
- loss of appetite
- lethargy
- blurred vision
- swelling in the feet or legs
- enlarged liver
- enlarged spleen
- enlarged lymph nodes
- enlarged testicles
- enlarged ovaries
- enlarged adrenal glands
- enlarged thyroid gland
- enlarged pancreas
- enlarged stomach
- enlarged intestines
- enlarged bladder
- enlarged uterus
- enlarged vagina
- enlarged cervix

**Other information**

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer. Do not use if you are allergic to aspirin, or any other pain reliever/fever reducer.

**Directions**

Drink a full glass of water with each dose. Take 1 to 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours. Children under 12 years of age should not take this product unless directed by a doctor.

**Other information**

Store at room temperature. Do not use unless directed by a doctor. Do not use unless directed by a doctor.

**Inactive ingredients**

methylcellulose, Polyethylene glycol, titanium dioxide

Questions or comments? Call toll free 1-844-832-1138

**DRUG FACTS CONTINUED** on back of the label

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Bayer® Extra Strength.

Mfg/Dist. by: Health Pharma, Rahway, NJ 07065, www.health-pharma.us

Lot No.: 3 71679 11505 1

Exp. Date:

# EXTRA STRENGTH ASPIRIN

aspirin tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71679-115
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	ASP325
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71679-115-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	10/15/2023	
2	NDC:71679-115-03	300 in 1 BOTTLE; Type 0: Not a Combination Product	11/29/2023	
3	NDC:71679-115-05	500 in 1 BOTTLE; Type 0: Not a Combination Product	11/29/2023	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M013	10/15/2023	

**Labeler** - Health Pharma USA LLC (080804485)

## Establishment

Name	Address	ID/FEI	Business Operations
Health Pharma USA LLC		080804485	manufacture(71679-115)

Revised: 11/2023

Health Pharma USA LLC