

BACITRACIN ZINC- first aid antibiotic ointment
Dynarex Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

1171 Bacitracin Zinc Ointment NDC 67777-008-10
1172 Bacitracin Zinc Ointment NDC 67777-008-20
1173 Bacitracin Zinc Ointment NDC 67777-008-30
1175 Bacitracin Zinc Ointment NDC 67777-008-50
1176 Bacitracin Zinc Ointment NDC 67777-008-60

Active Ingredient

Bacitracin Zinc (500 units in each gram)

Purpose

First Aid Antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

the condition persists or gets worse, or if a rash or other allergic reaction develops

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other Information

- Store at room temperature
- Avoid excessive heat and humidity
- Tamper Evident. Do not use if inner seal is torn, cut or opened.

Inactive Ingredients

Hard Paraffin, Liquid Paraffin, White Soft Paraffin

1171 Label

Drug Facts Active Ingredient (in each gram) Bacitracin Zinc (500 units) First Aid Antibiotic		animal bites, or serious burns Stop use and ask a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops.		Reorder No. 1171 		Manufactured for: Dynarex Corporation 10 Glenshaw Street Orangeburg, NY 10962 USA • www.dynarex.com Made in India Imported by: Emergency First Aid Products Ltd. St. Laurent, QC H4N1R5 Canada		DIN # 02374390 Reorder No. 1171	
Uses First aid to prevent infection in minor cuts, scrapes, and burns		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Bacitracin Zinc Ointment USP First Aid Antibiotic		Bacitracin Zinc Ointment USP First Aid Antibiotic			
Warnings For external use only Do not use • In the eyes or apply over large areas of the body • If you are allergic to any of the ingredients • Longer than 1 week unless directed by a doctor Ask a doctor before use if you have deep or puncture wounds.		Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.		144 Packets Net Wt. 0.9 g		144 Packets Net Wt. 0.9 g		ⓧ	
Other Information Store at room temperature		Inactive Ingredients • Hard Paraffin, Liquid Paraffin, White Soft Paraffin							

1172 Label

Drug Facts Active Ingredient Bacitracin Zinc (500 units in each gram) First Aid Antibiotic		Drug Facts (continued) Do not use • In the eyes or apply over large areas of the body • If you are allergic to any of the ingredients • Longer than 1 week unless directed by a doctor Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if the condition persists	
Uses First aid to help prevent infection in minor cuts, scrapes, and burns		Drug Facts (continued) or gets worse, or if a rash or other allergic reaction develops	
Warnings For external use only		Other Information • Store at room temperature • Avoid excessive heat and humidity • Tamper Evident. Do not use if inner seal is torn, cut or opened.	
Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger)		Inactive Ingredients Hard Paraffin, Liquid Paraffin, White Soft Paraffin	

DIN # 02374390

Bacitracin Zinc Ointment USP
 First Aid Antibiotic

Reorder No. 1172 Net Wt. 0.5 oz. (14.2 g)

 	Manufactured for: Dynarex Corporation 10 Glenshaw Street Orangeburg, NY 10962 USA • www.dynarex.com Made in India Imported by: Emergency First Aid Products Ltd. St. Laurent, QC H4N1R5 Canada	 SYMBOL GLOSSARY For an explanation of symbols used in Dynarex packaging, visit dynarex.com/symbols.php	R180206
--	--	---	---------

1173 Label

Drug Facts

Active Ingredient
Bacitracin Zinc (500 units in each gram) First Aid Antibiotic

Purpose

Uses
First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings
For external use only

Drug Facts (continued)

Do not use
• In the eyes or apply over large areas of the body
• If you are allergic to any of the ingredients
• Longer than 1 week unless directed by a doctor

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if the condition persists

Drug Facts (continued)

or gets worse, or if a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.

Drug Facts (continued)

May be covered with a sterile bandage.

Other Information

• Store at room temperature • Avoid excessive heat and humidity
• Tamper Evident. Do not use if inner seal is torn, cut or opened.

Inactive Ingredients

Hard Paraffin, Liquid Paraffin, White Soft Paraffin

DIN # 02374390

Bacitracin Zinc Ointment USP

First Aid Antibiotic



Reorder No. 1173

Net Wt. 1 oz. (28.4 g)

Manufactured for:
Dynarex Corporation
10 Glenshaw Street
Orangeburg, NY 10962
USA • www.dynarex.com

Made in India

Imported by: Emergency First Aid
Products Ltd. St. Laurent, QC
H4N1R5 Canada

LOT



SYMBOL GLOSSARY
For an explanation of symbols used in Dynarex packaging, visit dynarex.com/symbols.php

1175 Label

Drug Facts Active Ingredient Bacitracin Zinc (500 units in each gram).....First Aid Antibiotic Purpose First Aid Antibiotic Uses First aid to help prevent infection in minor cuts, scrapes, and burns Warnings For external use only	Drug Facts (continued) Do not use <ul style="list-style-type: none"> In the eyes or apply over large areas of the body If you are allergic to any of the ingredients Longer than 1 week unless directed by a doctor Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if the condition persists
Drug Facts (continued) or gets worse, or if a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.	Drug Facts (continued) May be covered with a sterile bandage. Other Information <ul style="list-style-type: none"> Store at room temperature Avoid excessive heat and humidity Tamper Evident. Do not use if inner seal is torn, cut or opened. Inactive Ingredients Hard Paraffin, Liquid Paraffin, White Soft Paraffin

DIN # 02374390

Bacitracin Zinc Ointment USP

First Aid Antibiotic

Reorder No. 1175 Net Wt. 4 oz. (113 g)

LOT

Manufactured for:
 Dynarex Corporation
 10 Glenshaw Street
 Orangeburg, NY 10962
 USA • www.dynarex.com
 Made in India

Imported by: Emergency First Aid Products Ltd. St. Laurent, QC H4N1R5 Canada

SYMBOL GLOSSARY
 For an explanation of symbols used in Dynarex packaging, visit dynarex.com/symbols.php

1176 Label

Drug Facts Active Ingredient Bacitracin Zinc (500 units in each gram).....First Aid Antibiotic Purpose First Aid Antibiotic Uses First aid to help prevent infection in minor cuts, scrapes, and burns Warnings For external use only Do not use <ul style="list-style-type: none"> in the eyes or apply over large areas of the body if you are allergic to any of the ingredients longer than 1 week unless directed by a doctor Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns	Stop use and ask a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage. Other Information <ul style="list-style-type: none"> Store at room temperature Avoid excessive heat and humidity Tamper Evident. Do not use if inner seal is torn, cut or opened. Inactive Ingredients Hard Paraffin, Liquid Paraffin, White Soft Paraffin	DIN # 02374390 Reorder No. 1176
---	--	--

Bacitracin Zinc Ointment USP

First Aid Antibiotic

Reorder No. 1176 Net Wt. 15 oz. (425 g)

LOT

Manufactured for:
 Dynarex Corporation
 10 Glenshaw Street
 Orangeburg, NY 10962
 USA • www.dynarex.com
 Made in India

Imported by: Emergency First Aid Products Ltd. St. Laurent, QC H4N1R5 Canada

SYMBOL GLOSSARY
 For an explanation of symbols used in Dynarex packaging, visit dynarex.com/symbols.php

BACITRACIN ZINC

first aid antibiotic ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	500 [USP'U] in 1 g	
Inactive Ingredients				
Ingredient Name		Strength		
MINERAL OIL (UNII: T5L8T28FGP)				
PARAFFIN (UNII: I9O0E3H2ZE)				
PETROLATUM (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-008-10	1728 in 1 CASE	02/16/2018	
1		144 in 1 BOX		
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:67777-008-20	72 in 1 CASE	02/16/2018	
2		1 in 1 BOX		
2		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:67777-008-30	72 in 1 CASE	02/16/2018	
3		1 in 1 BOX		
3		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:67777-008-50	72 in 1 CASE	02/16/2018	
4		1 in 1 BOX		
4		113 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:67777-008-60	12 in 1 CASE	02/16/2018	
5		425 g in 1 JAR; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	02/16/2018		

Labeler - Dynarex Corporation (008124539)

Revised: 2/2019

Dynarex Corporation