

**FUTURIST HYDRA RESCUE MOISTURIZING MAKEUP BROAD SPECTRUM SPF 45-
ensulizole, octinoxate, octisalate, and zinc oxide liquid
ESTEE LAUDER INC**

FUTURIST HYDRA RESCUE MOISTURIZING MAKEUP BROAD SPECTRUM SPF 45

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Ensulizole 2.7%	Sunscreen
Octinoxate 6.7%	Sunscreen
Octisalate 4.5%	Sunscreen
Zinc Oxide 3.8%	Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • dimethicone • phenyl trimethicone • butylene glycol • glycerin • polymethylsilsesquioxane • lauryl peg-9 polydimethylsiloxyethyl dimethicone • hdi/ppg/polycaprolactone crosspolymer • trimethylsiloxysilicate/dimethiconol crosspolymer • tromethamine • polysilicone-11 • hexyl laurate • cetyl peg/ppg-10/1 dimethicone • lactobacillus ferment • cucumis sativus (cucumber) fruit extract • sodium hyaluronate • salvia hispanica seed extract • hylocereus undatus fruit extract • helianthus annuus (sunflower) seedcake • algae extract • euterpe oleracea fruit oil • carapa guaianensis seed oil • caffeine • jojoba esters • tremella fuciformis sporocarp extract • camelina sativa seed oil • sapindus mukorossi fruit extract • caesalpinia spinosa gum • copaifera officinalis (balsam copaiba) resin • caprylic/capric triglyceride • propylene glycol dicaprato • acetyl glucosamine • tocopheryl acetate • acetyl hexapeptide-8 • lecithin • trehalose • disteardimonium hectorite • hydroxyethyl urea • neopentyl glycol diheptanoate • dimethicone/divinyldimethicone silsesquioxane crosspolymer • hydrogenated coco-glycerides • phospholipids • trimethylsiloxysilicate • polyhydroxystearic acid • polyglyceryl-4 isostearate • glyceryl stearate • triethoxycaprylylsilane • triethyl citrate • laureth-7 • linoleic acid • methicone • stearyl alcohol • cetearyl alcohol • ammonium polyacryloyldimethyl taurate • silica • hordeum vulgare (barley) extract/extrait d'orge • tocopherol • palmitic acid • phytosteryl canola glycerides • stearic acid • oleic acid • sodium chloride • polysorbate 80 • polysorbate 20 • behenyl alcohol • triolein • betaine • fragrance (parfum) • disodium edta • bht • phenoxyethanol • sodium dehydroacetate • potassium sorbate • [+/- mica • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499) • titanium dioxide (ci 77891)]

<iln47153>

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 35 ml Tube Carton

ESTÉE LAUDER

Futurist

Hydra Rescue


Moisturizing Makeup

Broad Spectrum

SPF 45

1.2 FL. OZ. LIQ.

35ml □



ESTÉE LAUDER

Futurist
Hydra Rescue
Moisturizing Makeup
Broad Spectrum
SPF 45

1.2 FL. OZ. LIQ.
35ml e

**Futurist
Hydra Rescue
Moisturizing Makeup
Broad Spectrum SPF 45**

More than makeup. It rescues skin with soothing hydration and skin-loving ingredients. Includes probiotic technology, chia-seed extract and IonCharged Water. Skin is plump with moisture and has an instant radiant glow. Full-coverage, lightweight formula immediately covers visible redness and diffuses the look of fine dry lines, pores and spots. Looks flawless and smooth, stays color true. All-day long wear. Ophthalmologist- and Dermatologist-tested. Shake well.

Drug Facts

Active ingredients	Purpose
Ensulizole 2.7%	Sunscreen
Octinoxate 6.7%	Sunscreen
Octisalate 4.5%	Sunscreen
Zinc Oxide 3.8%	Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • dimethicone • phenyl trimethicone • butylene glycol • glycerin • polymethylsiloxane • lauryl ppg-9 polydimethylsiloxyethyl dimethicone • hdi/ppg/polycaprolactone crosspolymer • trimethylsiloxysilicate/dimethiconol crosspolymer • tromethamine • polysilicone-11 • hexyl laurate • cetyl ppg-10/1 dimethicone • lactobacillus ferment • cucumis sativus (cucumber) fruit extract • sodium hyaluronate • salvia hispanica seed extract • hylocereus undatus fruit extract • helianthus annuus (sunflower) seedcake • algae extract • euterpe oleracea fruit oil • carapa guaianensis seed oil • caffeine • jojoba esters • tremella fuciformis sporocarp extract • camellina sativa seed oil • sapindus mukorossi fruit extract • caesalpinia spinosa gum • copaifera officinalis

C172777

© ESTÉE LAUDER, DIST.
NEW YORK, N.Y. 10022
WLB LTD, GU32 3DD, UK
WLBS NV, OEVEL BE-2260
NEW YORK • LONDON • PARIS
MADE IN CANADA PEOW
esteelauder.com




(balsam copaliba) resin · caprylic/capric triglyceride · propylene glycol dicaprate · acetyl glucosamine · tocopheryl acetate · acetyl hexapeptide-8 · lecithin · trehalose · disteardimonium hectorite · hydroxyethyl urea · neopentyl glycol diheptanoate · dimethicone/divinyl dimethicone silsesquioxane crosspolymer · hydrogenated coco-glycerides · phospholipids · trimethylsiloxy silicate · polyhydroxystearic acid · polyglyceryl-4 isostearate · glyceryl stearate · triethoxycaprylylsilane · triethyl citrate · laureth-7 · linoleic acid · methicone · stearyl alcohol · cetearyl alcohol · ammonium polyacryloyldimethyl taurate · silica · hordeum vulgare (barley) extract/extrait d'orge · tocopherol · palmitic acid · phytosteryl canola glycerides · stearic acid · oleic acid · sodium chloride · polysorbate 80 · polysorbate 20 · behenyl alcohol · triolein · betaine · fragrance (parfum) · disodium edta · bht · phenoxyethanol · sodium dehydroacetate · potassium sorbate · [+/- mica · iron oxides (ci 77491) · iron oxides (ci 77492) · iron oxides (ci 77499) · titanium dioxide (ci 77891)] <ln47153>

Other information

protect the product in this container from excessive heat and direct sun

UPC/FPO

PEOW-01-1111



FUTURIST HYDRA RESCUE MOISTURIZING MAKEUP BROAD SPECTRUM SPF 45

ensulizole, octinoxate, octisalate, and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11559-058
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	27 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CHIA SEED (UNII: NU0OLX06F8)	
SELENICEREUS UNDATUS FRUIT (UNII: WUG58TD53X)	
HELIANTHUS ANNUUS SEEDCAKE (UNII: 482WYF7XLC)	
ACAI OIL (UNII: Z0W6766A2W)	
CARAPA GUIANENSIS SEED OIL (UNII: Y82418EH2I)	
CAFFEINE (UNII: 3G6A5W338E)	
TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G)	
CAMELINA SATIVA SEED OIL (UNII: 12824X01L0)	
SAPINDUS MUKOROSI FRUIT (UNII: 66H9NW427Y)	
CAESALPINIA SPINOSA RESIN (UNII: WL3883U2PO)	
COPAIFERA OFFICINALIS RESIN (UNII: 1VH544O5AT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PROPYLENE GLYCOL DICAPRATE (UNII: U783H9JHWY)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)	
TREHALOSE (UNII: B8WCK70T7I)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	

HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKWBC543X)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
LAURETH-7 (UNII: Z95S6G8201)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
DOCOSANOL (UNII: 9G1OE216XY)	
GLYCERYL TRIOLEATE (UNII: O05EC62663)	
BETAINE (UNII: 3SCV180C9W)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (55000 MPA.S) (UNII: F01RIY4371)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BARLEY (UNII: 5PWM7YLI7R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PALMITIC ACID (UNII: 2V16EO95H1)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
OLEIC ACID (UNII: 2UMI9U37CP)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TROMETHAMINE (UNII: 023C2WHX2V)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
LIMOSILACTOBACILLUS REUTERI (UNII: 9913I24QEE)	
CUCUMBER (UNII: YY7C30VXJT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11559-058-01	1 in 1 CARTON	10/04/2019	
1		35 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/04/2019	

Labeler - ESTEE LAUDER INC (005914387)**Registrant** - Estee Lauder Companies Inc. (790802086)**Establishment**

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		202952982	manufacture(11559-058)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	pack(11559-058) , label(11559-058)

Establishment

Name	Address	ID/FEI	Business Operations
LE PAPILLON, LTD.		040070823	label(11559-058) , pack(11559-058)

Revised: 8/2024

ESTEE LAUDER INC