

CVS 3 STEP LICE SOLUTION- piperonyl butoxide, pyrethrum extract CVS

CVS Haircare Lice Killing Shampoo Kit

Active ingredient

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

Uses

treats head, pubic (crab), and body lice

Purpose

Lice treatment

Warnings

For external use only

Do not use

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years:** ask a doctor

Other information

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Package Insert

Consumer Information - Package Insert

English

147417_Eng_pt_LR Page 1

22-Feb-17



Compare to the active ingredients in RID®*

1-2-3 Lice Treatment System

Completely eliminate lice from your family and home.

STEP 1: LICE KILLING SHAMPOO

Shampoo kills all kinds of lice on contact



NOTE:

- Use towels to protect eyes from treatment and prevent clothes from getting wet.
- Apply Lice Killing Shampoo thoroughly to **DRY HAIR** or other affected area.
- Wetting the hair dilutes the treatment, making it less effective.
- Additionally, lice can hold their breath when immersed in water, making it difficult for the active ingredients to penetrate them.

Usage Guidelines

Hair Length	Approximate Amount For 1 Adult / Child:
Short (ear length or shorter)	First Application: 1 oz - 2 oz Second Application: 1 oz - 2 oz Total: 2 oz - 4 oz
Medium (shoulder length)	First Application: 2 oz - 3 oz Second Application: 2 oz - 3 oz Total: 4 oz - 6 oz
Long (past shoulder length)	First Application: 3 oz - 4 oz Second Application: 3 oz - 4 oz Total: 6 oz - 8 oz

1

- Apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.

2

- Allow product to remain for 10 minutes, but no longer.

10 Minutes



3

- Add warm water and massage to form a lather.
- Rinse thoroughly.

4

- For head lice, towel dry hair and comb out tangles.
- Proceed to Step 2.

A second treatment must be done in 7 to 10 days to kill any newly hatched lice.

STEP 2: COMB-OUT SPRAY

Hair spray & comb gently removes lice eggs



This product should be used **AFTER** Lice Killing Shampoo (Step 1).

Combing out eggs (nits) is an **essential step** to complete lice elimination.

NOTE:

- A special lice / nit* comb (included), or any other fine-toothed comb, must be used to remove lice, eggs (nits) from hair.
- Before starting, have on hand
 - extra towels
 - bobby pins or hair clips
 - facial tissues or paper towels
 - regular comb for parting and detangling hair
 - throw-away glove
 - plastic bag
- For children, find a distraction to ease the combing process (e.g., books, TV, game).
- Comb out damp hair with a regular wide-toothed comb to take out snarls and tangles.

Usage Guidelines

Hair Length	Approximate Amount For 1 Adult / Child:
Short (ear length or shorter)	First Application: 1 oz Second Application: 1 oz Total: 2 oz
Medium / Long (shoulder length or longer)	First Application: 2 oz Second Application: 2 oz Total: 4 oz

1

- Apply Lice & Egg Comb-Out Spray to one section of hair. (Do not apply to entire head at once, since spray dries quickly.)
- Massage thoroughly until all strands of hair in this section are covered with the spray.
- Hold the comb with the teeth facing you.

2

- Lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp, from the roots to the ends of the hair (newly laid eggs are found near the roots of the hair so it is important to get the teeth very close to the scalp).
- Pin back each strand of hair after combing.
- Always comb away from the head.
- Clean comb often. Wipe eggs (nits) away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.



3

- Pin back the 1- to 2-inch strand you just finished combing with a bobby pin or hair clip.
- Lift up another 1- to 2-inch wide strand with spray and repeat the combing procedure.
- When one section with spray has been combed and pinned, apply Lice & Egg Comb-Out Spray to another section of hair 1 to 2 inches at a time until entire head has been combed and pinned (longer hair may take 1 to 2 hours).



4

- Keep the hair damp during combing and re-apply Lice & Egg Comb-Out Spray as needed. If hair dries during combing, dampen slightly with water.
- After combing, thoroughly recheck for lice / eggs (nits). Repeat combing if necessary. If desired, you may also wash with regular shampoo.
- Check daily for any lice / eggs (nits) that you missed.
- If infestation continues, see a doctor for other treatments.

STEP 3: HOME SPRAY

Spray kills lice, bedbugs and mites on bedding & furniture



- Use Lice, Bedbug & Mite Spray to kill lice and their eggs on mattresses, furniture, and other non-washable items. A regular disinfectant spray will not kill lice and their eggs.
- After spraying the infested area, vacuum rugs and carpets. Dispose of the vacuum cleaner bags after use.
- Wash all clothes, towels, washable hats, scarves, coats, and bed linens in hot water. Dry in high heat for at least 20 minutes.
- Dry clean non-washables.
- Personal combs and brushes may be disinfected by soaking in hot water (above 54°C [130°F]) for at least 10 minutes.
- Place stuffed toys in plastic bags and seal them for 4 weeks.

Checklist

- Home and auto upholstery
- Mattresses, pillows & pillowcases
- Bed linen
- Towels
- Stuffed animals, toys
- Headphones
- Hats
- Headbands
- Bike / sports helmets
- Coats, scarves, earmuffs & gloves
- Play mats
- Clothing
- Barrettes / hair ornaments
- Hair rollers
- Combs and brushes
- Baseball caps

SECOND TREATMENT

Repeat the same procedures in 7-10 days for

STEP 1: CLEAN and STEP 2: COMB

There may be some eggs that were not combed after the first treatment. These eggs will hatch and need to be killed with the second treatment.

DAILY CHECKING

To prevent reinfestation:

Carefully inspect infested family member **daily** for at least 2 weeks. If you see eggs or nits, repeat Step 2. Check other family members for head lice. If anyone else in the family is infested, follow Step 1 and Step 2. Repeat Step 3 with any articles or items with which they have come into contact.

Frequently Asked Questions

What are head lice?

- Lay small white eggs (nits) on hair shaft close to scalp.
- Nits are most easily found on back of neck or behind ears.
- Disinfect hats, hair ribbons, scarves, coats, towels, and bed linens by machine washing in hot water (above 54°C [130°F]), then using hottest dryer cycle for at least 20 minutes.
- Items that cannot be washed (bedspreads, blankets, pillows, stuffed toys, etc.) should be dry-cleaned or sealed in a plastic bag for 4 weeks, then removed outdoors and shaken out very hard before using again.

- Items that cannot be washed, dry-cleaned, or stored may be sprayed with a product designed for this purpose, such as the Lice, Bedbug & Mite Spray.
- Soak all combs and brushes in hot water (above 54°C [130°F]) for at least 10 minutes.
- Vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people.

What are pubic lice (crabs)?

- May be transmitted by sexual contact. Sexual partners should be treated simultaneously to avoid reinfection.
- Lice are very small and look like brown or grey dots on skin.

- Usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface.
- May be present on the short hairs of groin, thighs, trunk, and underarms, and occasionally on beard and mustache.
- Disinfect underwear by machine washing in hot water (above 54°C [130°F]), then using hottest dryer cycle for at least 20 minutes.

What are body lice?

- Body lice and their eggs (nits) are generally found in the seams of clothing particularly in waistline and armpit area.

- Body lice feed on skin then return to clothing to lay their eggs.
- Disinfect clothing by machine washing in hot water (above 54°C [130°F]), then using hottest dryer cycle for at least 20 minutes.
- Do not seal clothing in a plastic bag because nits can remain dormant for up to 30 days.

Who do we call for more information?

If you have questions, call 1-877-974-7167. *This product is not manufactured by Bayer HealthCare, distributor of the product RID®. †Nits are lice eggs.

Cyan Magenta Yellow Black

2152666.3



1-2-3 Tratamiento Sistemático Para La Eliminación De Piojos

Elimine completamente los piojos de su hogar y su familia.

Comparar a los ingredientes activos en el RID®*

PASO 1: LIMPIEZA

Shampoo para matar piojos



NOTAS:

- Utilizar toallas para proteger los ojos al aplicar el tratamiento y para prevenir que la ropa se moje.
- Aplicar el tratamiento a fondo en cabello completamente seco u otras áreas afectadas.
- El cabello húmedo ocasiona que el tratamiento sea menos efectivo.
- Adicionalmente los piojos pueden afianzarse más en el agua, haciendo que se dificulte la penetración de los ingredientes activos para acabar con ellos.

Direcciones de Uso

Longitud del Cabello	Cantidad Aprox. Por 1 Adulto/Niño:
Corto (Nivel de oídos o más corto)	Primera Aplicación: 1 oz - 2 oz Segunda Aplicación: 1 oz - 2 oz Total: 2 oz - 4 oz
Mediano (Nivel de hombros)	Primera Aplicación: 2 oz - 3 oz Segunda Aplicación: 2 oz - 3 oz Total: 4 oz - 6 oz
Largo (Mas alla de hombros)	Primera Aplicación: 3 oz - 4 oz Segunda Aplicación: 3 oz - 4 oz Total: 6 oz - 8 oz

1

- Aplicar a fondo en cabello seco u otras áreas afectadas. Para los piojos de la cabeza, aplique primero detras de las orejas y la parte posterior del cuello.

2

- Dejar el producto en el cabello por solo 10 minutos, no más.

10 Minutos



3

- Añadir agua caliente y masajear hasta formar espuma.
- Enjuagar a fondo.

4

- Para los piojos de la cabeza, el cabello con una toalla seca u peinar los enredos.
- Vaya al paso 2.

Un Segundo tratamiento debe ser llevado a cabo de nuevo dentro de 7 a 10 días para matar cualquier piojo recién nacido.

Preguntas mas Frecuentes

¿Qué son los piojos?

- Ponien huevecillos blancos (las liendres) en el eje del pelo cerca del cuero cabelludo.
- Las liendres son mas faciles de encontrar en la parte posterior del cuello o detras de las orejas.
- Desinfecte los sombreros, cintas para el cabello, bufandas, abrigos, toallas y sábanas por el lavado a máquina en agua caliente (por encima de 54°C [130°F]), a continuación, utilizando el ciclo más caliente de la secadora por lo menos 20 minutos.
- Los artículos que no se pueden lavar (colchas, mantas, almohadas, peluches, etc) deben limpiarse en seco o guardarse

PASO 2: PEINAR

Aerosol para peinar piojos y huevecillos



Este producto se debe utilizar despues del champu para matar piojos (Paso 1). Peinar los huevecillos (liendres) es un paso esencial para lograr la eliminación de los piojos.

NOTAS:

- Un peine especial para piojos / liendres* (incluido) o cualquier otro peine con dientes finos, debiera utilizarse para retirar piojos huevecillos (liendres) del cabello
- Antes de iniciar, tenga a la mano:
 - toallas extras
 - ganchos o clips
 - Kleenex o toallas de papel
 - peine regular para parir y desenredar el cabello
 - guantes desechables
 - bolsa de plástico
- Para niños encuentre una distracción para facilitar el peinado (por ejemplo ver la television, libros o juegos).
- Cepille el cabello húmedo con un peine regular de dientes anchos para retirar los nudos.

Direcciones de Uso

Longitud del Cabello	Cantidad Aprox. Por 1 Adulto/Niño:
Corto (Nivel de oídos o mas corto)	Primera Aplicación: 1 oz Segunda Aplicación: 1 oz Total: 2 oz
Mediano / Largo (Nivel de hombro o mas largo)	Primera Aplicación: 2 oz Segunda Aplicación: 2 oz Total: 4 oz

1

- Aplicar el aerosol para piojos y huevecillos a una seccion del cabello. (No aplique a todo el cabello al mismo tiempo ya que el aerosol se seca rapidamente.)
- Masajeje a fondo hasta que toda esta seccion del cabello esta totalmente cubierta de aerosol.
- Mantenga el peine con direccion hacia usted.

2

- Levante secciones de cabello, de 1 a 2 pulgadas de ancho. Coloque el peine lo mas cerca possible al cuero cabelludo y peine firmemente en un movimiento parejo desde el cuero cabelludo hasta las puntas del cabello (los huevecillos nuevos normalmente se encuentra cerca de las raiz del cuero cabelludo).
- Despues de peinar cada sección de cabello, colocoala hacia atras con una pinza.
- Siempre peine hacia afuera de la cabeza.
- Limpie el peine a menudo. Limpie los huevecillos y las liendres con un papel y tirelos en una bolsa de plástico. Selle la bolsa y tirela para prevenir que los piojos vuelvan



3

- Coloque hacia atras la sección de cabello que ya esta peinada y detengalos con una pinza o un pasador.
- Levante otra sección de cabello de 1 a 2 pulgadas de ancho y con el aerosol repita el mismo procedimiento.
- Cuando una sección de cabello con aerosol ha sido peinada y colocada hacia atras, aplique el aerosol para piojos y liendres a otra sección de cabello de 1 a 2 pulgadas de ancho y así hasta que toda la cabeza halla sido peinada (el cabello largo puede tomar de 1 a 2 horas).



4

- Mantenga húmedo el cabello durante el peinado y repita la aplicacion del aerosol conforme lo requiera. Si el cabello se seca durante el procedimiento humedescalo ligeramente con agua.
- Despues de peinar revise nuevamente para comprobar que no hayan quedado piojos o liendres. Repita el peinado si es necesario. Si así lo desea puede lavar el cabello con un shampoo regular.
- Revise diariamente por algunos piojos o liendres que hayan quedado.
- Si la invasion continúa, visite a su medico para otro tratamiento.

PASO 3: CLARO

Aerosol para chinches y piojos



- Utilizar el aerosol para chinches y piojos para eliminar los piojos y sus huevecillos, de colchones, muebles, y cualquier otro objeto no lavable. Cualquier aerosol desinfectante regular no matara los piojos o sus huevecillos
- Despues de rosear el area infestada, aspire alfombras y carpetas. Desheche las bolsas de la aspiradora despues de usarlas.
- Lave ropa, toallas, gorros, bufandas, abrigos, y sábanas y cobijas con agua caliente. Secar a temperatura alta por lo menos 20 minutos.
- Limpiar en seco lo no lavable.
- Peines personales y cepillos pueden ser desinfectados remojandolos en agua caliente por lo menos 10 min.
- Coloque peluches previamente roseados con el aerosol en una bolsa y selles por 4 semanas.

Lista de Verificacion

- Tapiceria de hogar y automovil
- Colchones y fundas de almohadas
- Sábanas y cobijas
- Toallas
- Peluches
- Audifonos
- Gorros
- Bandas para la cabeza
- Casco de bicicleta
- Abrigos, bufandas, orejeras y guantes
- Tapetes de juego de almohadas
- Ropa
- Adornos para el cabello
- Rodillos para el cabello
- Peines y cepillos
- Gorras de beisbol

SEGUNDO TRATAMIENTO

Repita el mismo procedimiento dentro de 7-10 días.

PASO 1: LIMPIEZA

y

PASO 2: PEINAR

Puede que haya huevecillos que no se peinaron despues del primer tratamiento. Estos huevecillos naceran y necesitara eliminarlos con el segundo tratamiento.

REVISION DIARIA

Para prevenir la Reinfestacion:

Inspeccionar diaria y cuidadosamente por dos semanas a las personas infestadas. Si ve huevecillos o liendres repita el paso 2. Revise a otros miembros de la familia. Si algun otro familiar esta infestado, repita pasos 1 y 2. Repita el paso 3 con cualquier objeto que hayan tenido contacto.

- Los piojos del cuerpo se alimentan de la piel luego regresar a la ropa para poner sus huevos.
 - Para desinfectar la ropa puede lavar a máquina en agua caliente (por encima de 54°C [130°F]), a continuación, utilizando más caliente ciclo de la secadora por lo menos 20 minutos.
 - No selle la ropa en una bolsa de plástico porque las liendres pueden permanecer en estado latente durante un máximo de 30 días.
- ¿A quien puedes llamar para mas informacion?
Si tiene alguna pregunta, llame al 1-877-974-7167.

*Este producto no es fabricado por Bayer HealthCare, distribuidor del producto RID®.
*Las liendres son los huevos de los piojos

Cyan Magenta Yellow Black

CVS Health

Compare to the Active Ingredients in RID® Shampoo
MAXIMUM STRENGTH

3-Step Lice Solution Kit

PROVEN EFFECTIVE TREATMENT

- Works fast to kill lice
- Helps children return to school "lice free"

CAUTION: KEEP OUT OF REACH OF CHILDREN

Instrucciones en español incluidas

SHAMPOO 4 FL OZ (118 mL)

COMBING SPRAY 2 FL OZ (59mL)

LICE SPRAY NET WT 5 OZ (142g)

1 NIT REMOVAL COMB

Lice Killing Shampoo

Drug Facts (continued)

- Hair should remain slightly damp when removing nits.
- If hair dries during combing, dampen it gently with water.
- For head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 7 to 2 hours.
- If 1 to 2 inches wide strands of hair, place comb as close to scalp as possible and comb with it from crown to nape away from scalp.
- After each comb strand of hair after combing.
- Clean comb often. Dip nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- After combing, thoroughly scratch for lice nits. Repeat combing if necessary.
- Check daily for any lice nits that you missed.
- A second treatment must be done in 7 to 10 days to kill any newly hatched lice.
- If irritation continues, see a doctor for other treatments.
- Effective under 2 years of age.

Other information

- Use at room temperature.
- Use at controlled room temperature, 20 °C to 25 °C (68 °F to 77 °F).
- See package insert for additional information.

Inactive Ingredients

Water, polyethylene glycol, fragrance, PEG-20 hydrogenated castor oil, potassium hydroxide, purified water, SD-40 alcohol.

Lice, Bedbug & Mite Spray

ACTIVE INGREDIENT: 0.50%

OTHER INGREDIENTS:** 99.50%

TOTAL: 100.00%

*Active ingredients may vary by lot.

**Inactive ingredients may vary by lot.

FIRST AID

If the Lice Killing Shampoo gets into your eyes, flush with plenty of water for 15 minutes. Call a poison control center or doctor for treatment advice. If the spray gets into your eyes, flush with water for 15 minutes. If irritation continues, see a doctor. If the spray gets into your mouth, spit it out and drink plenty of water. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not use activated charcoal unless told to do so by a poison control center or doctor.

NOTE TO PRESCRIBER: Contains piperonyl butoxide. Shipping may cause capsule to break.

PRECAUTIONARY STATEMENTS

Hazard to Humans or Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, nose, or clothes. Wash thoroughly with soap and water after handling and before eating, drinking, using gum, or using tobacco or using the toilet.

Lice & Egg Combing Spray

Warning: For external use only. Keep out of reach of children. Avoid contact with eyes. If product gets into the eyes, immediately flush with water.

Directions:

- Use the Lice Killing Shampoo with the Lice Killing Shampoo and spray hair with water.
- Apply a small amount of Lice & Egg Combing Spray to one side of the hair and comb through thoroughly.
- Using the nit comb, remove lice and nits. Comb out the lice, eggs and nits on the back of a line.
- Use more spray as needed to comb out the remaining lice and nits.
- After you have combed out the lice, wash hair thoroughly with warm water. Rinse out with water (100 °F).
- See note for additional comb-out instructions.

Ingredients:

Water, glycerin, polyethylene glycol, polyurethane 22, cetrimonium chloride, and benzyl alcohol. Do not use if you are allergic to benzyl alcohol, cetrimonium chloride, or polyurethane 22.

How to Use: Spray the hair with the Lice & Egg Combing Spray. Do not use if you are allergic to benzyl alcohol, cetrimonium chloride, or polyurethane 22. Do not use if you are allergic to benzyl alcohol, cetrimonium chloride, or polyurethane 22. Do not use if you are allergic to benzyl alcohol, cetrimonium chloride, or polyurethane 22.

CVS Health

MAXIMUM STRENGTH

3-STEP

Lice Solution Kit

PROVEN EFFECTIVE TREATMENT

- Works fast to kill lice
- Helps children return to school "lice free"

CAUTION: KEEP OUT OF REACH OF CHILDREN

INSTRUCCIONES EN ESPAÑOL INCLUIDAS

See top panel for step details.

SHAMPOO 4 FL OZ (118 mL)

COMBING SPRAY 2 FL OZ (59 mL)

LICE SPRAY NET WT 5 OZ (142 g)

1 NIT REMOVAL COMB

#101257

0 50428 33790 5

CVS 3 STEP LICE SOLUTION

piperonyl butoxide, pyrethrum extract kit

Product Information	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-255
----------------------------	---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-255-02	1 in 1 CARTON; Type 0: Not a Combination Product	01/03/2014	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, SPRAY	59 mL
Part 2	1 BOTTLE	118 mL

Part 1 of 2

LICE AND EGG COMBING SPRAY

hair solution

Product Information

Route of Administration TOPICAL

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	TRIDECETH-12 (UNII: YFY3KG5Y7O)	
INGR	CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
INGR	POLYSORBATE 20 (UNII: 7T1F30V5YH)	
INGR	WATER (UNII: 059QF0KO0R)	
INGR	PANTHENOL (UNII: WW9CM0067Z)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE MIXTURE (UNII: 15O9QS218W)	
INGR	GLYCERIN (UNII: PDC6A3C00X)	
INGR	AMODIMETHICONE (800 CST) (UNII: 363Z2T48P7)	
INGR	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/03/2014	

Part 2 of 2

CVS HEALTH LICE KILLING

piperonyl butoxide, pyrethrum extract shampoo

Product Information

Item Code (Source)	NDC:69842-250
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	4 g in 100 mL
PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	0.33 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLYQUATERNIUM-10 (400 MPAS AT 2%) (UNII: HB1401PQFS)	
AMMONIUM LAURETH-2 SULFATE (UNII: 698O4Z48G6)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
PEG-25 HYDROGENATED CASTOR OIL (UNII: 0ZNO9PJ9J)	

Product Characteristics

Color	yellow (cloudy to transparent, cream to straw)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	02/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	10/28/2010	

Labeler - CVS (062312574)

Registrant - Weeks & Leo Co., Inc. (005290028)

Establishment

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(69842-255)

Revised: 12/2023

CVS