

SALICYLIC ACID- liquid corn and callus remover liquid
Walgreen Company

Walgreens Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic
- if you have poor blood circulation

When using this product

- if discomfort persists, see your doctor or podiatrist
- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional

cushions may be purchased separately)

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Well at Walgreens

Liquid Corn & Callus Remover

Salicylic Acid 17%

- Removes corn & calluses safely
- Cushions against shoe friction

3 Cushions

0.5 FL OZ (15mL)

**FRONT CARD
WITH COATING FOR BLISTER**

**BACK CARD
BACK OF CARD PRINTS BLACK & WHITE ONLY**

Liquid Corn & Callus Remover

Drug Facts	
Active ingredient	Purpose
Salicylic acid 17% w/w.....	Corn and callus remover
Use ■ for the removal of corns and calluses ■ relieves pain by removing corns and calluses	
Warnings For external use only.	
Flammable ■ keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat	
Do not use ■ on irritated skin ■ on any area that is infected or reddened ■ if you are diabetic ■ if you have poor blood circulation	
When using this product ■ if discomfort persists, see your doctor or podiatrist ■ avoid contact with eyes ■ avoid inhaling vapors ■ if product gets into the eye, flush with water for 15 minutes	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ wash the affected area and dry thoroughly ■ apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry ■ use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately) ■ repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)	
Other information store between 20° to 30°C (68° to 86 F°)	
Inactive ingredient flexible colloid containing alcohol and ether	
Questions? Call 1-866-964-0939	

*Walgreens Pharmacist Survey Study, November 2012.
**This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Dr. Scholl's®.


ORG0113-F

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015		ITEM 159889
Walgreens 100% SATISFACTION GUARANTEED		
walgreens.com ©2013 Walgreen Co. MADE IN U.S.A.		3 11917 14472 6

41-030WG

3.5" W

5.625" H



1.5" H

SALICYLIC ACID

liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9889
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9889-15	15 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	07/09/2008	07/31/2010
2	NDC:0363-9889-10	10 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	07/09/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	07/09/2008	

Labeler - Walgreen Company (008965063)

Revised: 12/2024

Walgreen Company