

**EQUALINE ANTIBIOTIC PLUS PAIN RELIEF FOR KIDS- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream**  
**Supervalu Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**equaline<sup>®</sup>**  
**antibiotic plus pain relief for kids**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the

area 1 to 3 times daily

- may be covered with a sterile bandage

Children under 2 years of age: consult a doctor

**Other information**

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

**Questions?**

Call **1-877-932-7948**

**DISTRIBUTED BY  
SUPERVALU INC.  
EDEN PRAIRIE,  
MN 55344 USA**

**PRINCIPAL DISPLAY PANEL - 14.2g Tube Carton**

**equaline<sup>®</sup>**

compare to the active ingredients in  
Neosporin<sup>®</sup> + Pain Relief\*

NDC 41163-076-11  
maximum strength

**antibiotic cream  
+ pain relief for kids**

**neomycin sulfate-polymyxin B sulfate-pramoxine HCl  
first aid antibiotic/pain relieving cream**

NET WT

1/2 OZ (14.2g)

equaline®

for ages 2 and up

# maximum strength antibiotic cream + pain relief for kids

soothes kids' painful cuts, scrapes & burns while preventing infection



## use to prevent infection & provide pain relief

LPK-6546-0  
0910-0  
M320

equaline®

compare to the active ingredients in Neosporin® + Pain Relief\*

NDC 41163-076-11  
maximum strength

# antibiotic cream + pain relief for kids

neomycin sulfate-polymyxin B sulfate-pramoxine HCl  
first aid antibiotic/pain relieving cream

NET WT  
1/2 OZ (14.2 g)



maximum strength antibiotic cream + pain relief for kids

equaline®



T27

**Drug Facts (continued)**

**Other information**

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients** emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

**Questions?** Call 1-877-932-7948

DISTRIBUTED BY  
SUPERVALU INC.  
EDEN PRAIRIE,  
MN 55344 USA  
MADE IN CANADA

**Drug Facts (each gram contains)**

Neomycin sulfate 3.5 mg  
Polymyxin B sulfate 10,000 units  
Pramoxine hydrochloride 10 mg  
.....External analgesic

**Purpose**  
.....First aid antibiotic

**Uses**  
First aid to help prevent infection and for the temporary relief of pain or discomfort in minor cuts, scrapes, & burns

**Warnings**  
For external use only.  
Do not use • in the eyes • over large areas of the body  
• if you are allergic to any of the ingredients

**Ask a doctor before use if you have**  
• deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if**  
• condition persists or gets worse • you need to use longer than 1 week  
• rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
Children under 2 years of age: ask a doctor

NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP. DATE PRINT

maximum strength antibiotic cream + pain relief for kids

equaline®

## EQUALINE ANTIBIOTIC PLUS PAIN RELIEF FOR KIDS

neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-076
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
<b>Pramoxine hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>mineral oil</b> (UNII: T5L8T28FGP)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>water</b> (UNII: 059QF0K00R)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41163-076-11	1 in 1 CARTON		
1		14.2 g in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part333B	03/21/2012	

**Labeler** - Supervalu Inc (006961411)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41163-076)