ACTIVICE- menthol gel Medline Industries

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ActivIce gel

Active Ingredient

Menthol 8.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only.

Avoid contact with eyes.

Flammable: keep away from fire or flame.

When using this product

When using this product

- use only as directed
- do not bandage tightly or use with heating pad
- do not apply to wounds or damaged skin

Stop use and ask doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical helop or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

apply directly onto affected area without the need to bandage repeat if necessary, but do not apply more than 4 times daily.


Children 12 years or younger: ask a doctor.

Other Information

• Store at room temperature.

Inactive Ingredients

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, SD alcohol 39C, PEG-8 dimethicone, pentylene glycol, peppermint oil, triethanolamine, water (USP).





Not made with Natural Rubber Latex. Keep product upright. Handle with care. Protect from freezing, avoid excessive heat.

"This product is not manufactured or distributed by Performance Health and/or its subsidiaries, owner of the registered trademark Biofreezeo.



www.medline.com

Manufactured in USA for: Medline Industries, Inc. Three Lakes Drive, Northfield, IL 60093

1-800-MEDLINE RF19M FO

1 2-575 Rev 01

Drug Facts

Active ingredient Purpose

Menthol 8.0% .

Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with:

■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: keep away from fire or flame.

When using this product = use only as directed = do not bandage tightly or use with heating pad = do not apply to wounds or damaged skin

Stop use and ask doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days redness is present excessive irritation of the skin develops

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily.

Children 12 years or younger: ask a doctor.

Other Information
Store at room temperature.

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethyls ulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, SD alcohol 39C, PEG-8 dimethicone, pentylene glycol, peppermint oil, triethanolamine, water (USP).

ACTIVICE

menthol gel

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:53329-984

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Inactive Ingredients				
Ingredient Name	Strength			
PENTYLENE GLYCOL (UNII: 50 C130 7 PZG)				
WATER (UNII: 059QF0KO0R)				
PEG-8 DIMETHICONE (UNII: GIA7T764OD)				
TROLAMINE (UNII: 9O3K93S3TK)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
ALCOHOL (UNII: 3K9958V90M)				
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)				
EUCALYPTUS OIL (UNII: 2R04ONI662)				
GLUCO SAMINE SULFATE (UNII: 1FW7WLR731)				
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:53329-984-04	113.4 g in 1 TUBE; Type 0: Not a Combination Product	03/04/2019				
2	NDC:53329-984-23	907.185 g in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2019				
3	NDC:53329-984-25	3628.74 g in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2019				
4	NDC:53329-984-16	85 g in 1 PACKET; Type 0: Not a Combination Product	03/04/2019				
5	NDC:53329-984- 06	453.59 g in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2019				

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
OTC monograph not final	part348	03/04/2019					

Labeler - Medline Industries (025460908)

Establishment							
Name	Address	ID/FEI	Business Operations				
Troy Manufacturing, Inc.		160075248	manufacture(53329-984)				

Revised: 10/2019 Medline Industries