

ALLERGY RELIEF- loratadine tablet
Preferred Pharmaceuticals Inc.

788S (658)

Active ingredient (in each tablet)

Loratadine, USP 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever and other upper respiratory allergies:

- runny nose
- sneezing
- itching of the nose and throat
- itchy, watery eyes

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease.

Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children
12 years and over

1 tablet daily; not more
than 1 tablet in 24 hours

ask a doctor

ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- protect from light



Inactive ingredients

lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions?

call **1-800-540-3765**

package label

<h1 style="margin: 0;">Loratadine Tablets 10mg</h1> <p style="margin: 0;">Generic for Claritin</p> <p style="margin: 0;">Active ingredient (in each tablet) Loratadine 10mg.....Antihistamine</p> <p style="margin: 0;">Pkg Size: Exp Date: ####/#### Lot#: Batch#:</p> <p style="margin: 0;">Ins: Mfg: Geri-Care Pharmaceutical Corp Prod#:</p> <p style="margin: 0;">Warning Store between 20°- 25°C (68°- 77°F). See USP Controlled Room Temperature. Protect from light. Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. Keep this and all medication out of the reach of children. If pregnant or breast feeding, ask a health professional before use. Tablet is round, white , imprinted with 439</p>	 <p style="text-align: center;">Directions English</p> <p style="text-align: center;">Use as directed by your doctor</p> <p style="text-align: center;">Take _____ tablet(s) every _____ hours.</p>	 <p style="text-align: center;">GTIN ##### SN ##### EXP ####/####</p>	<p style="text-align: center;">Instrucciones Español:</p> <p style="text-align: center;">Usó según lo dirigido por su doctor</p> <p style="text-align: center;">Toma _____ tableta(s) cada _____ horas.</p>	<p style="text-align: right;">Loratadine Tablets 10mg Qty: Ins: Lot: Bat: Prod# (NDC):</p>
				<p style="text-align: right;">Loratadine Tablets 10mg Qty: Ins: Lot: Bat: Prod# (NDC):</p>
				<p style="text-align: right;">Loratadine Tablets 10mg Qty: Ins: Lot: Bat: Prod# (NDC):</p>
				<p style="text-align: right;">Loratadine Tablets 10mg Qty: Insurance NDC: Lot: Bat:</p>
				<p style="text-align: right;">Loratadine Tablets 10mg Qty: Ins: Lot: Bat: Prod# (NDC):</p>

ALLERGY RELIEF

loratadine tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-4016(NDC:57896-658)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)			LORATADINE	10 mg
Inactive Ingredients				
Ingredient Name				Strength
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	6mm	
Flavor		Imprint Code	439	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-4016-0	10 in 1 BOTTLE; Type 0: Not a Combination Product	08/29/2025	
2	NDC:68788-4016-1	14 in 1 BOTTLE; Type 0: Not a Combination Product	08/29/2025	
3	NDC:68788-4016-5	15 in 1 BOTTLE; Type 0: Not a Combination Product	08/29/2025	
4	NDC:68788-4016-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	08/29/2025	
5	NDC:68788-4016-6	60 in 1 BOTTLE; Type 0: Not a Combination Product	08/29/2025	
6	NDC:68788-4016-9	90 in 1 BOTTLE; Type 0: Not a Combination Product	08/29/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA075209		08/29/2025	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-4016)

