CHIGG AWAY- benzocaine lotion Pierson Laboratories, Inc.

Chigg Away

Chigg Away

Drug Facts

Active Ingredient

Benzocaine 5%

Purpose

Anesthetic

Uses

Relieves itching and discomfort due to nonpoisonous insect bites such as chiggers (redbugs), mosquitoes, ticks, and fleas, no-see-ums, biting flies, fire ants, bees and wasps; swimmers itch.

Warnings

For external use only.

Keep away from eyes or other mucous membranes. Not for prolonged use. For use on intact skin only. Do not use on children younger than 2 yrs.

When using this product

discontinue use if the condition persists or if rash or irritation develops and consult a doctor. As with all pesticides/drugs,

keep out of reach of children.

In case of accidental ingestion, contact a physician or poison control center at once.

Directions

- As an anti-itch: Adults and children 2 yrs. of age and over: apply topically and rub well as needed. Children under 2 years of age: Do not use.
- As an insect (chigger) repellent: Apply around feet, ankles, waist and to skin under all areas of tight clothing and around all openings in outer clothing. Reapply after heavy respiration.

Other Information

• Disposal: Do not reuse bottle. Rinse thoroughly before discarding.

Inactive Ingredient

Cetyl Alcohol, Glycerin, Glyceryl Stearate, Hydroxyethyl Cellulose, Isopropyl Alcohol, Methylparaben, Petrolatum, Propylparaben, Purified Water, Sodium Lauryl Sulfate, Stearic Acid, Sulfur, Triethanolamine..

PRINCIPAL DISPLAY PANEL

NDC 45591-002-04 CHIGG AWAY RELIEVES ITCHING REPELS CHIGGERS 4 FL OZ (118 ML)



Drug Facts	-
Active ingredients Benzocaine 5%	Anesthet
Uses erelieves itching and discom insect bites such as chiggers (redbu and fleas, no-see-ums, biting flies, fir swimmers itch.	gs), mosquitoes, ticks
Warnings ■ For external use only. other mucous membranes. ■ Not for p on intact skin only. Do not use on chil	prolonged use. E For us
When using this product discontinue us or if rash or irritation develops and cor As with all pesticides/drugs, keep out In case of accidental ingestion, contac control center at once.	nsult a doctor. of the reach of children
Directions As an anti-itch: Adults and childr age and over: apply topically and rub v	
Children under 2 yrs. of age: do	
As an insect (chigger) repellent : A feet, ankles, waist and to skin under tight clothing and around all opening clothing. Reapply after heavy perspir	all areas of in outer
eleting neuppij anei neurj perepi	t reuse bottle.
Other information Disposal: Do no Rinse thoroughly before discarding	

CHIGG AWAY benzocaine lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45591-002
Route of Administration	TOPICAL		

		ient/Active Moiety Ingredient Name	Basis of Strength	n Strength	
3 E	NZOCAINE (UN	(UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) BENZOCAINE 50 mg in 1 m			
In	active Ingre	edients			
		Ingredient Name		Strength	
CE	TYL ALCOHOL	(UNII: 936JST6JCN)			
GL	YCERIN (UNII: P	DC6A3C0OX)			
GL	YCERYL MONO	STEARATE (UNII: 230OU9XXE4)			
S	OPROPYL ALCO	HOL (UNII: ND2M416302)			
MI	ETHYLPARABEN	(UNII: A2I8C7HI9T)			
PE	TROLATUM (UN	II: 4T6H12BN9U)			
PR	ROPYLPARABEN	(UNII: Z8IX2SC1OH)			
W	ATER (UNII: 0590	QF0KO0R)			
50	DDIUM LAURYL	SULFATE (UNII: 368GB5141J)			
ST	EARIC ACID (UN	III: 4ELV7Z65AP)			
รเ	JLFUR (UNII: 70F	D1KFU70)			
	ROLAMINE (UNII:				
H١	DROXYETHYL (CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5	892V)		
D,	ackaging				
	ackaying		Mauluatium Chaut		
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2006		
R /	larketing	Information			
V	Marketing	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Iv	Category				

Labeler - Pierson Laboratories, Inc. (119184992)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	analysis(45591-002) , pack(45591-002) , manufacture(45591-002) , label(45591-002)

Revised: 12/2023

Pierson Laboratories, Inc.