

**CHIGG AWAY- benzocaine lotion**  
**Pierson Laboratories, Inc.**

-----  
**Chigg Away**

**Chigg Away**

Drug Facts

**Active Ingredient**

Benzocaine 5%

**Purpose**

Anesthetic

**Uses**

Relieves itching and discomfort due to nonpoisonous insect bites such as chiggers (redbugs), mosquitoes, ticks, and fleas, no-see-ums, biting flies, fire ants, bees and wasps; swimmers itch.

**Warnings**

**For external use only.**

Keep away from eyes or other mucous membranes. Not for prolonged use. For use on intact skin only. Do not use on children younger than 2 yrs.

**When using this product**

discontinue use if the condition persists or if rash or irritation develops and consult a doctor. As with all pesticides/drugs,

**keep out of reach of children.**

In case of accidental ingestion, contact a physician or poison control center at once.

**Directions**

- As an anti-itch: Adults and children 2 yrs. of age and over: apply topically and rub well as needed. Children under 2 years of age: Do not use.
- As an insect (chigger) repellent: Apply around feet, ankles, waist and to skin under all areas of tight clothing and around all openings in outer clothing. Reapply after heavy respiration.

## Other Information

- Disposal: Do not reuse bottle. Rinse thoroughly before discarding.

## Inactive Ingredient

Cetyl Alcohol, Glycerin, Glyceryl Stearate, Hydroxyethyl Cellulose, Isopropyl Alcohol, Methylparaben, Petrolatum, Propylparaben, Purified Water, Sodium Lauryl Sulfate, Stearic Acid, Sulfur, Triethanolamine.

## PRINCIPAL DISPLAY PANEL

NDC 45591-002-04  
 CHIGG  
 AWAY  
 RELIEVES ITCHING  
 REPELS CHIGGERS  
 4 FL OZ  
 (118 ML)

NDC 45591-002-04

# CHIGG AWAY®

**"THE SOLDIER'S CHOICE"**

- RELIEVES ITCHING**  
 due to insect bites such as chiggers (redbugs), mosquitoes, ticks, fleas, fire ants; minor stings
- REPELS CHIGGERS**

*The unique action of CHIGG-AWAY® lotion stops the bite and provides soothing relief of itching and irritation.*

**(redbugs)**  
 EPA REG. NO.: 36864-1  
 EPA EST. NO.: 11664-TX-1

**CAUTION: KEEP OUT OF THE REACH OF CHILDREN. SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS.**  
**Active ingredient: Precipitated Sulfur USP, 10%**  
**Inert ingredients: 90%**

4 FL OZ (118 ML)

Manufactured for: PIERSON LABORATORIES, INC.  
 P.O. BOX 157, SALUDA, NC 28773  
 Questions or Comments? ☎ 1-800-662-3435  
 www.chiggaway.com

**Warning:** It is a violation of Federal law 6840-01-137-8456 to use this product in a manner inconsistent with its labeling.

### Drug Facts

Active ingredients	Purpose
Benzocaine 5%	Anesthetic

**Uses** ■ relieves itching and discomfort due to nonpoisonous insect bites such as chiggers (redbugs), mosquitoes, ticks, and fleas, no-see-ums, biting flies, fire ants, bees and wasps; swimmers itch.

**Warnings** ■ For external use only. ■ Keep away from eyes or other mucous membranes. ■ Not for prolonged use. ■ For use on intact skin only. Do not use on children younger than 2 yrs.

**When using this product** discontinue use if the condition persists or if rash or irritation develops and consult a doctor. As with all pesticides/drugs, **keep out of the reach of children.** In case of accidental ingestion, contact a physician or poison control center at once.

### Directions

**As an anti-itch:** ■ Adults and children 2 yrs. of age and over: apply topically and rub well as needed.

■ Children under 2 yrs. of age: do not use.

**As an insect (chigger) repellent:** Apply around feet, ankles, waist and to skin under all areas of tight clothing and around all openings in outer clothing. Reapply after heavy perspiration.

**Other information** ■ **Disposal:** Do not reuse bottle. Rinse thoroughly before discarding.

**Inactive ingredients** ■ Cetyl Alcohol, Glycerin, Glyceryl Stearate, Hydroxyethyl Cellulose, Isopropyl Alcohol, Methylparaben, Petrolatum, Propylparaben, Purified Water, Sodium Lauryl Sulfate, Stearic Acid, Sulfur, Triethanolamine.



## CHIGG AWAY

benzocaine lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45591-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	50 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SULFUR (UNII: 70FD1KFU70)	
TROLAMINE (UNII: 9O3K93S3TK)	
HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5892V)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45591-002-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2006	12/31/2026

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/01/2006	12/31/2026

**Labeler** - Pierson Laboratories, Inc. (119184992)

**Registrant** - Pharma Nobis, LLC (118564114)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	analysis(45591-002) , pack(45591-002) , manufacture(45591-002) , label(45591-002)