

SIGNATURE CARE NASAL DECONGESTANT- oxymetazoline hydrochloride spray
Safeway

Better Living Brands LLC Nasal Decongestant Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

[Enter Warnings here]

Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

Questions or comments?

1-888-723-3929

Principal Display Panel

Compare to Afrin[®] active ingredient

Quality Guaranteed

#1 DOCTOR RECOMMENDED ADULT NASAL SPRAY ACTIVE INGREDIENT

12 HOUR

Nasal Decongestant

Oxymetazoline Hydrochloride 0.05%

Original Spray Mist

Fast, powerful congestion relief

For colds & allergies

Maximum strength

1 FL OZ (30 mL)

Compare to Afrin® active ingredient*
NDC 21130-589-10

Signature care
Quality Guaranteed

Signature care
Quality Guaranteed

#1 DOCTOR RECOMMENDED ADULT NASAL SPRAY ACTIVE INGREDIENT*

12 HOUR Nasal Decongestant
Oxymetazoline Hydrochloride 0.05%
Original Spray Mist

- Fast, powerful congestion relief
- For colds & allergies
- Maximum strength

1 FL OZ (30 mL)

*Of U.S. physicians surveyed by an independent market research firm.
*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Afrin®.

OUR PROMISE
1-888-723-3929 / www.signaturecare.com
QUALITY & SATISFACTION
100% GUARANTEED
OR YOUR MONEY BACK.
DO NOT USE IF PRINTED MESSAGE IS BROKEN OR MISSING

Drug Facts
Active ingredient Oxymetazoline hydrochloride 0.05%.....**Purpose** Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings
Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

Drug Facts (continued)
Inactive ingredients benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

Questions or comments?
1-888-723-3929

How to use:
TO USE: Push firmly down on cap and turn counter clockwise. Secure cap after use.

Scan here for more information

FD 18129
S 1872
21130-76075
3

30410 LJ C2

SIGNATURE CARE NASAL DECONGESTANT

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-589
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-589-10	1 in 1 CARTON	07/30/2015	01/31/2027
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/30/2015	01/31/2027

Labeler - Safeway (009137209)