4187 FIRST AID KIT- 4187 first aid kit Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4187 First Aid Kit (FABC, ammonia inh, EW, Burn Jel, PVP wipes, alcohol wipes, sting relief, aypanal- 010552-3305)

First Aid Burn Cream Active ingredient

Benzalkonium chloride o.13%

Lidocaine HCl 0.5%

First Aid Burn Cream *Purpose*

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

• adults and children 2 years of age and older:

- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream

Questions

1-800-430-5490

Sting Relief Active ingredient

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief Purpose

Antiseptic

Topical pain relief

Sting Relief

Uses

• prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

• if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Sting Relief

Directions

- **adults and children 2 years and older:** Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting relief Questions or Comments

1-800-430-5490

4187

010552-3305 Kit Contents

- 1 KNUCKLE BAND 8 PER
- 1 FIRST AID BURN CREAM 6 PER
- 1 AMMONIA INHALANTS 10 PER
- 1 EYE DRESS PKT W/4 ADH STRIPS
- 1 GAUZE COMPRESS, 1728 SQ IN 1
- 1 INSTANT COLD PACK 4" X 6"
- 1 BUFFERED EYE WASH 1 OZ BTL
- 1 ADHESIVE BDG,PLSTIC,1"X3"16PER
- 1 BURN JEL 1/8 OZ, 6 PER
- 2 ALCOHOL PREP PADS 10P
- 1 PVP IODINE WIPES 10 PER
- LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"
- 1 KIT STL 16 UN (VERTICAL)
- 1 LABL INSTR FA REV A
- 1 STING Relief WIPES 10
- 1 AYPANAL NON-ASP 25/2

Eyes aline

Active ingredient

Sterile Water 99%

Eyes aline *Purpose*

Eyewash

Eyes aline

Uses

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyesaline

Warnings

For external use only-

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyes aline

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyes aline

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyes aline *Questions*

1-800-430-5490 Honeywell Sadety Products USA, Inc. Smithfield, RI 02917

Ammonia Inhalent Active ingredient

Ammonia 15%

Ammonia Inhalent

Purpose

Respiratory stimulant

Ammonia Inhalent

Uses

• to prevent or tret fainting

Ammonia Inhalent

Warnings

For external use only

Do not use

• if you have breathing problems such as asthma or emphysema

Stop use and ask a doctor if

• condition persists

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

Ammonia Inhalent

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Ammonia Inhalent

Other information

• store at room temperature away from light

Ammonia Inhalent

Other information

• store at room temperature away from light

Ammonia Inhalent

Inactive ingredients

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Ammonia Inhalent Questions or Comments

1-800-430-5490

Burn Jel *Active ingredient*

Lidocaine HCl 2.0%

Burn Jel *Purpose*

External analgesic

Burn Jel

Uses

• temporarily relieves pain due to minor burns

Burn Jel Warnings

For external use only

Do not use

• on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

• avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Burn Jel

Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

• store at room temperature

• do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water ...

Burn Jel Questions

1-800-430-5490

Povidone Iodine Swab Active ingredient

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

Povidone Iodine Swab Purpose

First aid antiseptic

Povidone Iodine Swab

Uses

• first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

Povidone Iodine Swab Warnings

For external use only

Do not use

- over large areas of the body
- on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have

- deep or puncture wounds,
- animal bites
- serious burns

When using this product

• do not use longer than one wek unless directed by a doctor

Stop use and ask a doctor if

- conditions persists or gets worse
- irritation and redness develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Povidone Iodine Swab

Directions

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

Povidone Iodine Swab

Other information

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

Povidone Iodine Swab Inactive ingredients

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

Povidone Iodine Swab Questions and comments

1-800-430-5490

Alcohol Wipe Active ingredient

Isopropyl alcohol 70%

Alcohol Wipe Purpose

First aid antiseptic

Alcohol Wipe

Uses

• first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burn

When using this product

• do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

• if condition persists or gets worse

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol Wipe

Directions

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol Wipe Other information

store at room temperature 15 0 to 25 0 C (59 0 to 77 0 F)

Alcohol Wipe

Inactive ingredient

water

Alcohol Wipe Questions

1-800-430-5490

Aypanal

Active ingredient

Acetaminophen 325 mg

Aypanal

Purpose

Pain reliever/ fever reducer

Aypanaly

Uses

• temporarily relieves minor aches and pains due to the common cold and headache - temporarily

Keep out of reach of children.

Keep out of reach of children.

Aypanal

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product:

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- If a skin rash occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription).
- If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

• you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Overdose warning

- In case of accidental overdose, get medical help or contact a Poison Control Center right away.
- Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Aypanal Directions

do not take more than directed (see overdose warning)

ladults and children 12 years of age or older

- take two tablets every 4-6 hours while symptoms last
- do not take more than 12 tablets in 24 hours

children 6 to under 12 years of age

- take 1 tablet every 4-6 hours while symptoms last
- do not take more than 5 tablets in 24 hours

children under 6 years consult a doctor

Aypanal

Other information

- store at room temperature 15 0 to 30 0 C (59 0 86 0 F)
- TAMPER EVIDENT PACKETS- DO NOT USE IF OPEN OR TORN

Aypanal


Inactive ingredients

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid


Aypanal Questions

1-800-430-5490

First Aid Burn Cream Principal Display Panel



Principal Display Panel



4187 Kit Label 010552-3305



KANSAS CITY SOUTHERN RAILWAY

Eyes aline Principal Display Panel



Drug Facts (for USA only) Active ingredient Purpose Evewash Uses
Tor flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.

Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

if solution changes color or becomes cloubt. if solution changes color or becomes cloudy
if you have open wounds in or near the eyes, get medical help Stop use and consult a doctor if: you experience eye pain
 continued redness or irritation of the eye
 condition worsens or persists Keep out of reach of children. If swallowe or contact a Poison Control Center right away. Directions

• remove contacts before using

• twist top to remove

• flush the affected area as needed

• control rate of flow by pressure on the bottle

• if necessary, continue flushing with emergency eyewash or shower Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917 Datos de medicamento (Para EE.UU. solamente)

space for lot code REORDER/ :32-004510 Rev. J Usos Dara el lavado de ojo para quitar las particulas sueltas y extrañas, los contaminantes aeros, o agua de cloruro Advertencias
Para el uso externo sólo - Obtenga tratamiento médico
inmediato para todas las heridas abiertas en o cerca de los ojos.
Para evitar la contaminación, no toque la punta del envase con
inguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato de inmediato

Deje de usar y consulte a un médico si
e experimenta dolor de ojo
cambio de
rojez continuo o irritación del ojo
la condición empeora o persiste cambio de visión la condición empeara o persiste
Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones

 quirese los lentes de contacto antes de usar la solución

Ligarda la tena para quifar

PEEL / PELAR / PELER

#32-000454

RÉAPPROVISIONNEMENT

PEDIDO /

Information

Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmospheriques oú de l'eau chlorée.

o quitese los lentes de contacto antes de usar la solución
• tuerza la tapa para quitar
• enjuaque el área afectada según se necesite
• controle el chorro haciendo presión el la botella
• si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

Advertissements

Pour usage externe seulement - Obtenir immédiatement des soins médicatux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser

• si la solution a changé de couleur ou si elle est brouillée

• si vous avez des plaies ouvertes aux yeux ou à proximité,

or vous avez, oes piaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin vous ressentez une douleur oculare « rougeur ou inflation persistante des yeux condition empire ou nerviser.

¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

condition empire ou persiste
 Garder hors de la portée des enfants.
 En cas d'ingestion, communiquer immédiatement avec un médecir ou avec un centre antipoison.

Mode d'emploi

enlever les verres

Mode d'emploi
enlever les verres de contact avant l'utilisation • dévisser le
bouchon pour l'enlever • rincer la zone touchée selon les
besoins • ajuster le débit d'écoulement de la solution en
augmentant ou en réduisant la pression exercée sur le contenant
si nécessaire, continuer de rincer avec unesolution de rinçage
oculaire d'urgence ou une douche

Ingrédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le 1-800-430-5490


well Safety Products USA, Inc. Smithfield, RI. 02917

Ammonia inhalent **Principal Display Panel**


796006 Rev. E (page 3 of 3)

Principal Display Panel






Povidone Iodine Swab Principal Display Panel



Alcohol Wipe Principal Display Panel



Principal Display Panel



4187 FIRST AID KIT

4187 first aid kit kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0498-4187

]	Packaging					
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0498-4187-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018			

Quant	Quantity of Parts			
Part #	Package Quantity	Total Product Quantity		
Part 1	10 POUCH	4 mL		
Part 2	6 PACKET	5.4 g		
Part 3	1 BOTTLE	30 mL		
Part 4	10 AMPULE	3 mL		
Part 5	20 POUCH	8 mL		
Part 6	10 POUCH	3 mL		
Part 7	6 PACKET	21 g		
Part 8	25 PACKET	50		

Part 1 of 8

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Route of Administration TOPICAL

Active In	Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength	
LIDO CAIN UNII:98 PI20	E HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDOCAINE - 0987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL	
ALCOHOL	(UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)			
MENTHOL (UNII: L7T10EIP3A)			
WATER (UNII: 059QF0KO0R)			

	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	12/23/2017		

Part 2 of 8

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

	Product Information	
	Item Code (Source)	NDC:0498-0903
	Route of Administration	TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g		
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g		

Inactive Ingredients	
Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230 OU9 XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6 A3C0 OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:0498-0903-34	10 in 1 BOTTLE, UNIT-DOSE				
1	0.9 g in 1 PACKET; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

Part 3 of 8

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information	
Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SO DIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
SO DIUM PHO SPHATE, MO NO BASIC, MO NO HYDRATE (UNII: 593YOG76RN)		

ı	Packaging				
ı	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/20 18	

Part 4 of 8

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information	
Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AMMO NIA (UNII: 5138 Q19 F1X) (AMMO NIA - UNII:5138 Q19 F1X)	AMMONIA	0.045 g in 0.3 mL	

Inactive Ingredients	
Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 5 of 8

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source) NDC:0498-0143

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL	

Inactive Ingredients

Ingredient Name Strength
WATER (UNII: 059QF0KO0R)

Packaging

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 N	DC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

Part 6 of 8

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information	
Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PO VIDO NE-IO DINE (UNII: 85H0 HZU99M) (IO DINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
NONOXYNOL-9 (UNII: 48Q180SH9T)		
WATER (UNII: 059QF0KO0R)		

Packaging					
l	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 N	DC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Info			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 7 of 8

BURN JEL

gel for burns gel

Product Information	
Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength

TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TEA TREE OIL (UNII: VIF565UC2G)	
GLYCERIN (UNII: PDC6 A3C0 OX)	
METHYLPARABEN (UNII: A218 C7H19T)	

l	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part348	09/19/2018			

Part 8 of 8

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information	
Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg			

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PO VIDO NE (UNII: FZ989 GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
,	

Product Characteristics				
Color	white	Score	2 pieces	
Shape	ROUND	Size	10 mm	
Flavor		Imprint Code	circle;U	
Contains				

ı	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part343	04/10/2012			
Marketing Infor	mation				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment			
Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4187)

Establishment			
Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	manufacture(0498-2001)

Establishment			
Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0903, 0498-0203)

Establishment				
Name	Address	ID/FEI	Business Operations	
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)	

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0143)

Establishment							
Name	Address	ID/FEI	Business Operations				
Sion Biotext Medical		532775194	manufacture(0498-0121)				

Establishment							
Name	Address	ID/FEI	Business Operations				
Safetec of America Inc		874965262	manufacture(0498-0733)				

Revised: 3/2019 Honeywell Safety Products USA, INC