4189 FIRST AID KIT- 4189 first aid kit Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4189 First Aid Kit (FABC, Amm Inh, EW, alcohol wipes- 010742-3236)

First Aid Burn Cream *Active ingredient*

Benzalkonium chloride o.13%

Lidocaine HCl 0.5%

First Aid Burn Cream *Purpose*

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream *Warnings*

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- adults and children 2 years of age and older:
- clean the affected area

- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream *Inactive ingredients*

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream *Questions*

1-800-430-5490

Alcohol Wipe Active ingredient

Isopropyl alcohol 70%

Alcohol Wipe

Purpose

First aid antiseptic

Alcohol Wipe

Uses

• first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe *Warnings*

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burn

When using this product

• do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

• if condition persists or gets worse

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol Wipe

Directions

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol Wipe Other information

store at room temperature 15 0 to 25 0 C (59 0 to 77 0 F)

Alcohol Wipe Inactive ingredient

water

Alcohol Wipe

Questions

1-800-430-5490

Ammonia Inhalent Active ingredient (in each ampule)

Ammonia 15%

Ammonia Inhalent *Purpose*

Respiratory stimulant

Ammonia Inhalent

Uses

• to prevent or treat fainting

Ammonia Inhalent *Warnings*

For external use only

Do not use

• if you have breathing problems such as asthma or emphysema

Stop use and ask a doctor if

• condition persists

Keep out of reach of children

• If swallowed get medical help or contact a Poison Control Center right away.

Ammonia Inhalent

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Ammonia Inhalent

Other information

• store at room temperature away from light

Ammonia Inhalent

Inactive ingredients

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Ammonia Inhalent **Questions**

1-800-430-5490

Eyewash Active ingredient

Sterile Water 99%

Evewash Purpose

Eyewash

Eyewash

Uses

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

• if solution changes color or becomes cloudy

• if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic


Eyewash *Questions*

1-800-430-5490


4189 010742-3236 Kit Contents

FIRST AID BURN CREAM 6 PER
 AMMONIA INHALANTS 10 PER
 TRIANGULAR BDG, NON-STERILE
 GAUZE PADS, 3" X 3", 4 PER
 FORCEPS & SCISSORS, 1 EA
 GAUZE BANDAGE, 2" X 6 YD,2 PER
 BUFFERED EYE WASH 1 OZ BTL
 ADH BDG,PLSTIC,3/4"X3",16 PER
 ALCOHOL PREP PADS 10P
 ADHESIVE TAPE W/P 1/2"X 5 YD
 LBL STOCK 6-3/8"X4"
 LBL STOCK 3"x1-7/8"
 KIT STL 16 UN (VERTICAL)
 LABL INSTR FA REV A


796353-10 Rev. A Unit Carton Printing Plate for "B" size




Alcohol Wipe Principal Display Panel



Ammonia Inahalent Principal Display Panel





796006 Rev. E (page 3 of 3)

Principal Display Panel



Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • ojez continuo o infración del ojo • la condición empeora o persiste Mantérgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente. Instrucciones • quitese los lentes de contacto antes de usar la solución • uerza la tapa para quita • enjuague el área afectada según se necesite • controle el chorno haciendo presión el la botella • si es necesario, sigue enjuagdo con un lavaojos o ducha de emergencia Ingredientes inactivos cloruro de sodio, lostato de sodio dibásico, fosfato de sodio monobásico ¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

 Usages

 Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmospherques où de l'eau chlorée .

 Advertissements

 Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour évite toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

 Ne pas utiliser

 • Is a solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

 • Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur ou lair et » i votre vision change • rougeur ou inflation persistante des yeux • condition emprisoin, communiquer immédiatement avec un médecin ou avec un centre antipoison.

 Mode d'amploi

 • enlevel lis verses de contact avant l'utilisation • déviser le boschins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec unesolution de rinçage oculaire d'urgence ou une douche

 Ingrédients
 eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

4189 Kit Label 010742-3236



First Aid Kit

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4189 FIRST AID KIT

4189 first aid kit kit

Product Information

1 NDC:9498-4189-01 1 in 1 KT; Type 0: Not a Combination Product 10/18/2018 Quantity of Parts Part # Package Quantity 6 mL Part 1 D FOUCH 5.4 g Part 1 of 4 AMMONIA INHALENT ammonia inhalent inhalant Product Information Researce (a Source) NDC:0498-3334 Route of Administration RPSPRATORY (INHALATION) Administration RPSPRATORY (INHALATION) Administration Researce for the streng to the stre		DC:0498-4189	urce) NI	n Code (So		DTC DRUG	HUMAN C	ct T yp e	Produ	
Item Code Package Description Marketing Start Date Marketing Earl 1 NDC:0498-4189-01 In I KIT; Type 0: Not a Combination Product 10/18/2018 10/18/2018 Quantity of Parts Package Quantity Total Product Quantity Part 1 Part 1 Package Quantity 6 mL Part 2 6 ACKET 5.4 g Part 1 D AMPULE 6 mL 6 mL Part 3 1807TLE 30 mL Part 1 D FOUCH 4 mL										
1 NDC:0498-4189-01 Lin 1 KIT; Type 0: Not a Combination Product 10/18/2018 Quantity of Parts Total Product Quantity Part # Package Quantity 6 ml. Part 2 6 PACKET 5.4 g Part 1 of 4 AMMONIA INHALENT ammonia inhalent inhalant Product Information Item Code (Source) NDC:0498-3334 Rest Is Of X Administration Rest of Administration Rest Ingredient/Active Moiety Ingredient Name Basis of Strength Administration Ingredient Name Administration Ingredient Name Ingredient								ging	Packa	
Quantity of Parts Total Product Quantity Part # Polynomic Quantity Set # Set # Total Product Quantity Part 1 20 AMPULE Set # Total Product Quantity Part 1 Set # Set # Total Product Quantity Part 1 Set # Set # Set # Set # Set # Part 1 Set # Set # Set # Part 1 Set # Set # Set # Part 1 Set # Set # Part 1 Set # Part 1 Set # Set # Part 1 Set # Part # <th cols<="" th=""><th>End Date</th><th>Marketing En</th><th>rketing Start Date</th><th></th><th>-</th><th></th><th></th><th></th><th></th></th>	<th>End Date</th> <th>Marketing En</th> <th>rketing Start Date</th> <th></th> <th>-</th> <th></th> <th></th> <th></th> <th></th>	End Date	Marketing En	rketing Start Date		-				
Part # Package Quantity Total Product Quantity Part 1 20 AMPULE 6 mL Part 2 6 PACKET 5.4 g Part 3 10 PUCH 4 mL Part 4 10 PUCH 4 mL Part 1 of 4 AMMONIA INHALENT AMMONIA INHALENT ammonia inhalent inhalant Product Information Item Code (Source) MDC:0498-3334 RESPIRATORY (INHALATION) Strength Administration RESPIRATORY (INHALATION) Ingredient Name Basis of Strength 0.045 g in 0.200 g g g g g g g g g g g g g g g g g g			3/2018	2t 10/1	ıbination Pı	pe 0: Not a Combinati	1 in 1 KIT; Typ	:0498-4189-01	1 NDC	
Part 1 20 AMPULE 6 mL Part 2 6 PACKET 5.4 g Part 3 1BOTTLE 30 mL Part 4 10 POUCH 4 mL Part 4 Part 1 of 4 AMMONIA INHALENT ammonia inhalent inhalant Product Information Product Information Ingredient/Active Moiety Ingredient Name Admonia for the stage of the st								tity of Parts	Quan	
Part 2 6 PACKET 5.4 g Part 3 180TTLE 30 mL Part 4 10 POUCH 4 mL Part 4 Part 4 Part 4 Part 4 Part 1 of 4 Part I of 4 Ingredient Name		ntity	Total Product Qua			antity	Package Qua		Part #	
Part 3 180 TTLE 30 mL Part 4 10 POUCH 4 mL Part 1 of 4 AMMUNIA INHALENT AMMUNIA INHALENT ammonia inhalent inhalant Product Information NDC:0498-3334 ResPIRATORY (INHALATION) Product Information RESPIRATORY (INHALATION) Administration RESPIRATORY (INHALATION) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) AMMO NIA (UNIE 5138Q19 FIX) (AMMO NIA - UNIE 5138Q19 FIX) ALCOHOL (UNIE 3K9958 V90M) Package Description Marketing Cadegory Package Description					6			20 AMPULE	Part 1	
Part 4 10 POUCH 4 mL Part 1 of 4 AMMONIA INHALENT ammonia inhalent inhalant Product Information Ingredient Name Administration NDC:0498-3334 Route of Administration MDC:0498-3334 Route of Administration MDC:0498-3334 Route of Administration MDC:0498-3334 Respiration (INHALATION) Admonia transformation AnMONIA (UNE 5138Q19FLX) (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FLX) (AMMONIA - UNIE5138Q19FLX) Admonia Context Strength Admonia to UNIE 5138Q19FLX) (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FLX (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FLX) (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FLX (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FLX) (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FLX (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FLX (AMMONIA - UNIE5138Q19FLX) Admonia to UNIE 5138Q19FL (UNIE 5138Q19FLX) Admonia to UNIE 5138Q19FL Admonia to UNIE 5138Q19FL Admonia to UNIE 5138Q					5.			6 PACKET	Part 2	
Part 1 of 4 AMMONIA INHALENT ammonia inhalent inhalant Product Information Item Code (Source) NDC:0498-3334 Route of Administration RESPIRATORY (INHALATION) Active Ingredient/Active Molety Ingredient Name Basis of Strength AMMONIA (UNIE 5138Q19FIX) (AMMONIA - UNIE5138Q19FIX) AMMONIA 0.045 g in 0.3 Inactive Ingredients Ingredient Name Strength ALCOHOL (UNIE 3K9958V90M) Packaging # Item Code Package Description Mumber or Monograph Citation Marketing Start Date Marketing E Marketing Information Number or Monograph Citation Marketing Start Date Marketing E					30			1 BOTTLE	Part 3	
AMMONIA INHALENT ammonia inhalent inhalant ammonia inhalent inhalant Product Information Item Code (Source) NDC:0498-3334 Route of Administration RESPIRATORY (INHALATION) RESPIRATORY (INHALATION) Active Ingredient/Active Moiety Active Ingredient/Active Moiety Active Ingredient/Active Moiety Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII: 5138Q19F1X) AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII: 5138Q19F1X) AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII: 5138Q19F1X) Admonia (UNII: 5138Q19F1X) (AMMONIA - UNII: 5138Q19F1X) AMMONIA (UNII: 5138Q19F1X) A					4			10 POUCH	Part 4	
ammonia inhalent inhalant ammonia inhalent inhalant Product Information Item Code (Source) NDC:0498-3334 Route of Administration RESPIRATORY (INHALATION) Active Ingredient/Active Moiety Active Ingredient/Active Moiety Ingredient Name Basis of Strength AMMONIA (UNIE 5138Q19F1X) (AMMONIA - UNIE5138Q19F1X) AMMONIA 0.045 g in 0.3 Inactive Ingredients Ingredient Name Strength ALCOHOL (UNIE 3R9958V90M) Ingredient Name Marketing Start Date Marketing Information 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Marketing Start Date Marketing E								1 of 4	Part	
Item Code (Source) NDC:0498-3334 Route of Administration RESPIRATORY (INHALATION) Admonition of the problem of th										
Item Code (Source) NDC:0498-3334 Route of Administration RESPIRATORY (INHALATION) Admonition of the problem of th										
Route of Administration RESPIRATORY (INHALATION) Active Ingredient/Active Moiety Ingredient Name AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X) AMMONIA 0.045 g in 0. Inactive Ingredients Ingredient Name Ingredient Name Strength ALCOHOL (UNII: 3K9958 V90M) Packaging I tem Code Package Description Marketing Start Date Marketing Enformation Marketing Category Application Number or Monograph Citation Marketing Start Date Marketing Enformation							on	uct Informati	Prod	
Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strengt AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X) AMMONIA 0.045 g in 0. Inactive Ingredients Ingredient Name Strength ALCOHOL (UNII: 3K9958V90M) Packaging # Item Code Package Description Marketing Start Date Marketing E 1 NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Marketing Start Date Marketing E Marketing Information					334	NDC:0498-3334		ode (Source)	Ite m C	
Ingredient NameBasis of StrengthAMMONIA (UNIE 5138 U FIX) (AMMONIA - UNIE 5138 Q 19 FIX)AMMONIA \cdot 0.045 g in 0.100 (AMMONIA - UNIE 5138 Q 19 FIX)Ingredient NameInterpredient StrengthIngredient NameInterpredient StrengthInterpredient Strength				Ň)	Y (INHALA	RESPIRATORY (INF	ion	of Administrati	Route	
Ingredient NameBasis of StrengthAMMONIA (UNIE 5138 U FIX) (AMMONIA - UNIE 5138 Q 19 FIX)AMMONIA \cdot 0.045 g in 0.100 (AMMONIA - UNIE 5138 Q 19 FIX)Ingredient NameInterpredient StrengthIngredient NameInterpredient StrengthInterpredient Strength						ietv	Active Moi	e Ingredient/	Activ	
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X) AMMONIA 0.045 g in 0.1 Inactive Ingredients Ingredient Name Strength ALCOHOL (UNII: 3K958V90M) Packaging # Item Code Package Description Marketing Start Date Marketing E Marketing Information Number or Monograph Citation Marketing Start Date Marketing E	ngth	Streng	Basis of Strength					8		
Inactive Ingredients Ingredient Name Strength Strength Strength Strength The Code Package Description Marketing Start Date Marketing E NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Marketing Start Date Marketing E	-	0.045 g in 0.3			8Q19F1X)		0	NIA (UNII: 5138 C	АММО	
Ingredient Name Strength ALCOHOL (UNII: 3K9958 V90M) Fackaging NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Marketing Start Date Marketing Category Application Number or Monograph Citation Marketing Start Date										
ALCOHOL (UNII: 3K9958V90M) Packaging Item Code Item Code Package Description Marketing Start Date Marketing E Index:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Karketing Information Marketing Start Date Marketing E		Comercial and			T	T		ve Ingredien	Inacti	
Item Code Package Description Marketing Start Date Marketing E NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Marketing E Variable Start Date Marketing E Marketing E Marketing Information Number or Monograph Citation Marketing Start Date Marketing E	L	Strength			vame	Ingredient Name				
Item Code Package Description Marketing Start Date Marketing E NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Image: Comparison of the c							30 \$ 3 0 101		ALCO1	
1 NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product Marketing Information Marketing Category Application Number or Monograph Citation Marketing Start Date Marketing E										
Marketing Information Marketing Category Application Number or Monograph Citation Marketing Start Date Marketing Examples	End Dat	Marketing E	Marketing Start Date		-					
Marketing Category Application Number or Monograph Citation Marketing Start Date Marketing E				on Product	Not a Comt	PULE; Type 0: Not a ().3 mL in 1 AMI	:0498-3334-00	1 NDC	
							rmation	keting Info	Mar	
unapproved drug other 00/10/2010	End Date	Marketing Er	Marketing Start Date	Citation	Monogra	on Number or Mon	Applicatio	ting Category	Mark	
unapproved drug other 09/18/2018			09/18/2018					ved drug other		

Part 2 of 4

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information	
Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7) (BENZALKO NIUM - UNII:7N6 JUD5X6 Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g		
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g		

Inactive Ingredients		
Ingredient Name	Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)		
WATER (UNII: 059QF0KO0R)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)		
PEG-100 STEARATE (UNII: YD01N1999R)		
LIGHT MINERAL OIL (UNII: N6K5787QVP)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
TROLAMINE (UNII: 903K93S3TK)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)		

Packaging	Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:0498-0903-34	10 in 1 BOTTLE, UNIT-DOSE				
1	0.9 g in 1 PACKET; Type 0: Not a Combination Product				
Marketing Info	ormation				
Marketing Categor	y Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not fin	al part333A	12/20/2017			

Part 3 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Item Code (Source)

Route of Administration

NDC:0498-0100

A ... T . 1. ./A ... 36 ...

Active	Ingredient/Active I	Molety	
	Ingr	adiant Nama	

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 4 of 4

ALCOHOL WIPE

isopropyl alcohol swab

Product Information	
Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient	/Active Moiety				
	Ingredient Name	F	Basis of Strength	Strength	
ISOPROPYL ALCOHO UNII:ND2M416302)	DL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -		OPROPYL LCOHOL	0.7 mL in 1 mL	
Inactive Ingredie	nts				
	Ingredient Name		Strength		
WATER (UNII: 059QF0	KO0R)				
Packaging					
# Item Code	Package Description	Marketing S	Start Date Mark	eting End Date	
1 NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product				
Marketing Inf	ormation				
Marketing Catego	y Application Number or Monograph Citation	Marketing S	Start Date Mark	eting End Date	
OTC monograph not fir	al part333A (09/18/2018			
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing S	tart Date Mark	eting End Date	
unapproved drug other	10	0/18/2018			

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4189)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0903)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0143)

Revised: 3/2019

Honeywell Safety Products USA, INC