

SENNALAX- sennosides 8.6mg tablet
TopCo Associates, LLC

371 - Senna Lax

Active ingredient(s)

Sennosides 8.6mg

Purpose

Laxative

Use(s)

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Warnings

Do not use

laxative products for longer than one week unless directed by a doctor

Ask a doctor before use if

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop Use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These could be signs of a serious condition.

Pregnancy/Breastfeeding

ask a health professional before use

Keep out of reach of children

In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) right away.

Directions

- Take preferably at bedtime or as directed by a doctor

age	starting Dosage	maximum Dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: calcium 50mg
- do not use if safety seal under cap is broken or missing

Storage

- store at 20°C-25°C (68°F-77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide

Principal Display Panel

NDC 76162-005-98

TopCare
health

Vegetable Laxative

SENNOSIDES, 8.6 mg
LAXATIVE

Gentle, Overnight Relief of Constipation

200 TABLETS actual size

TAPE HERE. DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot®

Drug Facts
Active ingredient (in each tablet) Sennosides 8.6mg.....Laxative
Uses <ul style="list-style-type: none"> ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 6-12 hours
Warnings Do not use laxative products for longer than one week unless directed by a doctor Ask a doctor before use if you have <ul style="list-style-type: none"> ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
© 2011 TopCare Associates, Inc. All rights reserved.

Other Information <ul style="list-style-type: none"> ■ each tablet contains: calcium-50mg ■ store at 20°C-25°C (68°F-77°F); excursions permitted between 15°-30°C (59°-86°F) ■ do not use if safety seal under cap is broken or missing 	Indications docusate sodium, docusate calcium, phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide
Directions	Dosage
adults and children 12 years of age and over	2 tablets once a day
children 6 to under 12 years	1 tablet once a day
children 2 to under 6 years	1/2 tablet once a day
children under 2 years	ask a doctor
2 years	ask a doctor

Senna Lax

SENNALAX
sennosides 8.6mg tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-005
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-005-98	200 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/01/2014	

Labeler - TopCo Associates, LLC (006935977)

Revised: 4/2021

TopCo Associates, LLC