

HONGO KILLER- tolinaftate aerosol, spray
Efficient Laboratories Inc

Drug Facts

Active Ingredients: **Purpose**

Miconazole Nitrate 2%..... Antifungal

Purpose

Antifungal

Warnings

For external use only

Flammable:Contents under pressure. Do not puncture or incinerate or store at a temperature above 120 degrees F. Use only as directed. intentional misuse by deliberately concentrating and inhaling aerosol products can be harmful or fatal. Do not use near flame or spark or while smoking.

Do not use

- for diaper rash
- on children under 2 years of age

When using this product avoid contact with the eyes

Stop use and ask a doctor if irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- shake can well before use: Hold can about 6 inches from the area to be treated.
- apply a thin layer over the affected area twice daily (morning and night), or as directed by a doctor
- supervise children in the use of this product

Athlete's Foot and Ringworm - use daily for 4 weeks

Jock Itch - use daily for 2 weeks

If condition persists longer, consult a doctor

This product is not effective on the scalp or nails **For athlete's foot:**

- pay special attention to the spaces between the toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily

Uses

Proven clinically effective in the treatment of most:

- athlete's foot (tinea pedis)
- jock itch (tinea cruris)
- ringworm (tinea corporis)

For effective relief of:

- itching
- cracking
- burning
- scaling
- discomfort

Questions or comments?

Please Call 305-805-3456 (M-F 9:00-5:00 pm EST)

Inactive ingredients acetone, ethoxydiglycol, propylene glycol, SD alcohol 40-B (74% w/w), tocopheryl acetate

ANTIFUNGAL									
									
Hongo Killer[®] Ultra									
Spray Liquid									
Cures Most Athlete's Foot <i>Cura la mayoría del Pie de Atleta</i>									
									
MICONAZOLE NITRATE 2% NET WT. 5.3 OZ. (150g)									
Drug Facts	Información General								
Active ingredient Miconazole nitrate 2%.....Antifungal	Ingrediente Activo Nitrato de miconazole 2%.....Antifungal								
Uses Proven clinically effective in the treatment of most: ■ athlete's foot (tinea pedis) ■ jock itch (tinea cruris) ■ ringworm (tinea corporis) For effective relief of: ■ itching ■ cracking ■ burning ■ scaling ■ discomfort	Usos Clínicamente probado ser efectivo para el tratamiento en la mayoría de: ■ pie de atleta (tinea pedis) ■ picor/ardor entre piernas (tinea cruris) ■ tiña (tinea corporis) Para un alivio efectivo de: ■ picor ■ grietas ■ quemazón ■ escamas ■ molestia								
Warnings. For external use only. Do not use ■ for diaper rash ■ on children under 2 years of age When using this product avoid contact with the eyes Stop use and ask a doctor if irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch). Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	Advertencias. Para uso externo solamente. No use ■ para la erupción de pañal ■ en niños menores de 2 años de edad Evite el contacto con los ojos cuando use este producto Si surge irritación o la condición no mejora en 4 semanas (para el pie de atleta o tiña) o 2 semanas para picor entre piernas, pare el uso de este producto y consulte con su médico. Manténgalo fuera del alcance de los niños. En caso de ingerirse accidentalmente busque asistencia médica o llame al Centro de Tratamiento por Envenenamiento inmediatamente.								
Directions ■ clean the affected area and dry thoroughly ■ shake can well before use; hold can about 6 inches from the area to be treated ■ apply a thin layer over the affected area twice daily (morning and night), or as directed by a doctor ■ supervise children in the use of this product <table border="1"><tr><td>athlete's foot and ringworm</td><td>use daily for 4 weeks</td></tr><tr><td>jock itch</td><td>use daily for 2 weeks</td></tr></table> If condition persists longer, consult a doctor ■ this product is not effective on the scalp or nails For athlete's foot: ■ pay special attention to the spaces between the toes ■ wear well-fitting, ventilated shoes, and change shoes and socks at least once daily	athlete's foot and ringworm	use daily for 4 weeks	jock itch	use daily for 2 weeks	Instrucciones ■ lave bien el área afectada y séquela bien ■ agite bien la lata antes de usarla; sosténgala a 6 pulgadas del área que se tratará ■ aplique una capa fina sobre el área afectada 2 veces al día (mañana y noche), o como lo indique el médico ■ supervise los niños al usar este producto <table border="1"><tr><td>Para el pie de atleta o tiña</td><td>use diariamente por 4 semanas</td></tr><tr><td>Para el picor entre piernas</td><td>use diariamente por 2 semanas</td></tr></table> Si la condición persiste por más tiempo, consulte a un médico ■ este producto no es efectivo en el cuero cabelludo o en las uñas Para el pie de atleta: ■ ponga especial atención al área entre los dedos. ■ use zapatos cómodos y bien ventilados, cambie medias y zapatos diariamente	Para el pie de atleta o tiña	use diariamente por 4 semanas	Para el picor entre piernas	use diariamente por 2 semanas
athlete's foot and ringworm	use daily for 4 weeks								
jock itch	use daily for 2 weeks								
Para el pie de atleta o tiña	use diariamente por 4 semanas								
Para el picor entre piernas	use diariamente por 2 semanas								
Other information ■ store at room temperature 68-77 °F (20-25 °C) Flammable: Contents under pressure. Do not puncture or incinerate or store at a temperature above 120°F (49°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling aerosol products can be harmful or fatal. Do not use near flame or spark or while smoking.	Información adicional ■ mantenga este producto en temperatura ambiental 68-77 °F (20-25 °C) Inflamable: Contenido bajo presión. No pinche, incinere, o almacene en una temperatura sobre 120°F (49°C). Utilícelo solamente según lo indicado. El uso incorrecto e intencional de inhalar deliberadamente los productos en aerosol puede ser dañino o fatal. No lo utilice cerca de las llamas, o chispa o mientras fume.								
Inactive ingredients acetone, ethoxydiglycol, propylene glycol, SD alcohol 40-B (74% w/w), tocopheryl acetate.	Ingredientes inactivos acetato de tocoferol, acetona, etoxydiglicol, propileno glicol, SD alcohol 40-B (74% p/p)								
Questions or comments? 1-305-805-3456 (M-F 9:00am – 5:00pm EST)	¿Pregunta o comentarios? 1-305-805-3456 (L-V 9:00am – 5:00pm EST)								
Distributed By: Efficient Laboratories, Inc. Miami, FL 33166 www.efficientlabs.com	Manufactured in the USA DOT-SP 14842 M5706 Rev. 06/18 0012P								

HONGO KILLER

tolnaftate aerosol, spray				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58593-625	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M)		MICONAZOLE NITRATE	0.2 g in 10 g	
Inactive Ingredients				
Ingredient Name			Strength	
ACETONE (UNII: 1364PS73AF)				
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
ALCOHOL (UNII: 3K9958V90M)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58593-625-53	150 g in 1 CANISTER; Type 0: Not a Combination Product	10/01/2004	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M005	10/01/2004	

Labeler - Efficient Laboratories Inc (969044932)