

**KY DURATION FOR HIM- lidocaine spray, metered
RB Health (US) LLC**

**KY[®]
Duration[®] Spray**

Drug Facts

Active ingredient

Lidocaine USP 9.6% (approximately 10mg per spray)

Purpose

Male Genital Desensitizer

Uses

- Helps in the prevention of premature ejaculation
- Helps in temporarily prolonging the time until ejaculation

Warnings

For external use only

Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed, does not provide relief, discontinue use and consult a doctor.

Avoid contact with the eyes

If you or your partner develop rash or irritation, such as burning or itching discontinue use. If symptoms persist, consult a doctor.

If pregnant or breastfeeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- Wash product off after intercourse
- Do not use more than 20 sprays in 24 hours

Other information

- Storage instructions: Store at 20-25°C (68-77°F).
- **This product is not compatible with condoms.**
- The bottle is child resistant. Instructions for opening are included in the leaflet.

- Read the instructions for use and advice inside this pack carefully to achieve best results.

Inactive ingredients

ethoxydiglycol, fragrance, isopropyl myristate, stearic acid

Questions?

1-800-756-5488

Distributed by: RB Health (US), Parsippany, NJ 07054-0224

Made in Taiwan

PRINCIPAL DISPLAY PANEL - 5.0 mL Bottle Carton

36
sprays

KY[®]
EST
1904

duration[®]

spray for him

male genital desensitizer

Lidocaine USP 9.6% (approximately 10mg per spray)

Drug Facts

Active ingredient	Purpose
Lidocaine USP 9.6% (approximately 10mg per spray)	Male Genital Desensitizer

Uses

- Helps in the prevention of premature ejaculation.
- Helps in temporarily prolonging the time until ejaculation.

Warnings

For external use only

Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed, does not provide relief, discontinue use and consult a doctor.

Avoid contact with the eyes, broken skin or wounds.

If you or your partner develop rash or irritation, such as burning or itching discontinue use. If symptoms persist, consult a doctor.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse or use as directed by a doctor.
- Wash product off after intercourse.
- Do not use more than 20 sprays in 24 hours.

Other information

- Store at 20-25°C (68-77°F).
- This product is not compatible with condoms.
- The bottle is child resistant. Instructions for opening are included in the leaflet.
- Read the instructions for use and advice inside this pack carefully to achieve best results.

Inactive ingredients

ethoxydiglycol, fragrance, isopropyl myristate, stearic acid, water

Questions? 1-800-756-5488

Carton is recyclable. Check with your local municipality. Tamper evident. Do not use if carton or bottle is open.

Dist. By: RB Health (US) LLC
Parsippany, NJ 07054-0224
©2024 RB Health
Made in Taiwan
Questions?
Call 1-800-756-5488
www.k-y.com
US Patents:
www.reckitt.com/patents
50052479 070424

798196659 6

KY[®]

ELEVATE YOUR PASSION

K-Y[®] DURATION SPRAY. Prolong pleasure with your partner for intimate moments that last.

K-Y[®] Deepening Intimacy since 1904

PREMIUM

KY

DURATION SPRAY

Male genital desensitizer

Lidocaine USP 9.6% (approximately 10 mg per spray)

Extend your pleasure together

36 SPRAYS: 0.16 FL OZ (5.0 ML)

Unleash Passion

EXPERIENCE K-Y[®] DURATION SPRAY

- Easy to apply
- Works in minutes
- Not compatible with condoms

Actual Size

36 Sprays 0.16 fl oz (5.0 mL)

KY DURATION FOR HIM

lidocaine spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72854-682
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	96 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72854-682-01	1 in 1 CARTON	08/01/2020	
1		5 mL in 1 BOTTLE, SPRAY; Type 3: Prefilled Biologic Delivery Device/System (syringe, patch, etc.)		
2	NDC:72854-682-10	1 in 1 CARTON	02/20/2022	
2		10.8 mL in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/01/2020	

Labeler - RB Health (US) LLC (081049410)