KY DURATION FOR HIM- lidocaine spray, metered RB Health (US) LLC

KY ®

Duration ®Spray for Him

Drug Facts

Active ingredient

Lidocaine USP 9.6% (approximately 10mg per spray)

Purpose

Male Genital Desensitizer

Uses

- Helps in the prevention of premature ejaculation
- Helps in temporarily prolonging the time until ejaculation

Warnings

For external use only

Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed, does not provide relief, discontinue use and consult a doctor.

Avoid contact with the eyes

If you or your partner develop rash or irritation, such as burning or itching discontinue use. If symptoms persist, consult a doctor.

If pregnant or breastfeeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- Wash product off after intercourse
- Do not use more than 20 sprays in 24 hours

Other information

- Storage instructions: Store at 20-25°C (68-77°F).
- This product is not compatible with condoms.
- The bottle is child resistant. Instructions for opening are included in the leaflet.

• Read the instructions for use and advice inside this pack carefully to achieve best results.

Inactive ingredients

ethoxydiglycol, fragrance, isopropyl myristate, stearic acid

Questions?

1-800-756-5488

Distributed by: RB Health (US), Parsippany, NJ 07054-0224

Made in Taiwan

PRINCIPAL DISPLAY PANEL - 5.0 mL Bottle Carton

36

sprays

KY ®

EST

1904

duration ®

spray for him

male genital desensitizer Lidocaine USP 9.6% (approximately 10mg per spray)

don't

stop

36 Sprays 0.16 fl oz (5.0 mL)



36 sprays



duration*

spray for him

male genital desensitizer

Lidocaine USP 9.6% (approximately 10mg per spray)



36 Sprays 0.16 fl oz (5.0 mL)





K-Y Duration Spray For Him helps him last longer by temporarily prolonging the time until ejaculation. Don't stop the exploration with a formula designed to help the pleasure last even longer.

More pleasure. Now we're talking.

Drug Facts

Active ingredient

Purpose

Lidocaine USP 9.6% (approximately 10mg per spray).....

....Male Genital Desensitizer

Hepe

- Helps in the prevention of premature ejaculation
- Helps in temporarily prolonging the time until ejaculation

Warnings

For external use only

Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed, does not provide relief, discontinue use and consult a doctor.

Avoid contact with the eyes

If you or your partner develop rash or irritation, such as burning or itching discontinue use. If symptoms persist, consult a doctor.

If pregnant or breastfeeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- Wash product off after intercourse
- Do not use more than 20 sprays in 24 hours

Other information

- Storage instructions: Store at 20-25°C (68-77°F).
- This product is not compatible with condoms.
- The bottle is child resistant. Instructions for opening are included in the leaflet.
- Read the instructions for use and advice inside this pack carefully to achieve best results.

Inactive ingredients

ethoxydiglycol, fragrance, isopropyl myristate, stearic acid

Questions? 1-800-756-5488

Distributed by: RB Health (US), Parsippany, NJ 07054-0224 Made in Talwan ©2020 RB Health US Patents www.rb.com/patents


HEALTH - HYGIENE - HOME

3156620

060920

COPY FREE





KY DURATION FOR HIM

lidocaine spray, metered

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:72854-682

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)
LIDOCAINE 96 mg in 1 mL

Inactive Ingredients					
Ingredient Name	Strength				
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)					
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)					
STEARIC ACID (UNII: 4ELV7Z65AP)					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:72854- 682-01	1 in 1 CARTON	08/01/2020				
1		5 mL in 1 BOTTLE, SPRAY; Type 3: Prefilled Biologic Delivery Device/System (syringe, patch, etc.)					
2	NDC:72854- 682-10	1 in 1 CARTON	02/20/2022				
2		10.8 mL in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M017	08/01/2020				

Labeler - RB Health (US) LLC (081049410)

Revised: 4/2024 RB Health (US) LLC