

**COVERGIRL OUTLAST ACTIVE FOUNDATION SPF 20- octinoxate liquid**  
**Noxell Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**COVERGIRL OUTLAST ACTIVE FOUNDATION SPF 20**

**Active ingredient**

Octinoxate 3%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin skin aging caused by the sun.

**Warnings**

For external use only

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m., wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months: ask a doctor

**Other information**

- Protect this product from excessive heat and direct sun

**Inactive ingredients**

Cyclopentasiloxane, Aqua/Water/Eau, Butylene Glycol, Talc, Cetyl PEG/PPG-10/1 Dimethicone, Trimethylsiloxysilicate, Acrylates Crosspolymer, Cetearyl Ethylhexanoate, Ammonium Acrylates Copolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Bis-PEG/PPG-14/14 Dimethicone, Polymethyl Methacrylate, Tribehenin, Disteardimonium Hectorite, Laureth-7, Lecithin, Phenoxyethanol, Trihydroxystearin, Chlorphenesin, Triethoxycaprylylsilane, Parfum/Fragrance, Alcohol Denat., Propylene Carbonate, Dimethiconol, Xanthan Gum, Glycerin, Disodium Deceth-6 Sulfosuccinate, Disodium EDTA, Tocopheryl Acetate, Laureth-30, Sodium PCA, Urea, Hexyl Cinnamal, Sodium Dehydroacetate, Limonene, Trehalose, Butylphenyl Methylpropional, Benzyl Salicylate, Hexylene Glycol, Linalool, Geraniol, Polyquaternium-51, BHT, Citronellol, Alpha-Isomethyl Ionone, Caprylyl Glycol, Triacetin, Sodium Hyaluronate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, [May Contain/Peut Contenir/+-:Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891)].

**Questions?**

1-800-426-8374

COVERGIRL

OUTLAST ACTIVE

24 HR FOUNDATION +

OCTINOXATE SUNSCREEN

BROAD SPECTRUM SPF20

30 mL (1 FL OZ)



**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**805**

**30 mL (1 FL OZ)**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**810**

**30 mL (1 FL OZ)**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**820**

**30 mL (1 FL OZ)**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**825**

**30 mL (1 FL OZ)**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**840**

**BROAD SPECTRUM SPF20**

**832**

**30 mL (1 FL OZ)**

**30 mL (1 FL OZ)**

**COVERGIRL**  
**OUTLAST**  
**ACTIVE**

24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN

BROAD SPECTRUM SPF20  
842  
30 mL (1 FL OZ)

**COVERGIRL**  
**OUTLAST**  
**ACTIVE**

24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN

BROAD SPECTRUM SPF20  
845  
30 mL (1 FL OZ)

**COVERGIRL**  
**OUTLAST**  
**ACTIVE**

24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN

BROAD SPECTRUM SPF20  
850  
30 mL (1 FL OZ)

**COVERGIRL**  
**OUTLAST**  
**ACTIVE**

24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN

BROAD SPECTRUM SPF20  
855

30 mL (1 FL OZ)

**COVERGIRL**  
**OUTLAST**  
**ACTIVE**

24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN

BROAD SPECTRUM SPF20  
857

30 mL (1 FL OZ)



**Drug Facts**  
**Active Ingredient Purpose**  
 Octinoxate 3%.....Sunscreen

**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove  
 Stop use and ask a doctor if rash occurs  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

**Directions**  
 • apply liberally 15 minutes before sun exposure  
 • reapply at least every 2 hours  
 • use water resistant sunscreen if swimming or sweating  
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • limit time in sun, especially from 10 a.m. - 2 p.m.  
 • wear long-sleeved shirts, pants, hats, and sunglasses  
 • children under 6 months: ask a doctor

**Drug Facts** (cont'd)  
**Other information**  
 • Protect this product from excessive heat and direct sun

**Inactive ingredients:**  
 Cyclopentasiloxane, aqua/water/eau, butylene glycol, talc, octyl PEG/PPG-10/1 dimethicone, trimethylsilylsilicate, acrylates crosspolymer, cetearyl ethylhexanoate, ammonium acrylates copolymer, dimethicone/vinyl dimethicone crosspolymer, magnesium sulfate, bis-PEG/PPG-14/14 dimethicone, polymethyl methacrylate, triphenyl dimethylsilylhexanoate, laureth-7, lecithin, phenoxylethanol, trihydroxyesterin, chlorphenesin, triethoxycaprylylsilane, parfum/fragrance, alcohol denat., propylene carbonate,

dimethiconol, xanthan gum, glycerin, disodium deceth-6 sulfosuccinate, disodium EDTA, tocopheryl acetate, laureth-30, sodium PCA, urea, hexyl cinnamal, sodium dehydroacetate, limonene, trehalose, butylphenyl methylpropional, benzyl salicylate, hexylene glycol, linoleol, geraniol, polyquaternium-51, BHT, citronellol, alpha-isomethyl ionone, caprylyl glycol, trisatin, sodium hyaluronate, pentaerythrityl tetra-*d*-butyl hydroxyhydrocinnamate, [May Contain/Peut Contener +/- iron oxides (CI 77491), CI 77492, CI 77499], titanium dioxide (CI 77891)].

**Questions?** 1-800-426-8374

1-800-4COVER4  
 COVERGIRL.COM  
 COTY US LLC,  
 NEW YORK, NY 10118

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**860**

**30 mL (1 FL OZ)**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**862**

**30 mL (1 FL OZ)**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**865**

**30 mL (1 FL OZ)**

**COVERGIRL**

**OUTLAST  
ACTIVE**

**24 HR FOUNDATION +  
OCTINOXATE SUNSCREEN**

**BROAD SPECTRUM SPF20**

**870**

**30 mL (1 FL OZ)**



## COVERGIRL OUTLAST ACTIVE FOUNDATION SPF 20

octinoxate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:22700-156
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
LAURETH-7 (UNII: Z95S6G8201)	
BENZYL SALICYLATE (UNII: WAO5MKN9TU)	
TRIACETIN (UNII: XHX3C3X673)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	

BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TALC (UNII: 7SEV7J4R1U)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
CHLORPHENESIN (UNII: I670DAL4SZ)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)
GLYCERIN (UNII: PDC6A3C0OX)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
XANTHAN GUM (UNII: TTV12P4NEE)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22700-156-80	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
2	NDC:22700-156-02	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
3	NDC:22700-156-05	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
4	NDC:22700-156-10	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
5	NDC:22700-156-20	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
6	NDC:22700-156-25	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
7	NDC:22700-156-32	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
8	NDC:22700-156-40	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
9	NDC:22700-156-42	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
10	NDC:22700-156-45	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
11	NDC:22700-156-50	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
12	NDC:22700-156-55	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
13	NDC:22700-156-57	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
14	NDC:22700-156-60	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
15	NDC:22700-156-62	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
16	NDC:22700-156-65	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
17	NDC:22700-156-70	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	
18	NDC:22700-156-75	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/11/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/11/2019	

**Labeler** - Noxell Corporation (003082997)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Noxell Corporation		003082997	manufacture(22700-156)

Revised: 2/2020

Noxell Corporation