

**ACTAEA SPICATA- actaea spicata root pellet  
Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

**Actaea spicata 6c**

Actaea spicata 6C

(\*\*contains 0.443 mg of the active ingredient per pellet)

Minor arthritis pain in fingers and toes\*

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073



Minor arthritis pain in fingers and toes.\*

icata 6 c

VAL HOMEOPATHIC PRACTICE,  
JENCE. NOT FDA EVALUATED.



Lot:

Exp:

3

06960

01408

9

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

## Drug Facts

**Active ingredient\*\***: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses**: See symptoms on front panel.

**Warnings**: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions**: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information**: ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients**: lactose, sucrose

## Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to dispense pellets?



Turn tube upside down.



Twist until 5 pellets are dispensed into cap.



Carefully remove cap and use it to pour pellets under the tongue.

## ACTAEA SPICATA

actaea spicata root pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0053
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	6 [hp_C] in 6 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

### Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm

<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0053-41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/03/1983		

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0053)

Revised: 7/2023

Boiron