

**RANITIDINE 150- ranitidine hydrochloride tablets 150mg tablet, coated**  
**Walmart Stores Inc.**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Ranitidine 150 mg (as ranitidine hydrochloride, USP 168 mg)

**Purpose**

Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to ranitidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Stop use and ask doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water
  - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

## **Other information**

- do not use if printed foil under bottle cap is open or torn
- store at 20°-25°C (68°-77°F)
- avoid excessive heat or humidity
- protect from light
- this product is sodium and sugar free

## **Inactive ingredients**

FD&C red #40 aluminum lake, hypromellose, iron oxide black, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

## **Questions**

Call **1-888-287-1915**

**TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING**

**IMPORTANT: Read the directions, consumer information leaflet and warnings before use. Keep the carton. It contains important information.**

**Ranitidine Tablets, 150 mg 24 count Carton**

NDC 49035-404-34

**equate™**

**Compare to  
Maximum  
Strength  
Zantac 150®  
Tablets Active  
Ingredient\***

# Maximum Strength

## Ranitidine Tablets, 150 mg

### Acid Reducer

- PREVENTS AND RELIEVES HEARTBURN associated with acid indigestion and sour stomach

150 mg 24 TABLETS (24 DOSES)



Ranitidine Tablets, 150 mg 24 count Bottle

equate™ NDC 49035-404-34

Maximum Strength

# Ranitidine Tablets, 150 mg

## Acid Reducer

- PREVENTS AND RELIEVES HEARTBURN associated with acid indigestion and sour stomach

**150 mg 24 TABLETS (24 DOSES)**

**equate™** NDC 49035-404-34

**Maximum Strength**  
**Ranitidine**  
Tablets, 150 mg  
**Acid Reducer**

● PREVENTS AND RELIEVES HEARTBURN associated with acid indigestion and sour stomach

**150 mg** **24 TABLETS (24 DOSES)**

**TAMPER EVIDENT. DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING**

**IMPORTANT:** This label does not contain full product information. See carton for complete information. Read the directions, consumer information leaflet and warnings before use. Retain carton and leaflet for reference.

**Active ingredient (in each tablet)** Ranitidine, 150 mg (as ranitidine hydrochloride USP, 168 mg). **Purpose:** Acid reducer. **Uses:** ■ relieves heartburn associated with acid indigestion and sour stomach ■ prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages. **Warnings:** **Allergy alert:** Do not use if you are allergic to ranitidine or other acid reducers. **Do not use** ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. ■ with other acid reducers. ■ if you have kidney disease, except under the advice and supervision of a doctor. **Ask a doctor before use if you have** ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ heartburn with **lightheadedness, sweating or dizziness** ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or **lightheadedness**. ■ frequent chest pain ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain

**Stop use and ask a doctor if** ■ your heartburn worsens or you need to take this product for more than 14 days ■ **pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions:** ■ adults and children 12 years and over: ■ to relieve symptoms, swallow 1 tablet with a glass of water. ■ to prevent symptoms, swallow 1 tablet with a glass of water 30 to 60 minutes before eating food or drinking beverages that cause heartburn. ■ can be used up to twice daily (do not take more than 2 tablets in 24 hours) ■ children under 12 years: ask a doctor

**Questions?** Call 1-888-287-1915

Distributed by: Wal-Mart Stores, Inc.,  
Bentonville, AR 72716. 673163

150061414

LOT  
EXP

## RANITIDINE 150

ranitidine hydrochloride tablets 150mg tablet, coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-404(NDC:55111-404)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	150 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
magnesium stearate (UNII: 70097M6130)	
cellulose, microcrystalline (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

titanium dioxide (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	R150
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-404-34	1 in 1 CARTON	01/05/2010	09/30/2019
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49035-404-61	1 in 1 CARTON	01/05/2010	09/30/2019
2		65 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:49035-404-13	2 in 1 CARTON	06/08/2018	09/30/2019
3		65 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:49035-404-65	1 in 1 CARTON	01/05/2010	09/30/2019
4		220 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078192	01/05/2010	

**Labeler** - Walmart Stores Inc. (051957769)

Revised: 9/2019

Walmart Stores Inc.