

ACONITUM NAPELLUS- aconitum napellus pellet

Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Aconitum napellus 30C

Active ingredient (in each pellet)**

Aconitum napellus 30C HPUS (**contains 0.443 mg of the active ingredient in each pellet)

(contains less than 10⁻¹² mg aconitine alkaloids)

The letters "HPUS" indicate that the component in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves high fever (up to 102 °F) of sudden onset with dry skin*

Uses*

Temporarily relieves symptoms of high fever (up to 102 °F) of sudden onset with

- dry, hot, and red skin
- cough
- restlessness
- agitation

Stop use and ask a doctor if symptoms persist for more than 3 days, worsen, or new symptoms occur because these could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

BoironUSA.com Info@boiron.com

1-800-BOIRON-1 (1-800-264-7661),

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Made in France

Do not use if pellet dispenser seal is broken.

Do not use if glued carton end flaps are open or if pellet dispenser seal is broken.

contains 0.25 g of sugar per dose

retain carton for full drug facts

Approx. 80 Pellets each

Total 240 Pellets

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

Fever Relief*

No Known Drug Interactions

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Aconitum napellus 30^c
Relieves high fever (up to 102F) of sudden onset with dry skin*
BOIRON®
HOMEOPATHIC MEDICINE
Made in France
HPUS NDC 0220-0035-41
Less than 10⁻¹² mg aconitine alkaloids per pellet
Do not use if pellet dispenser seal is broken

LOT	EXP
3 06960	01113 2

Contains approx. 80 pellets. US
Peel for Drugs Facts and instructions for use.

Aconitum napellus 30^c
*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to dispense pellets?

- 1 Turn tube upside down.
- 2 Twist until 5 pellets are dispensed into cap.
- 3 Carefully remove cap and use it to pour pellets under the tongue.

Aconitum napellus 30^c

High fever (up to 102f) of sudden onset with dry skin*



HPUS NDC 0220-0035-41

Less than 10⁻¹² mg aconitine alkaloids per pellet
Do not use if pellet dispenser seal is broken



LOT:	EXP:
3 06960	01113 2

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Aconitum napellus 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken

dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

MCC 0020-0035-43

FEVER RELIEF*

Fever (up to 102°F)
of Sudden Onset*



1 TUBE **FREE** INSIDE

Aconitum ACONITUM NAPELLUS 30C MELTAWAY PELLETS

HOMEOPATHIC MEDICINE

- Adults & Children
- No Known Drug Interactions



BOIRON
World Leader in
Homeopathic Medicines

1 FREE
3 TUBES
APPROX. 80 PELLETS EACH
TOTAL 240 PELLETS

- Turn tube upside down
- Twist until 5 pellets are dispensed
- Remove cap and pour pellets into your child's tongue



The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



Made in France
Manufactured by Boiron Inc.
Broomfield, CO, USA

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.
*U.S. Pat. and X are homeopathic practices; see BoironUSA.com/boiron for details.

Drug Facts
Active ingredient In each pellet: Aconitum napellus 30C (100 mg) (USP) (USP) of water-soluble pellets.
Purpose To help relieve the symptoms of fever.
Warnings Do not use if you are allergic to any of the ingredients. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other medicine. Do not use if you are taking any other medicine. Do not use if you are taking any other medicine.
Directions Adults: 5 pellets 5 times a day. Children: 5 pellets 5 times a day. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other medicine. Do not use if you are taking any other medicine.
Other information Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other medicine. Do not use if you are taking any other medicine.
Questions or comments? Call 1-800-874-6726 for more information.
Ingredients Aconitum napellus 30C (100 mg) (USP) (USP) of water-soluble pellets.

NO
Artificial Colors,
Flavors, Sweeteners,
or Preservatives

Com
ode

HOMEOPATHIC MEDICINE Made in France

High fever (up to 102f) of sudden onset
with dry skin.*



Lot:

Exp:

3

06960

01113

2

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

anapellus 30 c

ADDITIONAL HOMEOPATHIC PRACTICE,
- EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see
BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to
dispense pellets?



1
Turn tube upside
down.



2
Twist until 5 pellets
are dispensed
into cap.



3
Carefully remove cap
and use it to pour pellets
under the tongue.

ACONITUM NAPELLUS

aconitum napellus pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0035
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	30 [hp_C] in 30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0035-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-0035-43	3 in 1 BOX	09/01/2020	
2		30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0035)

Revised: 9/2025

Boiron