

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled H E B

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over|take 1-3 softgels daily

children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:**sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

black iron oxide, D&C red #33, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Colace® Regular Strength Stool Softener active ingredient**

Stool Softener Laxative

Docusate Sodium, 100 mg

Stool Softener Laxative

Relief of Occasional Constipation

Safe, Gentle & Dependable

SOFTGELS

**This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Product Label

Compare to Colace® Regular Strength Stool Softener active ingredient™

NDC 37808-853-30

H-E-B

Stool Softener Laxative

Docosate Sodium, 100 mg

Stool Softener Laxative

Relief of Occasional Constipation

Safe, Gentle & Dependable

300 SOFTGELS

actual size

TEXAS-SIZE PACK
★ 300 CT ★

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts
Active ingredient (in each softgel) Docosate sodium 100 mg.....Stool softener laxative
Uses <ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally produces bowel movement in 12 to 72 hours
Warnings <p>Do not use if you are presently taking mineral oil, unless told to do so by a doctor.</p> <p>Ask a doctor before use if you have <ul style="list-style-type: none"> stomach pain nausea vomiting </p> <p>noticed a sudden change in bowel habits that lasts over 2 weeks</p> <p>Stop use and ask a doctor if <ul style="list-style-type: none"> you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. you need to use a laxative for more than 1 week </p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>
Directions <ul style="list-style-type: none"> Take only by mouth. Doses may be taken as a single daily dose or in divided doses. adults and children 12 years and over take 1-3 softgels daily children 2 to under 12 years of age take 1 softgel daily children under 2 years ask a doctor
Other information <ul style="list-style-type: none"> each softgel contains sodium 6 mg store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)
Inactive ingredients black iron oxide, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide
Questions or comments? Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® Regular Strength Stool Softener.

MADE WITH PRIDE AND CARE FOR H-E-B®. SAN ANTONIO, TX 78204



33461-2212



0 14 1220 56930 4

Lot No.:

PLD-0717A
LB009114

Exp. Date:

H-E-B Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docosate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-853
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA05BB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-853-30	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/29/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/29/2021	

Labeler - H E B (007924756)

Revised: 4/2024

H E B