## ARUM TRIPHYLLUM- arisaema triphyllum root pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

## Arum triphyllum 30C

Arum triphyllum 30C

(\*\*contains 0.443 mg of the active ingredient per pellet)

Hoarseness With Broken Voice\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. \*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





## **Drug Facts Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet). **Uses:** See symptoms on front panel. **Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep

out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



ARUM TRIPHYLLUM	1			
arisaema triphyllum root pell	et			
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (S	Item Code (Source)	
Route of Administration	ORAL			
Active Ingredient/Active	e Molety		Basis of	
Ingr	Strength			
ARISAEMA TRIPHYLLUM ROOT (UNII: DM64K844DM) (ARISAEMA TRIPHYLLUMARISAEMAROOT - UNII:DM64K844DM)TRIPHYLLUM ROOT				30 [hp_C] T in 30 [hp_C]
Inactive Ingredients				
	Strength			
LACTOSE, UNSPECIFIED FORM				
SUCROSE (UNII: C151H8M554)				
<b>Product Characteristics</b>				
Color	white	Score		
Shape	ROUND	Size		4mm

tains kaging tem Code	Pi				
	Pi				
	Pa				
	Pa				
tem Code	Pa				
		Package Description		Marketing Start Date	Marketing End Date
	30 [hp_C] in 1 Product	) [hp_C] in 1 TUBE; Type 0: Not a Combination oduct		03/03/1983	
rkotina	Informa	tion			
reening					
Marketing Category	Applic	ation Number or N Citation	Monograph	Marketing Start Date	Marketing End Date
proved eopathic				03/03/1983	
	rketing Marketing Category proved	Product rketing Informat Marketing Applica Category or proved	Product       rketing Information       Marketing Category     Application Number or I Citation       Droved     Citation	Product  rketing Information Marketing Category Droved	Product     03/03/1983       rketing Information       Marketing Category     Application Number or Monograph Citation     Marketing Start Date       oroved     03/03/1983

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment						
Name	Address	ID/FEI	Business Operations			
Boiron		282560473	manufacture(0220-0598)			

Revised: 3/2023

Boiron