

DAYTIME COLD AND FLU RELIEF- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled Bi-Mart

Day-Time Cold & Flu Relief

Active ingredients (in each softgels)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

Temporarily relieves common cold and flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- headache
- minor aches and pains
- fever
- sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a

doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription).
- if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-122) right away. Quick medical attention is critical for adults and for children even if you do not notice any signs or symptoms.

Direction

- take only as directed
- do not exceed 4 doses per 24 hours

adults and children 12 years and over take 2 softgels with water every 4 hours

children 4 to under 12 years
children under 4 years

ask a doctor
do not use

Other information

- store at room temperature.
- **DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED**

Inactive ingredients

FD&C red #40, FD&C yellow #6, Gelatin, Glycerin, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Purified Water, Sorbitol Sorbitan Solution.

Questions?

call toll-free **1-844-912-4012**

Distributed by:

BI-MART

Eugene, OR 97402

PRINCIPAL DISPLAY PANEL-24 Count

NDC 37835-520-24

Compare to the active ingredients in Vicks [®]DayQuil [®]Cold & Flu LiquiCaps [®]*

DAYTIME COLD AND FLU RELIEF

Acetaminophen,

Phenylephrine HCl,

Dextromethorphan HBr

24 SoftGels

This product is not manufactured or distributed by the owner of the registered trademark Vicks [®]DayQuil [®]Cold & Flu LiquiCaps [®]

0 71357191108 0

BI-MART

NDC 37835-520-24

Compare to the active ingredients in Vicks® DayQuil® Cold & Flu LiquiCaps®*

NON-DROWSY

DAYTIME

COLD & FLU RELIEF



Acetaminophen
Phenylephrine HCl
Dextromethorphan HBr

24
SOFTGELS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg.....Pain reliever/fever reducer
Dextromethorphan HBr 10 mg.....Cough suppressant
Phenylephrine HCl 5 mg.....Nasal decongestant

Uses

Temporarily relieves common cold and flu symptoms:
nasal congestion ■ cough due to minor throat and bronchial irritation
headache ■ minor aches and pains ■ fever ■ sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4 doses in 24 hours, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use ■ with any other products containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have ■ liver disease ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland ■ cough that occurs

PEEL FOR DIRECTIONS

520-24-BM 02/25

LIFT HERE

Drug Facts (continued)

with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough gets worse or last more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

if pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults and for children even if you do not notice any signs or symptoms.

Directions

take only as directed
do not exceed 4 doses per 24 hours

adults and children 12 years and over	take 2 softgels with water every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

Other information

store at room temperature

Inactive ingredients

FD&C red #40, FD&C yellow #6, gelatin, glycerol, polyethylene glycol 400, povidone K30, propylene glycol, purified water, sorbitol sorbitan solution.

Questions? call toll-free 1-844-912-4012

*This product is not manufactured or distributed by the owner of the registered trademark Vicks® DayQuil® Cold & Flu LiquiCaps®

Distributed by: BI-MART Eugene, OR 97402

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE
If you are not completely satisfied with your BI-MART QUALITY PRODUCT, regardless of the reason, return the unused portion and your entire purchase price will be cheerfully refunded.

PRINCIPAL DISPLAY PANEL-96 Count

NDC 37835-520-96

Compare to the active ingredients in Vicks® DayQuil® Cold & Flu LiquiCaps®*

DAYTIME COLD AND FLU RELIEF

Acetaminophen,
Phenylephrine HCl,
Dextromethorphan HBr
96 SoftGels

This product is not manufactured or distributed by the owner of the registered trademark Vicks® DayQuil® Cold & Flu LiquiCaps®

0
 7 55916 15517
 0

BI-MART

NDC 37835-520-96

Compare to the active ingredients in Vicks® DayQuil® Cold & Flu LiquiCaps®**

NON-DROWSY
DAYTIME
COLD & FLU RELIEF


Acetaminophen
 Phenylephrine HCl
 Dextromethorphan HBr

Value Size!
96
SOFTGELS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredients (in each softgel)
 Acetaminophen 325 mg.....Pain reliever/fever reducer
 Dextromethorphan HBr 10 mg.....Cough suppressant
 Phenylephrine HCl 5 mg.....Nasal decongestant

Uses Temporarily relieves common cold and flu symptoms:
 ■ nasal congestion ■ cough due to minor throat and bronchial irritation
 ■ headache ■ minor aches and pains ■ fever ■ sore throat

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4 doses in 24 hours, which is the maximum daily amount for this product; ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use ■ with any other products containing acetaminophen (prescription or non-prescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have ■ liver disease ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland ■ cough that occurs

LIPT HERE

520-96-BM 02/25
 PEEL FOR DIRECTIONS

Drug Facts (continued)
 with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.
Stop use and ask a doctor if ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough gets worse or last more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
if pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults and for children even if you do not notice any signs or symptoms.

Directions
 ■ take only as directed
 ■ do not exceed 4 doses per 24 hours

adults and children 12 years and over	take 2 softgels with water every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

Other information
 ■ store at room temperature

Inactive ingredients
 FD&C red #40, FD&C yellow #6, gelatin, glycerol, polyethylene glycol 400, povidone K30, propylene glycol, purified water, sorbitol sorbitan solution.

Questions? call toll-free 1-844-912-4012

*This product is not manufactured or distributed by the owner of the registered trademark Vicks® DayQuil® Cold & Flu LiquiCaps®

Distributed by: **BI-MART** Eugene, OR 97402

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE
 If you are not completely satisfied with your BI-MART QUALITY PRODUCT, regardless of the reason, return the unused portion and your entire purchase price will be cheerfully refunded.

DAYTIME COLD AND FLU RELIEF
 acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information		
Product Type	HUMAN OTC DRUG	Item Code (Source)
Route of Administration	ORAL	NDC:37835-520

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE K30 (UNII: U725QWY32X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	CF01
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-520-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	
2	NDC:37835-520-96	96 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/01/2025	

Labeler - Bi-Mart (027630078)

Registrant - Bi-Mart (027630078)

Establishment

Name	Address	ID/FEI	Business Operations
OCEAN HEALTHCARE PVT. LTD.		873673519	manufacture(37835-520)