# CHLORPHEN-12- chlorpheniramine maleate tablet, film coated, extended release KVK-Tech, Inc.

-----

# Chlorphen-12 (Chlorpheniramine Maleate) Extended-Release Tablets, 12 mg

## Chlorpheniramine maleate 12 mg

**Antihis tamine** 

#### **USES**

temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies: sneezing runny nose itchy, watery eyes itching of the nose or throat

#### **WARNINGS**

## Ask a doctor before use if you have

a breathing problem such as emphysema or chronic bronchitis glaucoma trouble urinating due to an enlarged prostate gland

# Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

# When using this product

excitability may occur, especially in children drowsiness may occur avoid alcoholic beverages alchohol, sedatives and tranquilizers may increase drowsiness use caution when driving a motor vehicle or operating machinery Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 If pregnant or breast-feeding, ask a health professional before use

#### KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **DIRECTIONS**

• adults and children 12 years and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours. children under 12 years of age: ask a doctor

#### OTHER INFORMATION

• **each tablet contains:** calcium 28 mg store between 20° to 25°C (68° to 77°F) with excursions permitted between 15° to 30°C (59° to 86°F) protect from excessive moisture

#### **INACTIVE INGREDIENTS**

• calcium sulfate, carnauba wax, colloidal silicon dioxide, confectioner's sugar, D&C yellow No. 10 aluminum lake, FD&C blue No. 2/indigo carmine aluminum lake, FD&C yellow No. 6, gelatin, hydroxypropyl methylcellulose, lactose monohydrate, magnesium stearate, methacrylic acid copolymer, methyl parahydroxybenzoate, microcrystalline cellulose, pharmaceutical ink, polysorbate 80, povidone, propyl parahydroxybenzoate, propylene glycol, sodium benzoate, sodium lauryl sulphate, sucrose, talc, titanium dioxide, triethyl citrate

#### **PURPOSE**

Chlorpheniramine maleate 12 mg is used as an antihistamine.

Manufactured by:

KVK-Tech, Inc. Newtown, PA 18940



## **Principal Display Panel - 24 Tablets Carton**

New Look. Same Trusted Ingredient. MADE IN USA

NDC 10702-017-24

Chlorphen-12

## Allergy

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat

3 in 1 Fast Acting Long Lasting Less Drowsy

#### 24 Tablets

Indoor & Outdoor Allergies
12-hour Extended-Release Tablets

Chlorpheniramine Maleate 12 mg/Antihistamine

SAFETY SEALED:

DO NOT USE IF BACKING IMPRINTED WITH Chlorpheniramine Maleate Extended-Release Tablets, 12 mg IS TORN OR MISSING

THIS PACKAGING IS NOT **CHILD RESISTANT** 



CHLORPHENIRAMINE MALEATE
EXTENDED-RELEASE TABLETS, 12 mg

†When compared to Benadry

\*\*Benadryl® is a registered trademark of Johnson & Johnson

New Look. Same Trusted Ingredient. NDC 10702-017-24

**MADE IN USA** 

# hlorphen-IZ Allergy



EXTENDED-RELEASE TABLETS, 12 MG

- Sneezing
- · Runny Nose
- Itchy, Watery EyesItchy Throat



24 Tablets

**Indoor & Outdoor Allergies** 12-hour Extended-Release Tablets Chlorpheniramine Maleate 12 mg/Antihistamine



hlorphen-12 CHLORPHENIRAMINE MALEATE **EXTENDED-RELEASE TABLETS, 12 mg** 



6023/10



CHLORPHENIRAMINE MALEATE EXTENDED-RELEASE TABLETS, 12 MG

COATING FREE AREA

NDC 10702-017-24 Lot No: Exp. Date:





# **Drug Facts**

Active ingredient (in each tablet) Purpose
Chlorpheniramine maleate 12 mg......Antihistamine

# Uses

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
  - sneezing runny nose itchy, watery eyes
  - itching of the nose or throat

# Warnings

## Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

### When using this product

- excitability may occur, especially in children
- drowsiness may occur avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Call your doctor for medical advice about side effects. You may report side effects to FDA at **1-800-FDA 1088** 

# Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- adults and children 12 years and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.
- children under 12 years of age: ask a doctor

## Other information

- each tablet contains: calcium 28 mg
- store between 20° to 25°C (68° to 77°F) with excursions permitted between 15° to 30°C (59° to 86°F). protect from excessive moisture

Inactive ingredients calcium sulfate, carnauba wax, colloidal silicon dioxide, confectioner's sugar, D&C yellow No. 10 aluminum lake, FD&C blue No. 2 / indigo carmine aluminum lake, FD&C yellow No. 6, gelatin, hydroxypropyl methylcellulose, lactose monohydrate, magnesium stearate, methacrylic acid copolymer, methyl parahydroxybenzoate, microcrystalline cellulose, pharmaceutical ink, polysorbate 80, povidone, propyl parahydroxybenzoate, propylene glycol, sodium benzoate, sodium lauryl sulphate, sucrose, talc, titanium dioxide, triethyl citrate

Chlorphen-12® is manufactured by KVK Tech, Inc. MADE IN USA

# Principal Display panel - 60 Tablets Container Label

New Look. Same Trusted Ingredient. MADE IN USA NDC 10702-017-06

# Chlorphen-12 Allergy

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat

3 in 1 Fast Acting Long Lasting Less Drowsy Indoor & Outdoor Allergies 12-hour Extended-Release Tablets Chlorpheniramine Maleate 12 mg/Antihistamine



New Look. Same Trusted Ingredient. MADE IN USA NDC 10702-017-01

# Chlorphen-12 Allergy

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat

3 in 1 Fast Acting Long Lasting Less Drowsy

#### 100 Tablets

Indoor & Outdoor Allergies 12-hour Extended-Release Tablets Chlorpheniramine Maleate 12 mg/Antihistamine



# Principal Display Panel - 4 Tablets in a sachet and a carton of 50 sachets

New Look. Same Trusted Ingredient. MADE IN USA

NDC 10702-017-04

NDC 10702-017-54

Chlorphen-12

Allergy

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat

3 in 1

Fast Acting

Long Lasting

Less Drowsy

4 Tablets in a sachet and a carton of 50 sachets

Indoor & Outdoor Allergies 12-hour Extended-Release Tablets Chlorpheniramine Maleate 12 mg/Antihistamine



# **CHLORPHEN-12**

chlorpheniramine maleate tablet, film coated, extended release

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10702-017	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	12 mg

Inactive Ingredients			
Ingredient Name	Strength		
CALCIUM SULFATE (UNII: WAT0 DDB505)			
CARNAUBA WAX (UNII: R12CBM0EIZ)			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			
SUCROSE (UNII: C151H8 M554)			
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)			
GELATIN (UNII: 2G86QN327L)			
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)			
LACTO SE MO NO HYDRATE (UNII: EWQ57Q8 I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
PO VIDO NE (UNII: FZ989 GH94E)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM LAURETH SULFATE (UNII: BPV390 UAP0)			
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)			
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
TALC (UNII: 7SEV7J4R1U)			

Product Characteristics					
Color	orange	Score	no score		
Shape	ROUND	Size	7mm		
Flavor		Imprint Code	Chlorphen;12		
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	<b>Marketing End Date</b>			
1	NDC:10702-017-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	06/15/2010				
2	NDC:10702-017-24	24 in 1 CARTON; Type 0: Not a Combination Product	06/15/2010				
3	NDC:10702-017-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/15/2010				
4	NDC:10702-017-54	50 in 1 CARTON	11/29/2018				
4	NDC:10702-017-04	4 in 1 PACKAGE; Type 0: Not a Combination Product					

	<b>Marketing Infor</b>	mation		
ı	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

ANDA	ANDA040829	06/15/2010	

# Labeler - KVK-Tech, Inc. (173360061)

# Registrant - Avanthi, Inc. (832316694)

Establishment				
Name	Address	ID/FEI	Business Operations	
KVK-Tech, Inc.		173360061	manufacture(10702-017)	

Revised: 12/2018 KVK-Tech, Inc.