

BANIXX LIME SULFUR DIP- sulferated lime solution, concentrate
Creative Science

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Banixx™ Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.

WARNING:

Consult a veterinarian before using this product.
Avoid contact with eyes and mucous membranes.
If irritation develops, discontinue use and consult a veterinarian.

May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.

Use gloves when applying to animal's skin.

Use in well ventilated area.

Caution: For topical use on dogs, cats and horses. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white or water. DO NOT INDUCE VOMITING.

Storage: Store at room temperature (59°-86°F) in a dry place.

For External Use Only

Keep Out of Reach of Children and Pets

For Veterinary Use Only

Active Ingredients:

Sulfurated Lime Solution..... 97.8%

Inert Ingredients:..... 2.2%

Total 100%

DIRECTIONS FOR USE

Shake Well Before Use

CAUTION: Must Be Diluted Before Use

Add 4 ounces of Banixx™ Lime Sulfur Dip to one gallon of water.

Mix well.

Apply diluted lime sulfur solution directly over the affected areas.

Apply as a rinse or dip at 5-7 day intervals. DO NOT RINSE. Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion. Allow product to remain on animal and air dry.

Do not towel dry or use blower to dry animal.

Banixx™ Lime Sulfur Dip may be used at 8 ounces per gallon of water, if necessary.

DO NOT EXCEED 8 ounces per gallon of water.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

Manufactured for:
Creative Science
1700 Albany Place SE
Orange City, IA 51041
www.creative.science
888.506.3039

Rev 1125

UPC 897227002401

PET CARE

BANIXX LIME SULFUR DIP

Concentrated Sulfurated Lime Solution

Formulated for dogs, cats and horses

16 fl oz (473.2 mL)

Banixx™ Lime Sulfur Dip is an antimicrobial and antiparasitic preparation. Dilute with water before use.

WARNING:

- Consult a veterinarian before using this product.
- Avoid contact with eyes and mucous membranes.
- If irritation develops, discontinue use and consult a veterinarian.
- May stain light colored animals and porous surfaces such as countertops, cement, fabrics and skin. Will discolor jewelry.
- Use gloves when applying to animal's skin.
- Use in well ventilated area.


Caution: For topical use on dogs, cats and horses. Do not exceed label dosages, measure carefully. Avoid contact with eyes and mucous membranes. If eye contact or skin irritation develops, rinse thoroughly with water for at least 15 minutes, discontinue treatment and consult a veterinarian immediately. If ingestion occurs, rinse mouth and offer large amounts of milk, egg white or water. DO NOT INDUCE VOMITING.

Storage: Store at room temperature (59°-86°F) in a dry place.

For External Use Only

Keep Out of Reach of Children and Pets

For Veterinary Use Only



Active Ingredients:..... 97.8%
Sulfurated Lime Solution..... 2.2%
Inert Ingredients:..... 100%
Total

DIRECTIONS FOR USE

Shake Well Before Use

CAUTION: Must Be Diluted Before Use

Add 4 ounces of Banixx™ Lime Sulfur Dip to one gallon of water. Mix well.

Apply diluted lime sulfur solution directly over the affected areas. Apply as a rinse or dip at 5-7 day intervals. DO NOT RINSE. Do not allow animal to lick. A protective collar may be used until dry to prevent ingestion. Allow product to remain on animal and air dry. Do not towel dry or use blower to dry animal.

Banixx™ Lime Sulfur Dip may be used at 8 ounces per gallon of water, if necessary.

DO NOT EXCEED 8 ounces per gallon of water.

The use of any medicated preparation should not be taken lightly.

Note: If a crust forms inside the bottle, immerse the container in warm water for 10-20 minutes and shake well.

Manufactured for:
Creative Science
1700 Albany Place SE
Orange City, IA 51041
www.creative.science
888.506.3039

Rev 1125



BANIXX LIME SULFUR DIP

sulfurated lime solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86099-209
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYSULFIDE (UNII: 87N1QVL75L) (LIME (CALCIUM OXIDE) - UNII:C7X2M0VVNH, SULFUR - UNII:70FD1KFU70)	LIME (CALCIUM OXIDE)	290 mg in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86099-209-16	473.2 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/30/2026	

Labeler - Creative Science (609777461)**Registrant** - Creative Science (609777461)

Revised: 12/2025

Creative Science