

TRUE LAXATIVE- polyethylene glycol 3350 powder
Singular Dreamer, Ltd dba True Marker

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 grams (cap filled to line)

Purpose

Osmotic Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed unless advised by your doctor
- the bottle cap is a measuring cup designed to contain 17 grams of powder when

- adults and children 17 years of age and older:
- use once a day
- fill to the top of the bottle cap which will provide the correct dose (17g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

- store at 20° - 25°C (68° - 77°F)
- tamper-evident: do not use if foil seal under cap printed with “SEALED for YOUR PROTECTION” is missing, open or broken.

none

1-800-645-2158

true marker

NDC 83035-1064-02

True Laxative

Polyethylene Glycol 3350 Powder for Solution

OSMOTIC LAXATIVE

Relieves Occasional Constipation (Irregularity)
Softens Stool
Unflavored Powder

NET WT 8.39 OZ 238G

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool. **DISSOLVES IN ANY BEVERAGE**

Drug Facts	
Active ingredient (in each dose) Polyethylene Glycol 3350, 17g (cap filled to line)	Purpose Osmotic Laxative
Use ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days	
Warnings Allergy Alert: Do not use if you are allergic to polyethylene glycol	
Do not use if you have kidney disease, except under the advice and supervision of a doctor	
Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome	
Ask a doctor or pharmacist before use if you are taking a prescription drug	
When using this product you may have loose, watery, more frequent stools	
Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea. ■ you need to use a laxative for longer than 1 week.	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Directions ■ do not take more than directed unless advised by your doctor ■ the bottle cap is a measuring cup designed to contain 17 grams of powder when filled to the top rim	

Drug Facts (continued)

■ adults and children 17 years of age and older: ■ use once a day ■ fill to the top of the bottle cap which will provide the correct dose (17g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use for more than 7 days ■ children 16 years of age or under: ask a doctor

Other Information ■ store at 20°-25°C (68°-77°F)
■ tamper-evident: do not use if foil seal under cap printed with "SEALED FOR YOUR PROTECTION" is missing, open, or broken

Inactive Ingredients none

Questions or Comments?
1-800-645-2158

Manufactured for:
Singular Dosemark,
Ltd. dba True Marker
Glenville, CA 92020

Sugar-free

NET WT 8.39 OZ 238G



TRUE LAXATIVE

polyethylene glycol 3350 powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83035-1064
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83035-1064-2	238 g in 1 BOTTLE; Type 0: Not a Combination Product	07/10/2024	
2	NDC:83035-1064-3	476 g in 1 BOTTLE; Type 0: Not a Combination Product	01/13/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090812	07/10/2024	

Labeler - Singular Dreamer, Ltd dba True Marker (129504103)

Revised: 1/2025

Singular Dreamer, Ltd dba True Marker