

ORAMEDY- triamcinolone acetonide ointment
OASIS TRADING

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Triamcinolone Acetonide

For the treatment of chronic exfoliative gingivitis, obstinate stomatitis and glossitis with erosive and ulcerative lesions. For adjunctive treatment and for the temporary relief of symptoms associated with oral inflammatory lesions and ulcerative lesions resulting from trauma.

Keep out of reach of children

Apply a small dab to the lesion once to several times a day.

For external use only.

Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.

Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.

When using this product consult a doctor before exceeding recommended dosage.

Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Sodium Carboxymethyl Cellulose, Sodium Polyacrylate, Pectin, Plastibase

For buccal use only

ORAMEDY

Drug Facts	
Active Ingredients (in 1g) Triamcinolone Acetonide 1mg -----	Purpose anti-inflammatory
Uses ■ For the treatment of chronic exfoliative gingivitis, obstinate stomatitis and glossitis with erosive and ulcerative lesions. For adjunctive treatment and for the temporary relief of symptoms associated with oral inflammatory lesions and ulcerative lesions resulting from trauma.	
Warnings For oral use only. Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator. Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash. When using this product consult a doctor before exceeding recommended dosage. Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply a small dab to the lesion once to several times a day.	
Other Information ■ Store at room temperature	
Inactive Ingredient Sodium Carboxymethyl Cellulose, Sodium Polyacrylate, Pectin, Plastibase	
Questions or comments? Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 Distributed By: P&K FRONTIER MARKETING CORP. 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA	
Made in South Korea	

ORAMEDY			
triamcinolone acetonide ointment			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72689-0039
Route of Administration	BUCCAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	TRIAMCINOLONE ACETONIDE (UNII: F446C597KA) (TRIAMCINOLONE ACETONIDE - UNII:F446C597KA)	TRIAMCINOLONE ACETONIDE	1 mg in 1 g
Inactive Ingredients			
	Ingredient Name		Strength
	SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)		
	PECTIN (UNII: 89NA02M4RX)		

CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72689-0039-1	10 g in 1 TUBE; Type 0: Not a Combination Product	11/21/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	

Labeler - OASIS TRADING (689991468)

Registrant - OASIS TRADING (689991468)

Establishment

Name	Address	ID/FEI	Business Operations
OASIS TRADING		689991468	manufacture(72689-0039) , relabel(72689-0039)

Revised: 3/2019

OASIS TRADING