

## OXYGEN- oxygen gas East Coast Oxygen

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

### Oxygen

### Principal for Oxygen Product



OXYGEN, COMPRESSED

USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Continuous monitoring is required. Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on arterial blood may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep container refilled with oxygen USP only. Federal law requires this container be refilled with oxygen USP only by establishments registered as a drug manufacturer. Federal law prohibits dispensing without a prescription.

**DANGER: MAY CAUSE FIRE OR EXPLOSION IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep away from combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in well-ventilated places. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in piping. Use only with equipment designed for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

CAS 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

2

EAST COAST OXYGEN

310 Elk Park Drive • Woodfin, NC 28804

(828) 252-7770

NO SMOKING

NO VAPING

# OXYGEN, REFRIGERATED LIQUID USP

UN 1073


CONTENTS: \_\_\_\_\_ LITERS

CAS NO: 7782-44-7

## **DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face



shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

### **FIRST AID:**

**IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.**

**DO NOT REMOVE THIS PRODUCT LABEL.**

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

©Applied Home Healthcare Equipment 2014

Representative Labeling  
pursuant to 21 CFR 207.3 (10)  
Company name and contact information are  
printed in this area

OXYGEN,

REFRIGERATED

LIQUID USP

UN 1073

CONTENTS \_\_\_\_\_ LITERS

CAS NO: 7782-44-7

**DANGER:**

**MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.**

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:**

**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**DO NOT REMOVE THIS PRODUCT LABEL.**

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

~~LOT~~  
~~EXPIRATION DATE~~

Representative Labeling  
pursuant to 21 CFR 207.3 (10)

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:72808-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72808-001-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
2	NDC:72808-001-02	165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
3	NDC:72808-001-03	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
4	NDC:72808-001-04	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
5	NDC:72808-001-05	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
6	NDC:72808-001-06	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
7	NDC:72808-001-07	640 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
8	NDC:72808-001-08	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	

<b>9</b>	NDC:72808-001-09	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
<b>10</b>	NDC:72808-001-10	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
<b>11</b>	NDC:72808-001-11	7080 L in 1 CYLINDER; Type 0: Not a Combination Product	01/10/2000	
<b>12</b>	NDC:72808-001-12	300 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
<b>13</b>	NDC:72808-001-13	36 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
<b>14</b>	NDC:72808-001-14	46 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	
<b>15</b>	NDC:72808-001-15	250 L in 1 DEWAR; Type 0: Not a Combination Product	01/10/2000	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/10/2000	

**Labeler** - East Coast Oxygen (965585842)

## Establishment

Name	Address	ID/FEI	Business Operations
East Coast Oxygen		965585842	manufacture(72808-001)

Revised: 12/2025

East Coast Oxygen