

**STILA CC COLOR CORRECTING BROAD-SPECTRUM SPF 20 (ALL SHADES)-
octocrylene, octisalate, avobenzone, and octinoxate stick
Stila Styles, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Stila CC Color Correcting Broad-Spectrum SPF 20
(All Shades)**

DRUG FACTS

<i>ACTIVE INGREDIENTS</i>	<i>PURPOSE</i>
Octocrylene 4.00%	sunscreen
Octisalate 4.00%	sunscreen
Avobenzone 1.50%	sunscreen
Octinoxate 6.50%	sunscreen

USES

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***DIRECTIONS***), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

FOR EXTERNAL USE ONLY

DO NOT USE ON DAMAGED OR BROKEN SKIN

WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.

STOP USE AND ASK A DOCTOR IF RASH OCCURS.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

ALUMINUM HYDROXIDE, ALUMINUM STARCH OCTENYLSUCCINATE, ASCORBYL TETRAISOPALMITATE, C12-15 ALKYL BENZOATE, CAMELLIA SINENSIS LEAF EXTRACT, CAPRYLYC/CAPRIC TRIGLYCERIDE, CERAMIDE 2, COPERNICIA CERIFERA (CARNAUBA)

WAX/COPERNICIA CERIFERA CERA, DIMETHICONE, ETHYLHEXYL PALMITATE, EUPHORBIA CERIFERA (CANDELILLA) WAX/CANDELILLA CERA, FRAGRANCE/PARFUM, GLYCYRRHIZA GLABRA EXTRACT/ GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT, HELIANTHUS ANNUUS SEED OIL/HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, ISONONYL ISONONANOATE, KAOLIN, MICROCRYSTALLINE WAX/MICROCRISTALLINA CERA, ORYZANOL, PALMITOYL OLIGOPEPTIDE, PEG-10 RAPESEED STEROL, POLYETHYLENE, POLYMETHYL METHACRYLATE, PTFE, SILICA, SORBITAN SESQUISTEARATE, SORBITAN SESQUIOLEATE, STEARIC ACID, SYNTHETIC WAX, TALC, TOCOPHERYL ACETATE, TRIBEHENIN, TRIMETHYLSILOXYPHENYL DIMETHICONE, **MAY CONTAIN (+/-):** CHROMIUM HYDROXIDE GREEN (CI 77289), IRON OXIDES (CI 77491, CI 77492, CI 77499), RED 7 LAKE (CI 15850), TITANIUM DIOXIDE (CI 77891), ULTRAMARINES (CI 77007) <ILN C131002>.

OTHER INFORMATION

- protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS?

stilacosmetics.com

dist. by stila styles, llc • los angeles, ca 90027

PRINCIPAL DISPLAY PANEL - 15 g Applicator Carton

stila

cc

color correcting stick

broad-spectrum SPF 20

NET WT. 0.52 OZ./15 g

FPO SHADE LABEL
0.625" Circle

stila

CC
color correcting stick
broad-spectrum SPF 20

DRUG FACTS

ACTIVE INGREDIENTS		PURPOSE
Octocrylene	4.00%	sunscreen
Octisalate	4.00%	sunscreen
Avobenzone	1.50%	sunscreen
Octinoxate	6.50%	sunscreen

USES

- helps prevent sunburn
- if used as directed with other sun protection measures (see **DIRECTIONS**), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

FOR EXTERNAL USE ONLY

DO NOT USE ON DAMAGED OR BROKEN SKIN

WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.

STOP USE AND ASK A DOCTOR IF RASH OCCURS.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen

NET WT. 0.52 OZ./15 g

with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.—2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

DRUG FACTS (continued)

INACTIVE INGREDIENTS

ALUMINUM HYDROXIDE, ALUMINUM STARCH OCTENYLSUCCINATE, ASCORBYL TETRAISOPALMITATE, C12-15 ALKYL BENZOATE, CAMELLIA SINENSIS LEAF EXTRACT, CAPRYLYC/CAPRIC TRIGLYCERIDE, CERAMIDE 2, COPERNICIA CERIFERA (CARNAUBA) WAX/COPERNICIA CERIFERA CERA, DIMETHICONE, ETHYLHEXYL PALMITATE, EUPHORBIA CERIFERA (CANDELLILLA) WAX/CANDELLILLA CERA, FRAGRANCE/PARFUM, GLYCYRRHIZA GLABRA EXTRACT/ GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT, HELIANTHUS ANNUUS SEED OIL/ HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, ISONONYL ISONONANOATE, KAOLIN, MICROCRYSTALLINE WAX/MICROCRISTALLINA CERA, ORYZANOI, PALMITOYL OLIGOPEPTIDE, PEG-10 RAPESEED STEROL, POLYETHYLENE, POLYMETHYL METHACRYLATE, PTFE, SILICA, SORBITAN SESQUISOSEARATE, SORBITAN SESQUIOLEATE, STEARIC ACID, SYNTHETIC WAX, TALC, TOCOPHERYL ACETATE, TRIBEHENIN, TRIMETHYLSILOXYPHENYL DIMETHICONE, **MAY CONTAIN (+/-): CHROMIUM**

this lightweight CC stick with buildable coverage color corrects, helps reduce redness, brightens the skin and contains revolutionary photo-aging protection properties for a flawless, even complexion.

USAGE: beginning at the center of the face, apply CC stick spf 20 directly to skin and blend with fingertips or a brush. add additional coverage in problem areas until the desired result is achieved.

BENEFITS:

- green core color corrects

NO SCENT
1-800-688-0011

LINE

HYDROXIDE GREEN (CI 77289), IRON OXIDES (CI 77491, CI 77492, CI 77499), RED 7 LAKE (CI 15850), TITANIUM DIOXIDE (CI 77891), ULTRAMARINES (CI 77007) <ILN CI 131002>.

OTHER INFORMATION

- protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS? stilacosmetics.com

stilacosmetics.com

dist. by © stila styles, llc • los angeles, ca 90027
biorius sprl • 2 rue rené descartes
b-7000, mons, belgium
made in italy S899-00-1110

FPO
Batch Code/Exp. Date

- & helps reduce redness
- creates a flawless satin finish on skin & helps increase moisture retention
- peptide-rich dermaxyl helps reduce the appearance of fine lines & wrinkles
- licorice extract helps reduce the appearance of hyper pigmentation
- stabilized Vitamin C & green tea extract help brighten the skin & provide antioxidant benefits
- gamma oryzanol and Vitamin E help prevent free radical damage

FPO UPC LABEL
1" x 0.75", CR = 0.0625"

STILA CC COLOR CORRECTING BROAD-SPECTRUM SPF 20 (ALL SHADES)

octocrylene, octisalate, avobenzone, and octinoxate stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76049-899
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	40 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	40 mg in 1 g
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	15 mg in 1 g
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	65 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CERAMIDE 2 (UNII: C04977SRJ5)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
CANDELILLA WAX (UNII: WL0328HX19)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
KAOLIN (UNII: 24H4NWX5CO)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GAMMA ORYZANOL (UNII: SST9XCL51M)	
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)	
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
POLYTETRAFLUOROETHYLENE (UNII: E1NC1JVS3O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CHROMIUM HYDROXIDE GREEN (UNII: RV8FT8XF5R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76049-899-01	1 in 1 CARTON		
1		15 g in 1 APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/31/2013	

Labeler - Stila Styles, LLC (809192896)

Establishment

Name	Address	ID/FEI	Business Operations
Bkolor Makeup & Skincare S.R.L.		439270534	MANUFACTURE(76049-899)

Revised: 11/2013

Stila Styles, LLC