ALBOTHYL- policresulen solution solution OASIS TRADING

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Policresulen

Oral debriding agent/oral wound cleanser for temporary use to cleanse canker sores and minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums such as mouth burns, cheek bites and toothbrush abrasions. Cleans minor mouth wounds by removing foreign materials that can impede the healing process.

Keep out of reach of children

Adults and children 2 years of age and older: rinse half of a capful around in the mouth over affected area for at least 1 minute, then spit out. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or physician. Children under 12 years of age should be supervised in the use of the product. Children under 2 years of age: consult a dentist or physician. To open child safety cap, squeeze smooth sides while turning. Reclose tightly.

For buccal use only.

Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.

Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.

When using this product consult a doctor before exceeding recommended dosage.

Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Water

For buccal use only

ALBOTHYL

ALBOTHYL	
Drug Facts	
Active Ingredients (in 1g) Policresulen Solution 720mg	Purpose anti-inflammatory
Uses ■ Oral debriding agent/oral wound cleanser for tem cleanse canker sores and minor wounds or minor gu resulting from minor dental procedures, dentures, or appliances, accidental injury, or other irritations of th such as mouth burns, cheek bites and toothbrush ab minor mouth wounds by removing foreign materials the healing process.	im inflammation thodontic ne mouth and gums prasions. Cleans
<i>Warnings</i> For buccal use only.	
Do not use in the eyes by putting this product into t fingers or any mechanical device or applicator. Ask a doctor before use if you have a vaginal disch	
bleeding, diaper rash. When using this product consult a doctor before ex recommended dosage.	xceeding
Stop use and ask a doctor if condition gets worse, for more than 7 days, condition clears up and occurs a few days. Do not begin to use any other hydrocort unless you have consulted a doctor.	s again with within
Keep out of reach of children. If swallowed, get me contact a Poison Control Center right away.	edical help or
Directions ■ Adults and children 2 years of age and older: ri around in the mouth over affected area for at least 1 out. Use up to 4 times daily after meals and at bedti by a dentist or physician. Children under 12 years of supervised in the use of the product. Children under consult a dentist or physician. To open child safety of smooth sides while turning. Reclose tightly. Other Information ■ Store at controlled room temperature 20-25 degr	1 minute, then spit me or as directed age should be 2 years of age: ap, squeeze
degrees F). <i>Inactive Ingredient</i> Water	
Questions or comments? Call weekdays from 9 a.m to 5 p.m EST at (201) 669- Distributed By: P&K FRONTIER MARKETING CORP 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 0765	2.
Made in South Korea	

ALBOTHYL

policresulen solution solution						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:72689-0040		689-0040		
Route of Administration	BUCCAL, VAGINAL					
Active Ingredient/Active Moiety						
Ingr	Basis of Stre	ength	Strength			
POLICRESULEN (UNII: 6119M5GB0G) (POLICRESULEN - UNII:6119M5GB0G) POLICRESULEN 720 mg in 1 mL					720 mg in 1 mL	

				-		
Iı	nactive Ingredie	nts				
		Ingredient Name Strength				
W	ATER (UNII: 059QF0	KO0R)				
Packaging						
#	Item Code	Package Description	Marketing Start Da	nte Marketing End Date		
1	NDC:72689-0040-1	5 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/21/2018			
N	Marketing Information					
N	Aarketing Category	Application Number or Monograph Citation	Marketing Start Da	te Marketing End Date		
ur	napproved drug other		11/21/2018			

Labeler - OASIS TRADING (689991468)

Registrant - OASIS TRADING (689991468)

Establishment

Name	Address	ID/FEI	Business Operations
OASIS TRADING		689991468	manufacture(72689-0040), relabel(72689-0040)

Revised: 3/2019

OASIS TRADING