

**ASPIRIN 81MG ENTERIC COATED LOW STRENGTH ASPIRIN REGIMEN-  
aspirin tablet, delayed release  
Allegiant Health**

-----  
**GreenField Aspirin 81mg**

**Active ingredient(s)**

Aspirin 81 mg (NSAID\*)

\*nonsteroidal anti-inflammatory drug

**Purpose**

Pain reliever/fever reducer

**Use(s)**

for the temporary relief of minor aches and pain or as recommended by your doctor.

Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include hives, facial swelling, asthma (wheezing), shock.

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease

- you are taking a diuretic
- you have asthma

### **Ask a doctor or pharmacist before use if**

- taking a prescription drug for anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
  - pain gets worse or lasts more than 10 days
  - redness or swelling is present
  - new symptoms occur
  - ringing in the ears or loss of hearing occurs
- You may report side effects to 1-888-952-0050

### **Pregnancy/Breastfeeding**

If pregnant or breast-feeding, ask a health professional before use.

**It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically**

**directed to do so by a doctor because it may cause problems in the unborn child or**

**complications during delivery.**

### **Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- drink a full glass of water with each dose
- **adults and children 12 years and over:** take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- **children under 12 years:** consult a doctor

### **Other information**

- save carton for full directions and warnings
- store at room temperature

- do not use if imprinted seal under safety cap is broken or missing

## Inactive ingredients

colloidal silicon dioxide, corn starch, crospovidone, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, methacrylic acid copolymer, microcrystalline cellulose, stearic acid, talc, titanium dioxide, triethyl citrate

## Principal Display Panel

Well Fine Med US \*\*COMPARED TO BAYER®  
LOW DOSE ASPIRIN ACTIVE  
INGREDIENT

# ASPIRIN

DELAYED RELEASE ASPIRIN (NSAID)  
PAIN RELIEVER

ENTERIC COATED

81 mg SAFETY COATED  
LOW STRENGTH ASPIRIN REGIMEN

**50 Tablets**

**SEE CARTON FOR COMPLETE INFORMATION**

**Active Ingredient (in each tablet)** Purpose  
Aspirin 81 mg (NSAID)\* ..... Pain reliever  
\*nonsteroidal anti-inflammatory drug

**Warnings**  
**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert:** Aspirin may cause a severe allergic reaction which may include: ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

**Stomach bleeding warning:** This product contains an NSAID which may cause severe stomach bleeding. Do not use ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ if you have ever had an allergic reaction to this product or any of its ingredients

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ drink a full glass of water with each dose  
■ adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor  
■ children under 12 years of age: consult a doctor

**Green Shield**  
US PHARMACEUTICAL  
Manufactured For:  
Greenfield US Pharmaceutical  
Chicago, IL, 60625

Manufactured by:  
Alephart Health  
Deer Park, NY 11729  
Made in USA

Lot:  
Exp:

LB1935  
R0721

## Aspirin



## Aspirin

### ASPIRIN 81MG ENTERIC COATED LOW STRENGTH ASPIRIN REGIMEN

aspirin tablet, delayed release

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69168-006
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

**Inactive Ingredients**

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE (UNII: 2S7830E561)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
METHACRYLIC ACID (UNII: 1CS02G8656)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

**Product Characteristics**

Color	yellow	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	A
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69168-006-50	1 in 1 CARTON	11/19/2021	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/19/2021	

**Labeler** - Allegiant Health (079501930)