

GORYEODYO GOYAK- ampelopsis radix , angelica dahurica root ointment
Chunwoo Pharmaceutical Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Ampelopsis Radix 3.75% ----- Boil, pus remover
Angelica Dahurica Root 1.88% ----- Boil, pus remover
Angelica Gigas Root 1.88% ----- Boil, pus remover
Apricot Kernel 1.88% ----- Boil, pus remover
Astragali Radix 1.88% ----- Boil, pus remover
Bletillae Rhizoma 1.88% ----- Boil, pus remover
Cinnamon Bark 1.88% ----- Boil, pus remover
Momordicae Semen 1.88% ----- Boil, pus remover
Myrrh 1.88% ----- Boil, pus remover
Frankincense 1.88% ----- Boil, pus remover
Peony Root 1.88% ----- Boil, pus remover
Phellodendron Bark 1.88% ----- Boil, pus remover
Minium 25% ----- Boil, pus remover
Rehmannia Glutinosa Root 1.88% ----- Boil, pus remover
Rhubarb 7.5% ----- Boil, pus remover
Scrophularia Buergeriana Root 1.8% ----- Boil, pus remover
Scutellariae Radix 7.5% ----- Boil, pus remover
Yellow Beeswax 3.75% ----- Boil, pus remover
(Uprooting ointment 1g)
Aurantii Pericarpium 0.1% ----- Boil, pus remover
Sulfur 0.1% ----- Boil, pus remover

-Goyak

Camphor, Honey, Menthol, Menthyl Salicylate, Rice Oil

-Uprooting Ointment

Honey, Medical Soap, Rice Oil, Sucrose

■ Boil and pus remover. ■ Help reducing the pain from a boil

keep out of reach of the children

■ when applying the plaster, melt the dark brown plaster with hand heat and knead it twice as big as the affected area. (If you are in cold place, put it on oil paper and melt it with match, candle and etc. for 5 to 10 seconds to help it stick well.)

■ before festering, attach the plaster only to cover the affected area.

■ when a pus or a boil is festering, insert an uprooting ointment into the area and attach the plaster on it.

- Change to a new plaster after a day or two while symptom persists.

For external use only

Do not use

- if you are under 7
- in or near eyes

Ask a doctor before use

- if you are allergic to any ingredients of this product.
- if pregnant or breastfeeding

When using this product

- avoid eating greasy food; pork, herring, mackerel, and etc.

Stop use and ask a doctor if

- rash, itching or excessive skin irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

for external use only

Goryeodyo Goyak / 2 Goyak, 2 uprooting ointments

Drug Facts

Active ingredients (활성성분)

Purpose (용도)

(Goyak 3g)

Ampelopsis Radix 3.75%	-----	Boil, pus remover
Angelica Dahurica Root 1.88%	-----	Boil, pus remover
Angelica Gigas Root 1.88%	-----	Boil, pus remover
Apricot Kernel 1.88%	-----	Boil, pus remover
Astragali Radix 1.88%	-----	Boil, pus remover
Bletillae Rhizoma 1.88%	-----	Boil, pus remover
Cinnamon Bark 1.88%	-----	Boil, pus remover
Momordicae Semen 1.88%	-----	Boil, pus remover
Myrrh 1.88%	-----	Boil, pus remover
Frankincense 1.88%	-----	Boil, pus remover
Peony Root 1.88%	-----	Boil, pus remover
Phellodendron Bark 1.88%	-----	Boil, pus remover
Minium 25%	-----	Boil, pus remover
Rehmannia Glutinosa Root 1.88%	-----	Boil, pus remover
Rhubarb 7.5%	-----	Boil, pus remover
Scrophularia Buergeriana Root 1.8%	-----	Boil, pus remover
Scutellariae Radix 7.5%	-----	Boil, pus remover
Yellow Beeswax 3.75%	-----	Boil, pus remover

(Uprooting ointment 1g)

Aurantii Pericarpium 0.1% ----- Boil, pus remover

Sulfur 0.1% ----- Boil, pus remover

Uses (용도)

■ Boil and pus remover. ■ Help reducing the pain from boil.

Warnings (주의사항)

For external use only

Do not use

■ if you are under 7

■ in or near eyes

Ask a doctor before use

■ if you are allergic to any ingredients of this product.

■ if pregnant or breastfeeding

When using this product

■ avoid eating greasy food; pork, herring, mackerel, and etc.

GORYEODYO GOYAK

ampelopsis radix , angelica dahurica root ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72850-0003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SCROPHULARIA BUERGERIANA ROOT (UNII: CYM875P4NW) (SCROPHULARIA BUERGERIANA ROOT - UNII:CYM875P4NW)	SCROPHULARIA BUERGERIANA ROOT	1.8 g in 100 g
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S) (SCUTELLARIA BAICALENSIS ROOT - UNII:7J95K7ID2S)	SCUTELLARIA BAICALENSIS ROOT	7.5 g in 100 g
AMPELOPSIS JAPONICA TUBER (UNII: O2672197TF) (AMPELOPSIS JAPONICA TUBER - UNII:O2672197TF)	AMPELOPSIS JAPONICA TUBER	3.75 g in 100 g
ANGELICA GIGAS ROOT OIL (UNII: 3EYY3K7TBB) (ANGELICA GIGAS ROOT OIL - UNII:3EYY3K7TBB)	ANGELICA GIGAS ROOT OIL	1.88 g in 100 g
RHUBARB (UNII: G280W4MW6E) (RHUBARB - UNII:G280W4MW6E)	RHUBARB	7.5 g in 100 g
ASTRAGALUS PROPINQUUS ROOT (UNII: 922OP8YUPF) (ASTRAGALUS PROPINQUUS ROOT - UNII:922OP8YUPF)	ASTRAGALUS PROPINQUUS ROOT	1.88 g in 100 g
BLETILLA STRIATA TUBER (UNII: 00T5SH6SEJ) (BLETILLA STRIATA TUBER - UNII:00T5SH6SEJ)	BLETILLA STRIATA TUBER	1.88 g in 100 g
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ) (REHMANNIA GLUTINOSA ROOT - UNII:1BEM3U6LQQ)	REHMANNIA GLUTINOSA ROOT	1.88 g in 100 g

CINNAMON BARK OIL (UNII: XE54U569EC) (CINNAMON BARK OIL - UNII:XE54U569EC)	CINNAMON BARK OIL	1.88 g in 100 g
FRANKINCENSE (UNII: R9XLF1R1WM) (FRANKINCENSE - UNII:R9XLF1R1WM)	FRANKINCENSE	1.88 g in 100 g
MOMORDICA COCHINCHINENSIS SEED (UNII: 2T87O1UPVD) (MOMORDICA COCHINCHINENSIS SEED - UNII:2T87O1UPVD)	MOMORDICA COCHINCHINENSIS SEED	1.88 g in 100 g
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P) (PAEONIA LACTIFLORA ROOT - UNII:3Z3866YW6P)	PAEONIA LACTIFLORA ROOT	1.88 g in 100 g
PHELLODENDRON CHINENSIS BARK (UNII: 2866QMZ434) (PHELLODENDRON CHINENSIS BARK - UNII:2866QMZ434)	PHELLODENDRON CHINENSIS BARK	1.88 g in 100 g
MYRRH (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	1.88 g in 100 g
LEAD TETROXIDE (UNII: A4G39L7HN2) (LEAD TETROXIDE - UNII:A4G39L7HN2)	LEAD TETROXIDE	25 g in 100 g
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	0.1 g in 100 g
APRICOT KERNEL OIL (UNII: 54JB35T06A) (APRICOT KERNEL OIL - UNII:54JB35T06A)	APRICOT KERNEL OIL	1.88 g in 100 g
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972) (ANGELICA DAHURICA ROOT - UNII:1V63N2S972)	ANGELICA DAHURICA ROOT	1.88 g in 100 g
YELLOW WAX (UNII: 2ZA36H0S2V) (YELLOW WAX - UNII:2ZA36H0S2V)	YELLOW WAX	3.75 g in 100 g
CITRUS AURANTIUM FRUIT RIND (UNII: 055456JHI7) (CITRUS AURANTIUM FRUIT RIND - UNII:055456JHI7)	CITRUS AURANTIUM FRUIT RIND	0.1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MENTHOL (UNII: L7T10EIP3A)	
CAMPHOR, (-) (UNII: 213N3S8275)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72850-0003-1	4 g in 1 BOX; Type 0: Not a Combination Product	03/19/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/19/2019	

Labeler - Chunwoo Pharmaceutical Co., Ltd. (688729065)

Registrant - Chunwoo Pharmaceutical Co., Ltd. (688729065)

Establishment

Name	Address	ID/FEI	Business Operations
Chunwoo Pharmaceutical Co., Ltd.		688729065	manufacture(72850-0003) , label(72850-0003)