

**BROMIUM- bromine pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Bromium 30C**

Bromium 30C HPUS

Less than 10<sup>-12</sup> mg bromine per pellet

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Relieves sore throat pain worsened by heat \*

Uses: See symptoms on front panel.

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

Bromium

30<sup>c</sup>

Relieves sore throat pain worsened by heat \*

**BOIRON**<sup>®</sup>

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-0901-41

Less than 10<sup>-12</sup> mg bromine per pellet

Do not use if pellet dispenser seal is broken

LOT	EXP
3 06960	13613 2

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Bromium 30<sup>c</sup>

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**Drug Facts**

**Active ingredient**<sup>\*\*\*</sup>: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses**: See symptoms on front panel.

**Warnings**: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions**: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Drug Facts** (continued)

**Inactive ingredients**: lactose, sucrose

**Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*\*C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to dispense pellets?

- 1 Turn tube upside down.
- 2 Twist until 5 pellets are dispensed into cap.
- 3 Carefully remove cap and use it to pour pellets under the tongue.

Bromium

30<sup>c</sup>

Sore throat pain worsened by heat\*

**BOIRON**<sup>®</sup>

HOMEOPATHIC MEDICINE Made in France

HPUS NDC 0220-0901-41

Bromium 30<sup>c</sup>

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Less than  $10^{-12}$  mg bromine per pellet  
Do not use if pellet dispenser seal is broken

0 c

HOMEOPATHIC PRACTICE,  
ICE, NOT FDA EVALUATED.



LOT:

EXP:

3

06960

13613 2

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

Questions or comments?

ReironUSA.com Info@Reiron.com

BOIRONUSA.COM INFO@BOIRON.COM

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

# Bromium

# 30<sup>c</sup>

HPUS NDC 0220-0901-41



## Sore throat pain worsened by heat.\*

Bromium 30 c

Lot:

Exp:



3

06960

13613

2

Contains approx. 80 pellets.

US



Deal for Drugs Facts and instructions for use

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE  
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED

## **Drug Facts**

**Active ingredient\*\***: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses**: See symptoms on front panel.

**Warnings**: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If **pregnant or breastfeeding**, ask a health professional before use. **Keep out of reach of children.**

**Directions**: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information**: ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients**: lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073



How to  
dispense pellets



Turn tube upside down.



Twist until 5 pellets are dispensed into cap.



Carefully remove cap and use it to pour pellets under the tongue.

## BROMIUM

bromine pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-0901
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BROMINE</b> (UNII: SBV4XY874G) (BROMINE - UNII:SBV4XY874G)	BROMINE	30 [hp_C] in 30 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0901-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
unapproved homeopathic		03/03/1983	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

### Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0901)

Revised: 8/2025

Boiron