4214 FIRST AID KIT- 4214 first aid kit Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4214: First Aid Kit (Antiseptic Sp, EW, ASA, BZK wipe- 340420FP)

Eyewash Active ingredient

Sterile Water 99%

Eyewash *Purpose*

Eyewash

Eyewash

Uses

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash *Warnings*

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash *Questions*

1-800-430-5490

Aspirin Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)* *nonsteroidal anti-inflammatory drug

Aspirin *Purpo*se

Pain reliever/fever reducer

Aspirin *Uses*

temporarily reduces fever and relieves minor aches and pains associated with:

- a cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual periods

Aspirin *Warnings*

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:are:

- age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

• if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

• taking a prescription drug for diabetes, gout or arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- ringing in the ears or loss of hearing occurs
- any new symptoms appear

If pregnant or breast-feeding,

If pregnant or breat-feeding, ask a health professional before use. It is especially important not to use aspirin during the last three months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

• In case of overdose, get medical help or contact Poison Control Center right away.

Aspirin *Directions*

- drink a full glass of water with each dose
- adults and children 12 years of age and older: take 1 or 2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24 hours
- children under 12 years of age: consult a doctor

Aspirin Other information

- store at room temperature 15° 30°C (59° 86°F)
- TAMPER EVIDIENT PACKETS
- DO NOT USE IF OPEN OR TORN

Aspirin Inactive ingredients

corn starch, croscarmellose sodium*, hypromellose*, microcrystalline cellulose*, mineral oil*, polyethylene glycol*, povidone, propylene glycol, silicon dioxide, stearic acid*, titanium dioxide*

*may contain these ingredients

Aspirin Questions or Comments

1-800-430-5490

Ammonia Active ingredient

Ammonia 15%

Ammonia *Purpose*

Respiratory stimulant

Ammonia

Uses

• to prevent or treat fainting

Ammonia Warnings

For external use only

Do not use

• if you have breathing problems such as asthma or emphysema

Stop use and ask a doctor if

• condition persists

Keep out of reach of children

• If swallowed get medical help or contact a Poison Control Center right away.

Ammonia Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Ammonia Other information

• store at room temperature away from light

Ammonia Inactive ingredient

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Ammonia *Questions or Comments?*

1-800-430-5490

BZK Wipes Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe *Purpose*

First aid antiseptic

BZK Wipes *Uses*

• Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipes *Warnings*

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe Directions

• tear open packet and use as a washcloth

BzK Wipe Other information

- store at room temperature 15 0 to 30 0 C (59 0 86 0 F)
- do not reuse towelette

BZK Wipe Inactive ingredient

water

BZK Wipe Questions

1-800-430-5490

Antiseptic Spray Active ingredient

Benzalkonium chloride 0.13%

Antiseptic Spray

Purpose

First aid antiseptic

Antiseptic Spray

Uses

• first aid to help prevent infection in minor cuts, scrapes and burns

Antiseptic Spray *Warnings*

For external use only

Do not use

- in or near the eyes
- over large areas of the body

Ask a doctor before use if you have:

- deep or puncture wounds
- animal bites
- serious burns

When using this product:

• do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if:

• the condition persists or gets worse

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away

Antiseptic Spray Directions

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

ntiseptic Spray Other information


shake well

store at room temperature 15 0 -30 0 C (59 0 -86 0 F)

Antiseptic Spray Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, trolamine, water


4214 340420FP Kit Contents

1 INSTANT COLD PACK 4" X 6" 1 ADHESIVE TAPE W/P 1/2"X 5 YD 1 ADH BDG, CLOTH, 1"X3", 16 PER 1 O/H PUMP ANTISEPTIC 2 OZ ID F **1 FIRST AID GUIDE ASHI** 1 GAUZE CLEAN-WRAP BDGE N/S 2" 1 40Z BFS EYEWASH TRILINGUAL BOTTLE 1 SCISSOR BDGE 4" RED PLS HDL 1 KIT TWEEZER 3 1/2" SLANTED 1 BANDAGE COMP 3" W/TELFA PAD 2 LBL STOCK 6-3/8"X4" LBL STOCK 4"X2-7/8" 1 LBL STOCK 3"x1-7/8" 4 BZK ANTISEPTIC WIPE, BULK **1 PR LRG NITRILE GLVES ZIP BAG** 1 KIT STL 16 UN (HORIZONTAL) 1 TRI BNDG NON WOVEN 40"X40"X56" 10 NON ADHERENT PAD 2" X 3" **1 WOVEN KNUCKLE 8'S** 1 FINGERTIP "T" 8/BX **3 ASPIRIN BULK 2/PK** 2 AMMONIA INHALANT, BULK





| Ingrediente Activo Propósito |
|--|
| Agua estéril 99% Lavaojos |
| Usos para el lavado de ojo para quitar las particulas sueltas y extrañas, los contaminantes aeros, o agua de cloruro |
| Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. |
| No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato |
| Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste |
| Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente. |
| Instrucciones • quitese los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión el la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia |
| Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico |
| ¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917 |
| |
| Information |
| Usages Pour le rinçage des yeux afin d'enlever un corps étranger, |
| |
| des polluants atmospheriques oú de l'eau chlorée. |
| des polluarits atmospheriques où de l'eau chlorée . Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetz-les. |
| Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois |
| Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une tois ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si vous avez utrations change • vougeur ou intrâtion persistante des yeux |
| Advertissements Pour usage externe seulement - Obtenir immédiatement des sons médicaux pour toutes les plaies ouvertes dans ou près des précipient à n'imple outre contamination, ne pas toucher la pointe du ouvert, jetz-teis. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin • vous resert d'utiliser la solution et consulter un médecin • vous resertez une douleur coulaire |
| Advertissements Pour usage externe seulement - Obtenir immédiatement des sons médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour eviter toute contamination, ne pas toucher la pointe du touvert, jetez-teis. Ne pas utiliser i si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous resentez une douleur coulaire • si vous coulaires • si vous douleur coulaire • si vous resentez une douleuro |
| Advertissements Pour usage externe seulement - Obtenir immédiatement des sons médicaux pour toutes les plates ouvertes dans ou près des yeux, Pour éviter toute contamination, ne pas toucher la pointe du récipient à rimporte quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plates ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur outaire • si vote vision change • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoion. Mode d'emploi • onicer les verres de contact avant l'utilisation • dévisser le besoins • ajuster le déti d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si neisersie, continuer de incer avec unesolution de incage |

Aspirin **Principal Display Panel**










796006 Rev. E (page 3 of 3)

Principal Display Panel



| 7001083 ev B | səttələwoT citqəsitnA |
|-----------------|--|
| | Drug Facts |
| | Active Ingredient Purpose Benzalkonium chloride 0.133% w/v First ald antiseptic |
| | Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds |
| | Warnings For external use only |
| | When using this product • do not use in the eyes or apply overlarge areas of the body |
| | Ask a doctor before use In case of deep or puncture wounds, animal bites, or serious burns |
| | Stop use and consult a doctor if irritation, redness or other symptoms develop condition persists or gets worse |
| | Do not use Ionger than 1 week unless directed by doctor |
| | Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. |
| | Directions • tear open packet, unfold and use as washcloth |
| | Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towelotte |
| | •store acroom competature 15 - 50 C(58 - 50 P) |

Antiseptic Spray Principal Display Panel



4214 Kit Label 340420FP

I.



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

AD14 EIDST AID VIT

| Produ | ct Inform | ation | | | | | |
|--|--|---|--|-----------|----------------------------|-----------------------------|-------------|
| Produc | t Type | HUMAN | OTC DRUG | ltem Co | de (Source) | NDC:0498-42 | 214 |
| | | | | | | | |
| Packa | ging | | | | | | |
| # Ite | m Code | Pac | kage Descriptio | n | Marketing Start Date | Marketii Dat | |
| 1 NDC:0 | | 1 in 1 KIT; Ty Product | pe 0: Not a Combina | tion | 10/18/2018 | | |
| | | | | | | | |
| Quant | ity of Par | ts | | | | | |
| Part # | F | Package Q | Quantity | | Total Product | Quantity | |
| Part 1 | 1 BOTTLE | | | 118 mL | | | |
| Part 2 | 4 PACKET | | | 5.6 mL | | | |
| | 3 PACKET | | | 6 | | | |
| Part 4 | | | | 0.6 mL | | | |
| Part 5 | 1 BOTTLE, SF | PRAY | | 59 mL | | | |
| Part | 1 of 5 | | NCY FYFWA | | | | |
| Part EYES | 1 of 5 | MERGE | NCY EYEWA | | | | |
| Part EYES | 1 of 5 ALINE E | MERGE | NCY EYEWA | | | | |
| Part EYES purifiec | 1 of 5 ALINE E | d | NCY EYEWA | | | | |
| Part EYES purifiec Produ | 1 of 5 ALINE E water liquid | MERGE | NCY EYEWA NDC:0498-0100 | | | | |
| Part EYES purifiec Produ | 1 of 5 ALINE E water liquid | MERGE d ation | | | | | |
| Part EYES purified Produ Item Co Route | 1 of 5 ALINE E water liquid ot Inform ode (Source of Administ | MERGE | NDC:0498-0100 OPHTHALMIC | | | | |
| Part EYES purifiec Produ Item Co Route | 1 of 5 ALINE E water liquid of Inform ode (Source of Administ | MERGE d ation ation a) tration | NDC:0498-0100 OPHTHALMIC Moiety | | Pacia of Stronget | - Sture | |
| Part EYES purifiec Produ Item Co Route Active | 1 of 5 ALINE E water liquid of Inform ode (Source of Administ | EMERGE d ation ation ation mt/Active Ingredient | NDC:0498-0100 OPHTHALMIC Moiety t Name | SH | Basis of Strengt | | ngth |
| Part EYES purified Produ Item Co Route Active | 1 of 5 ALINE E water liquid of Inform ode (Source of Administ | EMERGE d ation ation ation mt/Active Ingredient | NDC:0498-0100 OPHTHALMIC Moiety | SH | Basis of Strength WATER | 1 Stre 98.6 mL in | - |
| Part EYES purifiec Produ Item Co Route Active | 1 of 5 ALINE E water liquid of Inform ode (Source of Administ | MERGE d ation ation ation ration mt/Active Ingredient KOOR) (WATE | NDC:0498-0100 OPHTHALMIC Moiety t Name | SH | _ | | |
| Part EYES purifiec Produ Item Co Route Active WATER | 1 of 5 ALINE E water liquid of Inform ode (Source of Administ Ingredier (UNII: 059QF01 ve Ingredi | EMERGE d ation ation a) ration mt/Active Ingredient KOOR) (WATE | NDC:0498-0100 OPHTHALMIC Moiety t Name R - UNII:059QF0K00P | SH | _ | 98.6 mL in | - |
| Part EYES purified Produ Item Ca Route Active WATER | 1 of 5 ALINE E water liquid of Inform ode (Source of Administ (UNII: 059QF0 we Ingredi UCHLORIDE (| EMERGE d ation ati | NDC:0498-0100 OPHTHALMIC Moiety t Name R - UNII:059QF0K00P | SH | _ | 98.6 mL in | 100 mL |

| Packaging | | | | | | |
|-------------------------------------|-------------------------|--------------------------------------|----------------|-----------------------|--------|--------------------|
| # Item Code | Pa | ckage Description | Marketiı Da | | Mark | eting End Date |
| | 18 mL in 1 BC roduct | OTTLE; Type 0: Not a Combination | | | | |
| | | | | | | |
| Marketing Ir | nformat | ion | | | | |
| Marketing Category | Applica | tion Number or Monograph Citation | | ing Start ate | Mar | keting End Date |
| OTC Monograph Drug | M018 | | 12/18/2018 | 3 | | |
| | | | | | | |
| Part 2 of 5 | | | | | | |
| ANTISEPTIC | TOWEL | ETTE | | | | |
| benzalkonium chle | oride liquid | | | | | |
| | | | | | | |
| Product Inform | ation | | | | | |
| Item Code (Source | | NDC:0498-0501 | | | | |
| Route of Administ | | TOPICAL | | | | |
| | | | | | | |
| Active Ingredie | nt/Active | Moiety | | | | |
| | | dient Name | Ba | asis of Str | ength | Strength |
| BENZALKONIUM CH UNII:7N6JUD5X6Y) | LORIDE (UNII | : F5UM2KM3W7) (BENZALKONIUM - | | NZ ALKONIUM LORIDE | | 1.3 mg in 1 mL |
| | | | | | | |
| Inactive Ingred | ients | | | | | |
| | | redient Name | | | Streng | Jth |
| WATER (UNII: 059QF0 | - | | | | - | |
| | | | | | | |
| Packaging | | | | | | |
| # Item Code | Ра | ckage Description | Marketir Da | | Mark | eting End Date |
| | | CKET; Type 0: Not a Combination | | | | |
| 00 | roduct | | | | | |
| | | | | | | |
| Marketing Ir | nformat | ion | | | | |
| Marketing Category | Applica | tion Number or Monograph Citation | | ing Start ate | Mar | keting End Date |
| | | | | | | |

| P | art 3 of 5 | | | | | | |
|-----|----------------------|----------------------|-----------------|------------------|----------------------|------------|--------------------|
| | | | | | | | |
| | SPIRIN | | | | | | |
| as | pirin tablet | | | | | | |
| | | | | | | | |
| _ | | | | | | | |
| P | roduct Infor | mation | | | | | |
| lte | em Code (Sour | ce) | NDC:0498- | 0114 | | | |
| Ro | oute of Admini | stration | ORAL | | | | |
| | | | | | | | |
| A | tive Ingredi | ent/Active | e Moiety | | | | |
| | | Ingree | dient Name | e | Basis of | f Strength | Strength |
| AS | PIRIN (UNII: R16C | CO5Y76E) (AS | PIRIN - UNII:R1 | L6CO5Y76E) | ASPIRIN | | 325 mg |
| | | | | | | | |
| In | active Ingre | dients | | | | | |
| | | | Ingred | lient Name | | | Strength |
| СЕ | LLULOSE, MICR | OCRYSTALL | - | | | | <u>-</u> |
| | LYETHYLENE GI | | | | | | |
| sт | EARIC ACID (UNI | I: 4ELV7Z65A | P) | | | | |
| sт | ARCH, CORN (UN | NII: 08232NY3 | BSJ) | | | | |
| PO | VIDONE (UNII: FZ | Z989GH94E) | | | | | |
| SI | | UNII: ETJ7Z6 | XBU4) | | | | |
| | OSCARMELLOSI | | | | | | |
| | PROMELLOSE 2 | | | 1QE5P712K) | | | |
| | NERAL OIL (UNII: | | | | | | |
| | FANIUM DIOXIDE | | - | | | | |
| PR | OPYLENE GLYC | DL (UNII: 6DC | 9Q167V3) | | | | |
| | | | | | | | |
| Pı | oduct Chara | cteristics | 5 | | | | |
| Co | lor | W | hite | Score | | 2 piec | es |
| Sh | аре | R | DUND | Size | | 10mm | |
| Fla | avor | | | Imprint Code | | FR21 | |
| Co | ontains | | | | | | |
| | | | | | | | |
| Pa | ackaging | | | | | | |
| # | ltem Code | Pa | ackage De | scription | Marketing St Date | art Mai | keting End Date |
| 1 | NDC:0498-0114- 01 | | ET; Type 0: No | ot a Combination | Date | | 2400 |
| ÷., | | Product | | | | | |

| | Marketing | Applica | tion Number or Monograph | Marketing Start | Marketing End |
|---------------------|---|--|---|---------------------------------|--|
| | Category | Appred | Citation | Date | Date |
| ina oth | pproved drug er | | | 09/18/2018 | |
| | | | | | |
| Pā | art 4 of 5 | | | | |
| A | MMONIA I | NHALEN | т | | |
| am | monia inhalen | it inhalant | | | |
| | | | | | |
| Pr | oduct Inform | mation | | | |
| lte | m Code (Sour | ce) | NDC:0498-3334 | | |
| Ro | ute of Adminis | stration | RESPIRATORY (INHALATION) | | |
| | | | | | |
| Ac | tive Ingredie | ent/Active | Moiety | | |
| | | Ingredie | nt Name | Basis of Strength | Strength |
| ٩M | MONIA (UNII: 513 | 38Q19F1X) (AM | MONIA - UNII:5138Q19F1X) | AMMONIA | 0.045 g in 0.3 mL |
| | active Ingree | ulents | | | |
| ALC | | Ing | gredient Name | | Strength |
| AL(| | Ing | gredient Name | | Strength |
| | | Ing | gredient Name | | Strength |
| Pa | C OHOL (UNII: 3KS | וחכ פאס איז | gredient Name ckage Description | Marketing Start Date | Strength Marketing End Date |
| Pa # | COHOL (UNII: 3K9 Ckaging Item Code NDC:0498-3334- | Ing 9958V90М) Ра | | | Marketing End |
| Pa # | COHOL (UNII: 3K9 Ckaging Item Code NDC:0498-3334- | Ing 9958V90М) Ра 0.3 mL in 1 АМ | ckage Description | | Marketing End |
| Pa # 1 | COHOL (UNII: 3K9 Ckaging Item Code NDC:0498-3334- | Ing 9958V90M) Pa 0.3 mL in 1 AM Product | ckage Description IPULE; Type 0: Not a Combination | | Marketing End |
| Pa # | COHOL (UNII: 3K9 ckaging item Code NDC:0498-3334- | Ing 9958V90M) Pa 0.3 mL in 1 AM Product nformat | ckage Description IPULE; Type 0: Not a Combination | | Marketing End Date |
| Pa # 1 ¦(| COHOL (UNII: 3KG ockaging Item Code NDC:0498-3334- 00 arketing Category pproved drug | Ing 9958V90M) Pa 0.3 mL in 1 AM Product nformat | ckage Description IPULE; Type 0: Not a Combination ion tion Number or Monograph | Date Marketing Start | Marketing End Date Marketing End |
| Pa # 1 | COHOL (UNII: 3KG ockaging Item Code NDC:0498-3334- 00 arketing Category pproved drug | Ing 9958V90M) Pa 0.3 mL in 1 AM Product nformat | ckage Description IPULE; Type 0: Not a Combination ion tion Number or Monograph | Date Marketing Start Date | Marketing End Date Marketing End Date |
| Pa # 1 | COHOL (UNII: 3KG ockaging Item Code NDC:0498-3334- 00 arketing Category pproved drug | Ing 9958V90M) Pa 0.3 mL in 1 AM Product nformat | ckage Description IPULE; Type 0: Not a Combination ion tion Number or Monograph | Date Marketing Start Date | Marketing Enc Date Marketing Enc Date |
| Pa # 1 | COHOL (UNII: 3K9 Ckaging Item Code NDC:0498-3334- Co Arketing Category Opproved drug er | Pa 0.3 mL in 1 AM Product nformat Applica | ckage Description IPULE; Type 0: Not a Combination ion tion Number or Monograph | Date Marketing Start Date | Marketing End Date Marketing End Date |
| Pa # 1 (M | COHOL (UNII: 3KG Ckaging Item Code NDC:0498-3334- 00 arketing Category Opproved drug er | Ing 2958V90M) Pa 0.3 mL in 1 AM Product nformat Applica | ckage Description PULE; Type 0: Not a Combination ion tion Number or Monograph Citation | Date Marketing Start Date | Marketing End Date Marketing End Date |

| | ormation | | | | | |
|--|--|---|---------------------|---------------------------|------|---------------------|
| ltem Code (So | urce) | NDC:0498-0402 | | | | |
| Route of Admi | nistration | TOPICAL | | | | |
| | | | | | | |
| Active Ingre | dient/Active | Moiety | | | | |
| | Inare | dient Name | | Basis of Stre | nath | Strength |
| BENZALKONIUM UNII:7N6JUD5X6Y) | CHLORIDE (UNII | : F5UM2KM3W7) (BENZALKONIUM | - | BENZ ALKONIUM CHLORIDE | 5 | 0.13 g in 100 mL |
| Inactive Ingi | redients | | | | | |
| J | | Ingredient Name | | | | Strength |
| GLYCERIN (UNII: | PDC6A3C0OX) | | | | | |
| EDETATE DISOD | | 1С86К) | | | | |
| TROLAMINE (UNI | I: 903K93S3TK) | | | | | |
| PROPYLPARABEI | N (UNII: Z8IX2SC1 | .OH) | | | | |
| WATER (UNII: 059 | 9QF0KO0R) | | | | | |
| DIAZOLIDINYL U | REA (UNII: H5RIZ: | 3MPW4) | | | | |
| DIPROPYLENE G | LYCOL (UNII: E10 | 71 85 (40) | | | | |
| | | 7205040) | | | | |
| METHYLPARABE | | | | | | |
| METHYLPARABE HYPROMELLOSE | N (UNII: A2I8C7HI , UNSPECIFIED | 9T) (UNII: 3NXW29V3WO) | | | | |
| METHYLPARABE | N (UNII: A2I8C7HI , UNSPECIFIED | 9T) (UNII: 3NXW29V3WO) | | | | |
| METHYLPARABE HYPROMELLOSE | N (UNII: A2I8C7HI , UNSPECIFIED | 9T) (UNII: 3NXW29V3WO) | | | | |
| METHYLPARABE HYPROMELLOSE | N (UNII: A2I8C7HI , UNSPECIFIED | 9T) (UNII: 3NXW29V3WO) | | | | |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (| N (UNII: A218C7HI , UNSPECIFIED UNII: 7JPC6Y25QS | 9T) (UNII: 3NXW29V3WO) | Ma | rketing Start Date | Ma | rketing Enc Date |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1 Packaging | N (UNII: A2I8C7HI , UNSPECIFIED UNII: 7JPC6Y25QS Pa | 9T) (UNII: 3NXW29V3WO)) nckage Description TLE, SPRAY; Type 0: Not a | Ma | - | Ma | - |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1 Packaging # Item Code 1 NDC:0498- | N (UNII: A2I8C7HI , UNSPECIFIED UNII: 7JPC6Y25QS Pa 59 mL in 1 BOT | 9T) (UNII: 3NXW29V3WO)) nckage Description TLE, SPRAY; Type 0: Not a | Ma | - | Ma | - |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1 Packaging # Item Code 1 NDC:0498- | N (UNII: A2I8C7HI , UNSPECIFIED UNII: 7JPC6Y25QS Pa 59 mL in 1 BOT Combination Pre | 9T) (UNII: 3NXW29V3WO)) ackage Description TLE, SPRAY; Type 0: Not a oduct | Ma | - | Ma | - |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1) Packaging # Item Code 1 NDC:0498- 0402-59 Marketing Category | N (UNII: A2I8C7HI , UNSPECIFIED UNII: 7JPC6Y25QS Pa 59 mL in 1 BOT Combination Pro- Informat | 9T) (UNII: 3NXW29V3WO)) ackage Description TLE, SPRAY; Type 0: Not a oduct | | - | | - |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1 Packaging # Item Code 1 NDC:0498- 0402-59 Marketing Marketing | N (UNII: A2I8C7HI , UNSPECIFIED UNII: 7JPC6Y25QS Pa 59 mL in 1 BOT Combination Pro- Informat | 9T) (UNII: 3NXW29V3WO)) | | Date Date | | Date Date |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1 Packaging # Item Code 1 NDC:0498- 0402-59 Marketing Category unapproved drug | N (UNII: A2I8C7HI , UNSPECIFIED UNII: 7JPC6Y25QS Pa 59 mL in 1 BOT Combination Pro- Informat | 9T) (UNII: 3NXW29V3WO)) | Mai | Date Date | | Date Date |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1 Packaging # Item Code 1 NDC:0498- 0402-59 Marketing Category unapproved drug | N (UNII: A2I8C7HI UNII: 7JPC6Y25QS Pa 59 mL in 1 BOT Combination Pro Informat Applica | 9T) (UNII: 3NXW29V3WO)) ackage Description TLE, SPRAY; Type 0: Not a oduct ion tion Number or Monograph Citation | Mai | Date Date | | Date Date |
| METHYLPARABE HYPROMELLOSE OCTOXYNOL 9 (1 Packaging # Item Code 1 NDC:0498- 0402-59 Marketing Category unapproved drug | N (UNII: A2I8C7HI , UNSPECIFIED UNII: 7JPC6Y25QS Pa 59 mL in 1 BOT Combination Pro Informat Applica | 9T) (UNII: 3NXW29V3WO)) ackage Description TLE, SPRAY; Type 0: Not a oduct ion tion Number or Monograph Citation | Ma 09/18/ | Date Date | Ma | Date Date |

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024