

LACTIGO- menthol gel
LactiGo, Inc.

LactiGo with Menthol Performance & Recovery Gel

Active ingredient

Menthol 1.25%

Purpose

Topical analgesic

Use

For the temporary relief of minor aches and pains of muscles and joints.

Warnings

For external use only.

- Avoid contact with eyes and mucous membranes.
- If contention worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor.
- Do not apply to wounds or damaged skin.
- Do not bandage tightly.

Keep out of reach of children to avoid accidental ingestion.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: Consult a doctor.

Other information

Store at 15°C to 30°C (59°F to 86°F).

Inactive ingredients

Ethoxydiglycol, glycerine, L-carnosine, magnesium sulfate, phenoxyethanol, water, xanthan gum

Questions?

1-844-522-8446



LACTIGO[®]
WITH MENTHOL
PERFORMANCE & RECOVERY GEL
(menthol 1.25%)
Topical Analgesic (Pain Relief)

SHAKE WELL BEFORE USE. Apply liberally to engaged muscle groups 45 minutes prior to your activity. For optimal results, use up to 10 pumps per session and re-apply as needed to aid in recovery.

3.4 fl. oz. (100 mL)

Drug Facts	Purpose Topical analgesic (pain relief)
Active ingredient Menthol 1.25%	
Use	For the temporary relief of minor aches and pains of muscles and joints.
Warnings For external use only.	<ul style="list-style-type: none"> ■ Avoid contact with the eyes and mucous membranes. ■ If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. ■ Do not apply to wounds or damaged skin. ■ Do not bandage tightly.
Directions	<ul style="list-style-type: none"> ■ Adults and children 12 years of age and older: Apply to affected area not more than 3 to 4 times daily. ■ Children under 12 years of age: Consult a doctor.
Other information	Store at 15°C to 30°C (59°F to 86°F).
Inactive ingredients	Ethoxydiglycol, glycerine, L-carnosine, magnesium sulfate, phenoxylethanol, water, xanthan gum
Questions?	1-844-522-8446

09/24 1800005 (02) 4
3 72481 10103
SPORT
INFORMED
Distributed by:
LactiGo, Inc.
1887 Whitney Mesa Dr. #3252
Henderson, NV 89014
Email: support@lactigo.com
Proudly Made in the USA
1800006 (02) Rev. 08/2024



LACTIGO[®]
WITH MENTHOL
PERFORMANCE & RECOVERY GEL
(menthol 1.25%)
Topical Analgesic (Pain Relief)

SHAKE WELL BEFORE USE
Apply liberally to engaged muscle groups 45 minutes prior to your activity. For optimal results, use up to 10 pumps of LactiGo per session and re-apply as needed following your activity to assist with post-workout soreness.

32 fl. oz. (946 mL)

Drug Facts	Purpose Topical analgesic (pain relief)
Active ingredient Menthol 1.25%	
Use	For the temporary relief of minor aches and pains of muscles and joints.
Warnings For external use only.	<ul style="list-style-type: none"> ■ Avoid contact with the eyes and mucous membranes. ■ If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. ■ Do not apply to wounds or damaged skin. ■ Do not bandage tightly.
Directions	<ul style="list-style-type: none"> ■ Adults and children 12 years of age and older: Apply to affected area not more than 3 to 4 times daily. ■ Children under 12 years of age: Consult a doctor.
Other information	Store at 15°C to 30°C (59°F to 86°F).
Inactive ingredients	Ethoxydiglycol, glycerine, L-carnosine, magnesium sulfate, phenoxylethanol, water, xanthan gum
Questions?	1-844-522-8446

TAKE THE LACTIGO[®] CHALLENGE
Still not convinced?
Apply LactiGo gel to just one side of your body and not the other. Go for a hard workout, then reapply more to the same side following your post-workout shower. The muscles on the LactiGo side of your body will feel relieved, fresh, energized, and still ready to perform.
www.lactigo.com

3 72481 10132 4

LACTIGO

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72481-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	12.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A18X02B)	
WATER (UNII: 059QF0KO0R)	
CARNOSINE (UNII: 8HO6PVN24W)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color	white (White to off white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72481-101-03	100 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/21/2019	
2	NDC:72481-101-32	946 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/30/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/21/2019	

Labeler - LactiGo, Inc. (116992874)