CARBO VEGETABILIS- activated charcoal pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Carbo vegetabilis 15C

Carbo vegetabilis 15C

(**contains 0.443 mg of the active ingredient per pellet)

Abdominal Bloating With Gas*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.


*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



CARBO VEGETABILI	S					
activated charcoal pellet						
Product Information						
Product Type	HUMAN OTC DRUG		Item Code (S	Source)	NDC:0220-1176	
Route of Administration	ORAL					
Active Ingredient/Active	Molety					
Ingre	Strength					
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - ACTIVATED CHARCOAL - UNII: 2P3VWU3H10)					15 [hp_C] in 15 [hp_C]	
Inactive Ingredients						
	Strength					
SUCROSE (UNII: C151H8M554)						
LACTOSE, UNSPECIFIED FORM						
Product Characteristics						
Color	white	Score	e			
Shape	ROUND	Size			4mm	

Flavor		Imprint Code						
Contains								
_								
Packaging								
#	ltem Code	Р	Package Description		Marketing Start Date	Marketing End Date		
	NDC:0220-1176- 41	15 [hp_C] in Product	o_C] in 1 TUBE; Type 0: Not a Combination ct		03/03/1983			
м	arkotina	Informa	tion					
Marketing Information								
	Marketing Category	Applic	ation Number or I Citation	Monograph	Marketing Start Date	Marketing End Date		
	approved meopathic				03/03/1983			
hor	neopathic				65/05/1505			

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron		282560473	manufacture(0220-1176)				

Revised: 11/2023

Boiron