

4219 FIRST AID KIT- 4219 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4219 First Aid Kit (EW, triple, HC cr, Sting relief- 013061-4454)

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash***Questions***

1-800-430-5490

Triple***Active ingredient (each gram contains)***

Bacitracin zinc 400 units - Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base) Polymyxin B sulfate 5000 units

Triple***Purpose***

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple***Uses***

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Triple***Warnings***

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F) tamper evident sealed packets - do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Triple

Questions

1-800-430-5490

Sting Relief

Active ingredient (in each wipe)

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic-Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief***Directions***

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

Questions or Comments?

1-800-430-5490

Hydrocortisone Cream***Active ingredient (in each gram)***

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

Hydrocortisone***Purpose***

Anti-itch cream

Hydrocortisone***Uses***

- for the temporary relief of itching associated with minor skin irritations and rashes

Hydrocortisone***Warnings*****For external use only****Ask a doctor before use if**

- you are using any other hydrocortisone product

When using the product

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a doctor
- do not use for the treatment of diaper rash

Stop use and ask a doctor if

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Hydrocortisone

Directions

- **adults and children 2 years and older:**
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- **children under 2 years of age:** consult a doctor

Hydrocortisone

Other information

- store at room temperature (do not freeze)

Hydrocortisone

Inactive ingredients

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben ..

Hydrocortisone

Questions or Comments?

1-800-430-5490

4219

013061-4454 Kit Contents

1 FNGRTIP-5 PER, KNCKL BDG-4 PER
1 TRIPLE ANTIBIOTIC 10 PER
1 TRIANGULAR BDG, NON-STERILE
1 BANDAGE COMP, 3" OFFSET, 2 PER
1 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER
1 ADH BAND, EXTRA LARGE, 6 PER
1 1 OZ EYE WASH W/PADS & STRIPS
1 HYDROCORTISONE, 1.0%, 1/32 OZ, 10P
1 NITRILE GLOVES 2PR BBP
1 CPR MICROSHIELD W/2 PR LTX GLV
1 BBP PROTECT APPAREL KIT
LBL STOCK 6-3/8" X 4"
1 LBL STOCK 3" X 1-7/8"
1 LABEL RAPID BLANK 24U/50P
1 KIT STL 24 UN WHITE 01
1 STING RELIEF 10

Eyewash
Principal Display Panel

Honeywell

eyesaline[®]

**LAVAOJOS
EYESALINE**

Solución
Isotónico Estéril

**EYESALINE
EYEWASH**

Sterile
Isotonic Solution

**LAVAGE
OCULAIRE
EYESALINE**

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

NPN: 80057528

3 64809 117

Drug Facts (for USA only)

Active ingredient Sterile water 99%	Purpose Eyewash
Uses for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.	
Warnings For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.	
Do not use • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away	
Stop use and consult a doctor if: • you experience eye pain • changes in vision • continued redness or irritation of the eye • condition worsens or persists	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • remove contacts before using • twist top to remove • flush the affected area as needed • control rate of flow by pressure on the bottle • if necessary, continue flushing with emergency eyewash or shower	
Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic	
Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

space for lot code and supplier part number

LABEL #02-00610/Rev. J REORDER / NIEVO PEDIDO / REAPPROVISIONNEMENT #02-00610-0000

PEEL / PELAR / PELEL

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo Agua estéril 99%	Propósito Lavaojos
Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro	
Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato	
Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste	
Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
Instrucciones • quite los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia	
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

Information

Usages
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

Advertissements
Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.
Ne pas utiliser
• si la solution a changé de couleur ou si elle est brouillée
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

Cesser d'utiliser la solution et consulter un médecin
• vous ressentez une douleur oculaire • si votre vision change
• rougeur ou irritation persistante des yeux
• condition empire ou persiste

Garder hors de la portée des enfants.
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.

Mode d'emploi
• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche

Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Triple
Principal Display Panel

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base)	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic

Uses • first aid to help prevent infection in:
• minor cuts • scrapes • burns

Warnings
For external use only.
Allergy alert • do not use if you are allergic to any of the ingredients.

Do not use
• in the eyes

Ask a doctor before use if you have
• deep or puncture wounds • animal bites • serious burns
• conditions worse or past wounds
• rash or other allergic reaction develops
• you need to use longer than 1 week.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• clean affected area
• apply a small amount of product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
• may be covered with a sterile bandage.

Other information
• keep out of reach of children (39 to 79°F)
• tamper evident sealed packets
• do not use if packet is broken or opened

Inactive ingredient petrolatum

Questions? 1-800-430-5490

Distributed by
Honeywell Safety Products USA, Inc.
Smithfield, RI 02917

Re-order #231209G

Caution:
This package is for industrial use only.
Not for retail sales.

Keep this and all drugs out of the reach of children.
In case of ingestion, seek professional assistance or contact a poison control center immediately.

771209G Rev A

Sting Relief Principal Display Panel

Honeywell

032043P

Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Honeywell

032043P

Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Honeywell

825366 Rev B

Drug Facts

Active Ingredients	Purpose
Ethyl alcohol 50.0%	First aid antiseptic
Lidocaine HCl 2.0%	Topical analgesic

Uses • first aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

Warnings
For external use only.
Flammable, keep away from fire or flame.

Do not use • over large areas of the body • in eyes • over raw or blistered areas

Stop use and ask a doctor • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.
If swallowed get medical help or contact Poison Control center right away.

Directions
• adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.
• children under 2 years of age: consult a doctor.


Inactive Ingredients
benzalkonium chloride, menthol, purified water

Questions or comments? 1-800-430-5490

Distributed by
Honeywell Safety Products, USA, Inc.
Smithfield, RI 02917

www.HoneywellSafety.com


USA
1-800-430-5490
0-401-943-4400



8 21812 01284 1

Made in USA
Packaged in Mexico

Hydrocortisone Principal Display Panel



4219 Kit Label
 013061-4454

46001419 Rev. A
 Rapid label BLANK 24U/50P
 white printed black

46001419 Rev. A

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4219 FIRST AID KIT

4219 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4219
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4219-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	10 PACKET	9 g
Part 3	10 POUCH	4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g

Part 1 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 2 of 5

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

Part 3 of 5

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

Part 4 of 5**HYDROCORTISONE**

anti-itch cream ointment

Product Information

Item Code (Source)	NDC:0498-0800
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
LIGHT MINERAL OIL (UNII: N6K5787QVP)
STEARIC ACID (UNII: 4ELV7Z65AP)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
CETYL ALCOHOL (UNII: 936JST6JCN)
TROLAMINE (UNII: 9O3K93S3TK)
METHYL PARABEN (UNII: A2I8C7HI9T)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)
PROPYL PARABEN (UNII: Z8IX2SC1OH)
GLYCERIN (UNII: PDC6A3C0OX)
WATER (UNII: 059QF0K00R)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0800-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/06/2013	10/15/2019

Part 5 of 5

HYDROCORTISONE

anti-itch cream

Product Information

Item Code (Source)	NDC:0498-0801
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII: W14X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

STEARIC ACID (UNII: 4ELV7Z65AP)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
CETYL ALCOHOL (UNII: 936JST6JCN)
TROLAMINE (UNII: 9O3K93S3TK)
METHYL PARABEN (UNII: A2I8C7HI9T)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)
PROPYL PARABEN (UNII: Z8IX2SC1OH)
GLYCERIN (UNII: PDC6A3C0OX)
WATER (UNII: 059QF0KO0R)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0801-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/15/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4219)

Establishment			
Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0800, 0498-0750, 0498-0801)

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment			
Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)

