# 4220 FIRST AID KIT- 4220 first aid Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

4220 First Aid Kit (Neomycin, EW, Burn Jel, PVP Wipes, Sting Relief, alcohol) 019643-4367

# Burn Jel Active ingredient

Lidocaine HCl 2.0%

# Burn Jel Purpose

External analgesic

#### **Burn Jel**

#### Uses

• temporarily relieves pain due to minor burns

# Burn Jel Warnings

#### For external use only

#### Do not use

• on large areas of the body, particularly over raw surfaces or blistered areas

# When using this product

• avoid contact with eyes

#### Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

#### Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

#### **Burn JEl**

#### Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

#### **Burn Jel**

#### Other information

• store at room temperature - do not use if opened or torn

#### **Burn Jel**

#### Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

# Burn Jel Questions

1-800-430-5490

# **Sting Relief**

Active ingredient (in each wipe)

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

# **Sting Relief**

Purpose

Antiseptic / Topical pain relief

## **Sting Relief**

Uses

prevent infection in minor scrapes, and temporary relief of itching of insect bites

# **Sting Relief**

**Warnings** 

#### For external use only

Flammable, keep away from open fire or flame

#### Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

#### Stop use and ask a doctor

• if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

#### Keep out of reach of children.

• If swallowed, get medical help or contact a Poison Control Center right away.

#### Sting Relief

#### **Directions**

- adults and children 2 years and older:
- apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

#### Sting Relief

#### **Inactive** ingredient

benzalkonium chloride, menthol, and purified water

# **Sting Relief**

#### **Questions or Comments?**

1-800-430-5490

#### **PVP**

#### Active ingredient

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

#### **PVP**

#### **Purpose**

First aid antisepti

#### **PVP**

#### Uses

• first aid to help prevent the risk of infection in minor cuts, scrapes, and burn

#### **PVP**

# Warnings

# For external use only

#### Do not use

- in the eyes
- over large areas of the body
- on individuals who are allergic or sensitive to iodine

# Ask a doctor before use if you have

- deep or puncture wounds,
- animal bites
- serious burns

#### When using this product

• do not use longer than one wek unless directed by a doctor

#### Stop use and ask a doctor if

- conditions persists or gets worse
- irritation and redness develops

#### Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away

#### **PVP**

#### Directioons

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

#### **PVP**

#### Other information

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

#### **PVP**

# **Inactive ingredients**

citric acid, disodium phosphate,nonoxynol-9, sodium hydroxide, water

#### **PVP**

## **Questions and Comments?**

1-800-430-5490

#### Alcohol

#### Active ingredient

Isopropyl alcohol 70%

#### Alcohol

#### **Purpose**

First aid antiseptic

#### Alcohol

#### Uses

first aid to help prevent infection in minor cuts, scrapes, and burns

#### Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control center right away

## Alcohol

Warnings

#### For external use only

Flammable, keep away from fire and flame

#### Do not use

• in or near eyes

• over large areas of the body

#### Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

## When using this product

• do not use longer than 1 week unless directed by a doctor

#### Stop use and consult a doctor if

• condition persists or gets worse

#### Alcohol

#### Directioons

- clean the affected area
- may be covered with a sterile bandage
- apply wipe to affeted are 1 to 3 times daily
- discard wipe after single use

#### Alcohol

# Other information

- store at room temperature 15 o to 25 o C (59 o to 77 oF)
- do not use if packet is torn or opened

#### Alcohol

#### **Inactive** ingredient

water

#### Neomycin

#### Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

# Neomycin

#### **Purpose**

First aid antibiotic

#### Neomycin

#### Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

# Neomycin *Warnings*

# For external use only

#### Do not use

in the eyes over large areas of the body

# Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

#### Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

#### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

#### Neomycin

#### Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

# Neomycin

# Other information

• store at 15  $^{0}$  to 25  $^{0}$  C (59  $^{0}$  to 77  $^{0}$  F)

# Neomycin Inactive ingredient

petrolatum

# Neomycin *Questions?*

1-800-430-5490

# Eyewas h Active ingredient

Sterile Water 99%

# Eyewash *Purpose*

Eyewash

#### **Eyewash**

#### Uses

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

# Eyewas h *Warnings*

#### For external use only

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard

#### Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

#### Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

#### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Eyewash**

#### **Directions**

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

#### **Eyewash**

#### **Inactive ingredients**

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

# Eyewash Questions?

1-800-430-5490

#### 4220


#### 019643-4367 Kit Contents

1 KNUCKLE BAND 8 PER


1 NEOMYCIN ANTIBIOTIC 10 PER

- 1 GAUZE BANDAGE, 4" X 6 YD
- 2 TRIANGULAR BDG, NON-STERILE
- 1 GAUZE PADS, 3" X 3", 4 PER
- 1 ADHESIVE TPE 1"X2-1/2 YD 2 PER
- 2 INSTANT COLD PACK 4" X 6"
- 2 BANDAGE COMP, 2" OFFSET, 4 PER
- 2 BANDAGE COMP, 4" OFFSET, 1 PER
- 2 ADH BAND, EXTRA LARGE, 6 PER
- 2 1 OZ EYE WASH W/PADS & STRIPS
- 1 BURN JEL 1/8 OZ, 6 PER
- 5 WATER JEL DRESSING,2" X 6"
- 1 PVP IODINE WIPES 10 PER
- 2 NITRILE GLOVES 2PR BBP
- 2 ADH BDG, CLOTH, 1"X3", 16 PER
- 1 FIRST AID GUIDE ASHI
- 2 ABD COMBINE PAD 5" X 9"
- 1 MICROSHIELD W/VNL GLV/ALCL
- 1 SCISSOR BDGE 4" RED PLS HDL
- LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"
- 1 STOCK LABEL 1 7/8" X 1/2"
- 1 LBL CONTS 8"X8", CUSTOM ID B
- 1 KIT 36 UNIT PLASTIC
- 1 STING Relief WIPES 10


Burn Jel Principal Display Panel




# **Principal Display Panel**



PVP Principal Display Panel




Alcohol Principal Display Panel



Neomycin Principal Display Panel

**796041-25 Rev A** Unit Carton Printing Plate for "C" size carton.





TAMPER-EVIDENT CAP. TAPA CON SELLO DE SEGURIDAD. BOUCHON INDICATEUR D'INFRACTION.



**LAVAOJOS EYESALINE** 

Solución

Isotónico Estéril

**EYESALINE EYEWASH** 

**LAVAGE OCULAIRE EYESALINE** 

La Solution Isotonique Stérile

Isotonic Solution 16 fl. oz. (473 mL)

Sterile



Active ingredient condition worsens or persists
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (for USA only) Purpose Eyewash Uses
for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water. or chlorinated water. Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not buck by of container to any surface. Do not reuse. Once opened, discard. Do not use
• if solution changes color or becomes cloudy
• if you have open wounds in or near the eyes, get medical help Stop use and consult a doctor if: you experience eye pain
 continued redness or irritation of the eye
 condition worsens or persists

Directions

• remove contacts before using
• twist top to remove
• flush the affected area as needed
• control rate of flow by pressure on the bottle
• if necessary, continue flushing with emergency eyewash or shower

Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

and supplier

#32-000454

NUEVO PEDIDO.

REORDER

#32-004510 Rev. J

LABEL

Datos de medicamento (Para EE.UU. solamente)

Usos para el lavado de ojo para quitar las particulas sueltas y extrañas, los contaminantes aeros, o agua de cloruro Advertencias

Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con inguna superficie. No vuedva a usar. Vez abierto, descarte.

No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato

de inmediato
Deje de usar y consulte a un médico si:

experimenta dolor de ojo

cambio de visión

rojez continuo o irritación del ojo

la condición empeora o persiste

Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones

quitese los lentes de contacto antes de usar la solución

tuerza la tapa para quitar

en juague el área afectada según se necesite

controle el chorro haciendo presión el la botella

si es necesario, sique enjuagado con un lavaojos o ducha de emergencia

Ingredientes inactivos cloruro de sodio, fosfato de sodio monobásico, fosf

¿Preguntas? Llame al 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

#### Information

Usages
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmospheriques ou de l'eau chlorée

Advertissements

Pour usage externs seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

ouvert, jetez-les.

Ne pas utiliser

• si la solution a changé de couleur ou si elle est brouillée

• si la solution a changé de couleur ou si elle est brouillée

• si vous avez des plaies ouvertes aux yeux ou à proximité,
consultez immédiatement un médecin

Cesser d'utiliser la solution et consulter un médecin

• vous ressentez une douleur oculaire

• si votre vision change

• rougeur ou imfation persistante des yeux

• condition empire ou persiste

Garder hors de la portée des enfants.

En cas d'ingestion, communiquer immédiatement avec un médecin

ou avec un centre antipoison.

Mode d'emploi

• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'ecoulement de la solution en service de la solution en contenar et inécessaire, confluer de rincer avec unesolution de rinçage oculaire d'urgence ou une douche

Ingrédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

4220 Kit Label 019643-4367

# 46001404 Rev. C prints 2 colors black and red (pms 485)

# **Refill Information**

**US Poison Control 1-800-222-1222** 

46001404 Rev. C

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

# **Product Information**

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:0498-4220

ı	Packaging				
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
ı	1 NDC:0498-4220-01	1 in 1 KIT	09/13/2018		

Quant	Quantity of Parts				
Part #	Package Quantity	Total Product Quantity			
Part 1	6 PACKET	21 g			
Part 2	10 POUCH	4 mL			
Part 3	10 POUCH	3 mL			
Part 4	2 BOTTLE	60 mL			
Part 5	10 PACKET	9 g			
Part 6	1 POUCH	0.4 mL			

# Part 1 of 6

# **BURN JEL**

gel for burns gel

<b>Product Information</b>	
Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients				
Ingredient Name	Strength			
TEA TREE OIL (UNII: VIF565UC2G)				
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)				
METHYLPARABEN (UNII: A218 C7H19 T)				
EDETATE DISO DIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				
TROLAMINE (UNII: 903K93S3TK)				
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)				

CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

l	Packaging				
l	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
	1 NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	09/19/2018		

# Part 2 of 6

# STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information	
Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL		
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL		

Inactive Ingredients			
Ingredient Name	Strength		
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)			
MENTHOL (UNII: L7T10 EIP3A)			
WATER (UNII: 059QF0KO0R)			

Packaging					
# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>		
1 NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

# Part 3 of 6

# **PVP IODINE WIPE**

povidone-iodine 10% swab

#### **Product Information**

Item Code (Source) NDC:0498-0121

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

8		
Ingredient Name	Basis of Strength	Strength
PO VIDO NE-IO DINE (UNII: 85H0 HZU99M) (IO DINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

# **Inactive Ingredients**

macuve ingredients	
Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

#### **Packaging**

I	#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
ı	1	NDC:0498-0121-00	0.3 mL in 1 POUCH: Type 0: Not a Combination Product		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

# Part 4 of 6

## **EYESALINE EMERGENCY EYEWASH**

purified water liquid

#### **Product Information**

Item Code (Source) NDC:0498-0100

Doute	οf	۸d	mini	stration	
Rome	O I	ΑŒ	mını	siralion	

OPHTHALMIC

Active	Ingre	dient/	Active	Moiety
110010	5	416116		1,10101

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

**Inactive Ingredients** 

mactive ingredients		
Ingredient Name	Strength	
SODIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
SODIUM PHO SPHATE, MO NO BASIC, MO NO HYDRATE (UNII: 593YO G76RN)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		

**Packaging** 

I	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
I	1 NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information** 

8			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

# Part 5 of 6

# **NEOMYCIN**

antibiotic ointment

# **Product Information**

	Item Code (Source)	NDC:0498-0730
l	Route of Administration	TOPICAL

# Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

<b>Inactive Ing</b>	reo	ne nts
---------------------	-----	--------

	Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)		

l	Packaging			
l	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
l	1 NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

# Part 6 of 6

# **ALCOHOL WIPE**

isopropyl alcohol swab

<b>Product Information</b>	
Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

l	Active Ingredient/Active Moiety			
l	Ingredient Name	Basis of Strength	Strength	
	ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

	Pac	kaging			
l	#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
l	1 NI	OC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	09/18/2018		

<b>Marketing Info</b>	rmation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved drug other	09/13/2018	

# Labeler - Honeywell Safety Products USA, Inc. (079287321)

# **Registrant** - Honeywell Safety Products USA, Inc. (079287321)

Establishment				
Name	Address	ID/FEI	Business Operations	
Honeywell Safety Products USA, Inc		079287321	pack(0498-4220)	

Establishment			
Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203, 0498-0730)

Establishment				
Name	Address	ID/FEI	Business Operations	
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Changzhou Maokang Medical		421317073	manufacture(0498-0143)	

Establishment			
Name	Address	ID/FEI	Business Operations
Sion Biotext Medical		532775194	manufacture(0498-0121)

Establishment			
Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	manufacture(0498-0733)

Revised: 3/2019 Honeywell Safety Products USA, Inc.