CAUSTICUM- causticum pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Causticum 30C

Active ingredient** (in each pellet)

Causticum 30C HPUS (0.44 mg)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves symptoms of stress incontinence

Uses*

- temporarily relieves occasional stress incontinence associated with
- coughing
- laughing
- sneezing
- exercise
- lifting objects
- helps with urine retention issues due to
- aging
- menopause
- childbirth

Tube- Bed wetting and bladder incontinence*

Do not use if you have any of these symptoms:

- pain or burning when urinating
- fever or chills
- blood in your urine
- unexplained back or side pain
- urine that is cloudy or foul smelling.

Ask a doctor before use if you have any of these conditions:

- urinary tract infection
- fever or chills
- blood in your urine
- unexplained back or side pain
- urinary or gastric retention.

Box - **Stop use and ask a doctor if** symptoms persist for more than 2 weeks or worsen.

Tube- **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen

If pregnant or breastfeeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Box

- Adults 18 years and older: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.
- Adults under 18 years of age: Not recommended.

Tube

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

- do not use if glued carton end flaps are open or if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose

Incontinence Relief*

Reduces Bladder Leaks*

For Occasional Stress Incontinence*

No Know Drug Interactions

3 TUBES

APPROX. 80 PELLETS EACH

TOTAL 240 PELLETS

16 DOSES PER TUBE

Turn tube upside down Twist until 5 pellets are dispensed Remove cap and pour pellets under the tongue

Do not use if pellet dispenser seal is broken.

Contains approx. 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.


*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073







Drug Facts


Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.



CAUSTICUM				
causticum pellet				
Product Information				
Product Type	HUMAN OTC DRUG	Item	Code (Source)	NDC:0220-1233
Route of Administration	ORAL			
Active Ingredient/Active	Moiety			
Ingredient Name			Basis of Strength	Strength
CAUSTICUM (UNII: DD5F01WKFU) (CAUSTICUM - UNII:DD5F01WKFU)		MKFU)	CAUSTICUM	30 [hp_C] in 30 [hp_C]
In a stine In one disets				
Inactive Ingredients				
	Strength			
LACTOSE, UNSPECIFIED FORM (

SUCROSE (UNII: C151H8	3M554)
-----------------------	--------

P	roduct Chara	acteristics	5			
Color		white Score				
Shape		ROUND	Size		4mm	
Flavor			Imprint Code			
Сс	ontains					
Pa	ackaging					
#	ltem Code	Р	ackage Description		Marketing Start Date	Marketing End Date
1	NDC:0220-1233- 41	30 [hp_C] in Product	0 [hp_C] in 1 TUBE; Type 0: Not a Combination roduct		03/03/1983	
2	NDC:0220-1233- 43	3 in 1 BOX		05/11/2022		
2		30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product				
			_			
Μ	larketing	Informa	tion			
	Marketing Category	Applic	ation Number or N Citation	Monograph	Marketing Start Date	Marketing End Date
un	approved meopathic				03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-1233)

Revised: 1/2023

Boiron