

**4218 FIRST AID KIT- 4218 first aid
Honeywell Safety Products USA, Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

4218 First Aid Kit (neomycin, Ammonia Inh, EW, Burn Jel, PVP Wipes, Sting Relief) 010424-4224

Active ingredient

Ammonia 15%

Purpose

Respiratory stimulant

Uses

to prevent or treat fainting

Warnings

For external use only

Do not use

- if you have asthma or emphysema

Stop use and ask a doctor if

- condition persists

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Other information

store at room temperature away from light

Inactive ingredients

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Questions or Comments

1-800-430-5490

Burn Jel***Active ingredient***

Lidocaine HCl 2.0%

Burn Jel***Purpose***

External analgesic

Burn Jel***Uses***

- temporarily relieves pain due to minor burns

Burn Jel***Warnings*****For external use only****Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEl***Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel***Other information***

- store at room temperature - do not use if opened or torn

Burn Jel***Inactive ingredients***

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

Sting Relief

Active ingredient (in each wipe)

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic / Topical pain relief

Sting Relief

Uses

prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older:
- apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredient

benzalkonium chloride, menthol, and purified water

Sting Relief

Questions or Comments?

1-800-430-5490

PVP***Active ingredient***

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

PVP***Purpose***

First aid antisepti

PVP***Uses***

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burn

PVP***Warnings*****For external use only****Do not use**

- in the eyes
- over large areas of the body
- on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have

- deep or puncture wounds,
- animal bites
- serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

- conditions persists or gets worse
- irritation and redness develops

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

PVP***Directions***

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

PVP

Other information

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

PVP**Inactive ingredients**

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

PVP**Questions and Comments?**

1-800-430-5490

Neomycin**Active ingredient**

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin**Purpose**

First aid antiseptic

Neomycin**Uses**

First aid antibiotic first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Neomycin**Warnings****For external use only****Do not use**

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Neomycin

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin

Other information

- store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)

Neomycin

Inactive ingredient

petrolatum

Neomycin

Questions?

1-800-430-5490

4218



010424-4224 Kit Contents

2 KNUCKLE BAND 8 PER
1 NEOMYCIN ANTIBIOTIC 10 PER
1 AMMONIA INHALANTS 10 PER
3 GAUZE BANDAGE, 4" X 6 YD
1 TOURNIQUET AND FORCEPS 1 EA
3 TRIANGULAR BDG, NON-STERILE
1 WIRE SPLINT 1 PER
1 ADH TAPE, .5" X 2.5 YD, 2 PER
3 GAUZE COMPRESS, 1728 SQ IN 1
2 GAUZE COMP, 1 SQ YARD, 1 PER
3 BANDAGE COMP, 2" OFFSET, 4 PER
2 BANDAGE COMP, 4" OFFSET, 1 PER
3 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER
1 FINGERTIP BANDAGE, 10 PER
1 1 OZ EYE WASH W/PADS & STRIPS
1 BURN JEL 1/8 OZ, 6 PER
1 PVP IODINE WIPES 10 PER

1 BIOHAZARD BAG/SCRAPER BBP
1 CPR MICROSHIELD W/2 PR LTX GLV
1 SCISSOR BDGE 4" RED PLS HDL
LBL STOCK 6-3/8"X4"
1 LBL STOCK 3"x1-7/8"
1 LBL CONTS 8"X8",CUSTOM ID B
1 KIT STL 36 UN WHT 01 HOR SHELF
1 LABL INSTR 24 & 36 UNIT KITS
1 STING RELIEF 10

Principal Display Panel


796006 Rev. E Unit Carton Printing Plate for "A" size carton.



796006 Rev. E (page 3 of 3)

Principal Display Panel

796353 Rev. E Unit Carton Printing Plate for "B" size cartor



Sting Relief
Principal Display Panel

825366 Rev B

Honeywell

Honeywell **032043P**




Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Honeywell **032043P**



Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Drug Facts

Active Ingredients	Purpose
Ethyl alcohol 50.0% Lidocaine HCl 2.0%	First aid antiseptic Topical analgesic

Uses First aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

Warnings
For external use only.
Flammable, keep away from fire or flame.

Do not use • over large areas of the body • in eyes • over raw or blistered areas

Stop use and ask a doctor • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.
If swallowed get medical help or contact Poison Control center right away.

Directions
• adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.
• children under 2 years of age: consult a doctor.

Inactive Ingredients
benzalkonium chloride, menthol, purified water

Questions or comments? 1-800-430-5490

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

www.honeywellsafety.com

USA
1-800-430-5490
0-401-943-4400



8 21812 01284 1

Made in USA
Packaged in Mexico

PVP
Principal Display Panel

10 EACH
PVP IODINE SWABS

Honeywell

Drug Facts

Active ingredient (in each swab)	Purpose
Povidone-iodine 10% (equivalent to 1% titratable iodine)	First aid antiseptic

Use first aid to help prevent infection in minor cuts, scrapes and burns

Warnings
For external use only

Do not use • in or near the eyes • over large areas of the body • on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

When using this product do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if • condition persists or gets worse • irritation or redness develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.
• clean the affected area • apply to affected area 1 to 3 times daily
• may be covered with a sterile bandage • discard swab after single use

Other information • store at room temperature away from light • keep from freezing or excessive heat
• do not use if package is torn or open

Inactive ingredients citric acid, disodium phosphate, nonoxynol 9, sodium hydroxide, water.


Questions or comments? 1-800-430-5490

Honeywell

P.V.P.
Iodine Swabs
First Aid Antiseptic
Povidone-Iodine 10%

Net wt. 10 Swabs 0.02 fl oz (0.5 mL) each REORDER NO. 35132PV

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917





6 69635 35101 9

77132 PV RevA

Neomycin
Principal Display Panel

796041-25 Rev A Unit Carton Printing Plate for "C" size carton.



010424-4224

46001404 Rev. C
prints 2 colors black and red (pms 485)

Refill Information

US Poison Control 1-800-222-1222

46001404 Rev. C

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4218 FIRST AID KIT

4218 first aid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4218
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4218-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 AMPULE	3 mL
Part 2	6 PACKET	21 g
Part 3	10 POUCH	4 mL
Part 4	10 POUCH	3 mL
Part 5	1 BOTTLE	30 mL
Part 6	10 PACKET	9 g

Part 1 of 6

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 2 of 6

BURN JEL

gel for burns gel

Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

Part 3 of 6

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

Part 4 of 6

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0K00R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/18/2018		

Part 5 of 6

EYESALINE EMERGENCY EYEWASH
purified water liquid

Product Information	
Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0K00R) (WATER - UNII:059QF0K00R)	WATER	98.6 mL in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 6 of 6

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (079287321)

Registrant - Honeywell Safety Products USA, Inc. (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		079287321	pack(0498-4218)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203, 0498-0730)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Sion Biotech Medical		532775194	manufacture(0498-0121)

Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	manufacture(0498-0733)

Revised: 3/2019

Honeywell Safety Products USA, Inc.