ANTIMONIUM TARTARICUM- antimony potassium tartrate pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Antimonium tartaricum 30X

Antimonium tartaricum 30X

Less than 10⁻¹² mg antimony per pellet

(**contains 0.443 mg of the active ingredient per pellet)

Thick Mucus And Non Productive Cough*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.









5

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions:
Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose **Questions or comments?** BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details. Distributed by Boiron Inc.



ANTIMONIU antimony potass							
Product Infor	mation						
Product Type		HUMAN OTC DRUG		Code	Code (Source) NDC		:0220-0375
Route of Admini	stration	ORAL					
Active Ingred	ent/Active	Moiety					
Ingredient Name Basis of Stree						gth	Strength
ANTIMONY POTASSIUM TARTRATE (UNII: DL6OZ476) CATION (3+) - UNII:069647RPT5)			/3) (ANTIMON	3) (ANTIMONY ANTIMONY POTASSIU TARTRATE		IUM	30 [hp_X] in 30 [hp_X]
Inactive Ingre	dients						
Ingredient Name							Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)							
SUCROSE (UNII: C1	.51H8M554)						
Product Chara	acteristics						
Color		hite	Score				
		OUND	Size			4mm	
Flavor			Imprint Code				
Contains							
Packaging							
# Item Code	Pac	ckage Descripti	on	Ма	rketing Start Date	Ма	rketing End Date
1		TUBE; Type 0: Not a	Combination	03/03	/1983		
- 41	Product						

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		03/03/1983				

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron		282560473	manufacture(0220-0375)				

Revised: 4/2023

Boiron