ARGENTUM METALLICUM- silver pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Argentum metallicum 200CK

Argentum metallicum 200CK

Less than 10⁻¹² mg silver per pellet

(**contains 0.443 mg of the active ingredient per pellet)

Hoarseness from voice overexertion*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.


Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.







3 06960 07131

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.



Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose **Questions or comments?** BoironUSA.com Info@Boiron.com 1-800-B0IRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details. Distributed by Boiron Inc. Newtown Square, PA 19073



Product Info	mation							
	Product Information							
Product Type		HUMAN OTC DRUG	ltem	Code (Source) ND		:0220-0478		
Route of Admin	istration	ORAL						
Active Ingredient/Active Moiety								
Ingredient		Name	Ba	sis of Strength	Strength			
SILVER (UNII: 3M40	G523W1G) (SILV	ER - UNII:3M4G523W1	.G) SILV	/ER	200 [kp_C]	in 200 [kp_C]		
Inactive Ingredients								
Ingredient Name						Strength		
LACTOSE, UNSPE			<u> </u>					
SUCROSE (UNII: C151H8M554)								
Product Char	acteristics							
Color		vhite	Score					
Shape		ROUND	Size			4mm		
Flavor			Imprint Code					
Contains								
Packaging								
	Ba	ckage Description		Marketing Sta	art Ma	rketing End		
# Item Code	Fa	ekuge Beseripti		Date		Date		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		03/03/1983				

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment					
Name	Address	ID/FEI	Business Operations		
Boiron		282560473	manufacture(0220-0478)		

Revised: 7/2023

Boiron