ARGENTUM NITRICUM- silver nitrate pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Argentum nitricum 1M

Argentum nitricum 1M

Less than 10⁻¹² mg silver per pellet

(**contains 0.443 mg of the active ingredient per pellet)

Apprehension With Heartburn*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.


Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.







3 06960 07223 2

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.



Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose **Questions or comments?** BoironUSA.com Info@Boiron.com 1-800-B0IRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details. Distributed by Boiron Inc. Newtown Square, PA 19073



	et						
Product Infor	mation						
Product Type		HUMAN OTC DRUG	ltem C	ode (Source)	NDC:0220-0469		
Route of Admini	stration	ORAL					
Active Ingredient/Active Moiety							
	Ingred	ient Name		Basis of Strength	Strength		
SILVER NITRATE (U	JNII: 95IT3W8JZ	E) (SILVER CATION - U	UNII:57N7B0K90	A) SILVER NITRATE	1 [hp_M] in 1 [hp_M		
Inactive Ingredients							
Ingredient Name					Strength		
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) SUCROSE (UNII: C151H8M554)							
Product Characteristics							
Color		white	Score				
Shape		ROUND	Size		4mm		
-	Flavor		Imprint Code				
Flavor							
Flavor							
Flavor Contains	Pa	ckage Description	on	Marketing Start Date	Marketing End Date		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		03/03/1983			

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment					
Name	Address	ID/FEI	Business Operations		
Boiron		282560473	manufacture(0220-0469)		

Revised: 12/2023

Boiron