

STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet
P & L Development, LLC

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

| | |
|--|---------------------------|
| adults and children 12 years and older | take 2-4 tablets daily |
| children 6 to under 12 years of age | take 1-2 tablets daily |
| children 2 to under 6 years of age | take up to 1 tablet daily |
| children under 2 | ask a doctor |

Other information

- **each tablet contains:** calcium 21 mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in **Colace® 2-IN-1***

stool softener + stimulant laxative

docusate sodium 50 mg

stool softener

sennosides 8.6 mg

stimulant laxative

- gentle, dependable
- relief in 6-12 hours

tablets

*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS

BROKEN OR MISSING.

Distributed by: **PL Developments**

200 Hicks Street, Westbury, NY 11590

Product Label

Compare to the active ingredients in Colace® 2-IN-1*
NDC 59726-778-10

stool softener + stimulant laxative
docusate sodium 50 mg stool softener
sennosides 8.6 mg stimulant laxative

• gentle, dependable
• relief in 6-12 hours

100 tablets actual size

ready in case

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each tablet)
Docusate sodium 50 mg.....Stool softener
Sennosides 8.6 mg.....Stimulant laxative

Uses
■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 6 to 12 hours

Warnings
Do not use
■ laxative products for longer than 1 week unless directed by a doctor
■ if you are presently taking mineral oil, unless told to do so by a doctor

Drug Facts (continued under label)

*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

Distributed by: **PL Developments**
200 Hicks Street, Westbury, NY 11590

3 59726 88510 2

PLD-4677A Lot No.: Exp. Date:
LB008425

PEEL HERE →

Drug Facts (continued)

Ask a doctor before use if you have ■ stomach pain
■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

| | |
|---------------------------------------|---------------------------|
| adults and children 12 years and over | take 2-4 tablets daily |
| children 6 to under 12 years of age | take 1-2 tablets daily |
| children 2 to under 6 years of age | take up to 1 tablet daily |
| children under 2 | ask a doctor |

Other information
■ each tablet contains: calcium 21 mg
■ each tablet contains: sodium 5 mg VERY LOW SODIUM
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?
Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

READYinCASE Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium and sennosides tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:59726-778 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM | 50 mg |
| SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) | SENNOSIDES | 8.6 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) | |
| DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | red | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | TCL097 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:59726-778-10 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 03/26/2021 | 03/27/2027 |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007 | 03/26/2021 | 03/27/2027 |

Labeler - P & L Development, LLC (800014821)

Revised: 1/2026

P & L Development, LLC