ARSENICUM ALBUM- arsenic trioxide pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arsenicum album 200CK

Arsenicum album 200CK

Less than 10⁻¹² mg arsenic per pellet

(**contains 0.443 mg of the active ingredient per pellet)

Diarrhea With Vomiting And Weakness*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.







3 06960 07631

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.



5

Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose **Questions or comments?** BoironUSA.com Info@Boiron.com 1-800-B0IRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details. Distributed by Boiron Inc. Newtown Square, PA 19073



arsenic trioxide pellet									
Pr	oduct Infor	mation							
Product Type			HUMAN OTC DRUG Item Co		code (So	urce)	NDC:0220-0549		
Route of Administration		istration	ORAL						
Act	tive Ingred	ient/Active	Moiety						
			lient Name			Basis of Strength	Strength		
ARSENIC TRIOXIDE (UNII: S7V92P6 UNII:C96613F5AV)			67HO) (ARSENIC CATION (3+) -		ARS E		200 [kp_C] in 200 [kp_C]		
Inactive Ingredients									
	-		Ingredient Na	me			Strength		
_AC	TOSE, UNSPE		Ingredient Na (UNII: J2B2A4N98G)	me			Strength		
LAC	-		-	me			Strength		
LAC	TOSE, UNSPE	CIFIED FORM 151H8M554)	-	me			Strength		
LAC SUC		CIFIED FORM 151H8M554) acteristics	-	me Score			Strength		
LAC SUC Pro	CROSE (UNII: CI CROSE (UNII: CI DODUCT Chara or ape	CIFIED FORM 151H8M554) acteristics	(UNII: J2B2A4N98G)				Strength 4mm		
Pro Coli Sha	CROSE (UNII: CI CROSE (UNII: CI Oduct Chara or ape vor	CIFIED FORM 151H8M554) acteristics	(UNII: J2B2A4N98G) white	Score	e				
LAC SUC Pro Cole Sha Flav	CROSE (UNII: CI CROSE (UNII: CI DODUCT Chara or ape	CIFIED FORM 151H8M554) acteristics	(UNII: J2B2A4N98G) white	Score Size	e				
Pro Pro Coli Sha Flav	CROSE (UNII: CI CROSE (UNII: CI Oduct Chara or ape vor	CIFIED FORM 151H8M554) acteristics	(UNII: J2B2A4N98G) white	Score Size	e				
LAC SUC Coli Sha Flav Cor	CROSE (UNII: CI CROSE (UNII: CI Oduct Chara or ape vor ntains	CIFIED FORM (151H8M554) acteristics v F	(UNII: J2B2A4N98G) white	Score Size Imprint Cod	Marke	ting Start Date			

Marketing Information							
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
	03/03/1983						
	Application Number or Monograph	Application Number or Monograph Citation Date					

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment									
Name	Address	ID/FEI	Business Operations						
Boiron		282560473	manufacture(0220-0549)						

Revised: 4/2023

Boiron