ARSENICUM ALBUM- arsenic trioxide pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arsenicum album 1M

Arsenicum album 1M

Less than 10⁻¹² mg arsenic per pellet

(**contains 0.443 mg of the active ingredient per pellet)

Diarrhea With Vomiting And Weakness*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.


Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.







3 06960 07623

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.



Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose **Questions or comments?** BoironUSA.com Info@Boiron.com 1-800-B0IRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details. Distributed by Boiron Inc. Newtown Square, PA 19073



ARSENICUM arsenic trioxide (M ALBUM						
	beliet						
Product Info	rmation						
Product Type		HUMAN OTC DRUG Item Code (Source)		NDC:0220-0550			
Route of Admin	istration	ORAL					
Active Ingred	lient/Active	Moiety					
Ingredient Name					Basis of Strength		Strength
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CAT UNII:C96613F5AV)			'ION (3+) -		ARSENIC TRIOXIDE		[hp_M] n 1 [hp_M]
Inactive Ingre	edients						
Ingredient Name							Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) SUCROSE (UNII: C151H8M554)							
	1311000334)						
Product Char	acteristics						
		vhite	Score				
Shape R		ROUND	Size			4mm	
Flavor			Imprint Code				
Contains							
Contains							
Contains Packaging # Item Code	Pa	ckage Descripti	on	Mar	keting Start Date	Ma	arketing End Date

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		03/03/1983				

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron		282560473	manufacture(0220-0550)				

Revised: 2/2023

Boiron