

OXYGEN- oxygen gas
Tennessee Medical Equipment, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

PRODUCED BY AIR LIQUEFACTION

**OXYGEN
COMPRESSED
USP
UN 1072**



DO NOT REMOVE THIS PRODUCT LABEL

DANGER

COMPRESSED, OXYDIZING GAS
MAY CAUSE OR INTENSIFY FIRE,
OXIDIZER CONTAINS GAS UNDER
PRESSURE: MAY EXPLODE IF HEATED

Filled and Distributed By:

Tennessee Medical Equipment Inc
4637 Hwy 19 E.
Ripley, TN 38063
(731) 635-2119

WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

Do not handle until all safety precautions have been read and understood.
Keep and store away from clothing and other combustible materials.

NO SMOKING IN THE PRESENCE OF OXYGEN OR FIRE MAY RESULT.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation.
Use only with equipment cleaned for oxygen service and rated for cylinder pressure.
Use a back flow preventative device in piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 C or 125 F.
Use in accordance with Materials Safety Data Sheet (MSDS).

WARNING: No Vaping

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX Required.
Uninterrupted use of high concentrations of oxygen over long durations without monitoring its effect on oxygen content of arterial blood may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have

stopped breathing unless in conjunction with resuscitative equipment.

<input type="checkbox"/> M2 34 LITERS	<input type="checkbox"/> M9/C 248 LITERS	<input type="checkbox"/> N 1738 LITERS	<input type="checkbox"/> ML7 198 LITERS
<input type="checkbox"/> M4 113 LITERS	<input type="checkbox"/> D 415 LITERS	<input type="checkbox"/> M 3452 LITERS	<input type="checkbox"/> M60 1738 LITERS
<input type="checkbox"/> M6 165 LITERS	<input type="checkbox"/> M22 650 LITERS	<input type="checkbox"/> H 7980 LITERS	<input type="checkbox"/> M90 2549 LITERS
<input type="checkbox"/> ML6 165 LITERS	<input type="checkbox"/> E 682 LITERS	<input type="checkbox"/> ____ LITERS	

PRODUCED BY AIR LIQUEFICATION

OXYGEN

COMPRESSED

USP

UN 1072

DO NOT REMOVE THIS PRODUCT LABEL

DANGER

COMPRESSED, OXYDIZING GAS

MAY CAUSE OR INTENSIFY FIRE,

OXIDIZER CONTAINS GAS UNDER

PRESSURE: MAY EXPLODE IF HEATED

Filled and Distributed by:

Tennessee Medical Equipment Inc

4637 Hwy 19 E

Ripley, TN 38063

(731) 635-2119

WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGUROUSLY ACCELERATES COMBUSTION.

Do not handle until all safety precautions have been read and understood.

Keep and store away from clothing and other combustible materials.

NO SMOKING IN THE PRESENCE OF OXYGEN OR FIRE MAY RESULT.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation.

Use only with equipment cleaned for oxygen service and rated for cylinder pressure.

Use a back flow preventative device in piping. Close valve after each use and when

empty. Cylinder temperature should not exceed 52 C or 125 F.

Use in accordance with Materials Safety Data Sheet (MSDS).

WARNING: No Vaping


For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX Required.

Uninterrupted use of high concentrations of oxygen over long durations without

monitoring its effect on oxygen content of arterial blood may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless in conjunction with resuscitative equipment.

OXYGEN, REFRIGERATED LIQUID USP

UN 1073



CONTENTS: _____ LITERS

CASNO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen

over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.
Produced by Air Liquefaction.
©Applied Home Healthcare Equipment 2014

Representative Labeling
pursuant to 21 CFR 207.3 (10)
Company name and contact information are
printed in this area

OXYGEN,
REFRIGERATED
LIQUID USP

UN 1073

CONTENTS _____ LITERS

CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS
REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS
OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood.

Keep and store away from clothing and other combustible materials.

Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force

fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.



Representative Labeling
pursuant to 21 CFR 207.3 (10)

Produced by Air Liquefaction.

OXYGEN			
oxygen gas			
Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:73008-001
Route of Administration	RESPIRATORY (INHALATION)		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L
---	--------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73008-001-03	164 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
2	NDC:73008-001-02	165 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
3	NDC:73008-001-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
4	NDC:73008-001-04	198 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
5	NDC:73008-001-05	255 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
6	NDC:73008-001-06	425 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
7	NDC:73008-001-07	640 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
8	NDC:73008-001-08	680 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
9	NDC:73008-001-09	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
10	NDC:73008-001-10	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
11	NDC:73008-001-11	7080 L in 1 CYLINDER; Type 0: Not a Combination Product	07/24/2012	
12	NDC:73008-001-12	21 L in 1 DEWAR; Type 0: Not a Combination Product	07/24/2012	
13	NDC:73008-001-13	30 L in 1 DEWAR; Type 0: Not a Combination Product	07/24/2012	
14	NDC:73008-001-14	35 L in 1 DEWAR; Type 0: Not a Combination Product	07/24/2012	
15	NDC:73008-001-15	36 L in 1 DEWAR; Type 0: Not a Combination Product	07/24/2012	
16	NDC:73008-001-16	41 L in 1 DEWAR; Type 0: Not a Combination Product	07/24/2012	
17	NDC:73008-001-17	45 L in 1 DEWAR; Type 0: Not a Combination Product	07/24/2012	
18	NDC:73008-001-18	46 L in 1 DEWAR; Type 0: Not a Combination Product	07/24/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		07/24/2012	

Labeler - Tennessee Medical Equipment, Inc. (827223488)

Establishment

Name	Address	ID/FEI	Business Operations
Tennessee Medical Equipment, Inc.		827223488	manufacture(73008-001)

Revised: 12/2025

Tennessee Medical Equipment, Inc.