

**GILTUSS ALLERGY PLUS COUGH AND CONGESTION- chlorpheniramine maleate, dextromethorphan hydrobromide, phenylephrine hydrochloride solution**  
**Gil Pharmaceutical Corp**

-----

**Giltuss Allergy Plus Cough & Congestion**

***Drug Facts***

**Active ingredients (in each 10 mL)**

Chlorpheniramine maleate, USP 4 mg

Dextromethorphan HBr, USP 20 mg

Phenylephrine HCl, USP 10 mg

**Purposes**

Antihistamine

Cough suppressant

Nasal decongestant

***Uses***

- temporarily relieves
- cough due to minor throat and bronchial irritation associated with a cold or inhaled irritants
- nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily restores freer breathing through the nose

***Warnings***

**Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlargement of the prostate gland

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking any other oral nasal decongestant or stimulant

**When using this product**

- **do not use more than directed**
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness effect
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by a fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache.

These could be signs of a serious condition.

**If pregnant or breastfeeding,ask a health professional before use.**

**Keep out of reach of children.**In case of overdose, seek professional help or contact a Poison Control Center right away.

**Directions**

- Do not take more than 6 doses in any 24-hour period
- **use enclosed dosing cup**
- **keep dosage cup for use with this product**
- **mL=milliter**

adults and children 12 years and over	10 mL every 4 to 6 hours
children 6 to under 12 years	5 mL every 4 to 6 hours
children under 6 years	Consult a Doctor

**Other information**

- store at room temperature 15° - 30°C (59° - 86°F)
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

**Inactive ingredients**

citric acid, flavor, glycerin, methylparaben, propylparaben, purified water and sucralose

**Questions or comments?** Call **1-787-848-9114**, Monday-Friday 9AM-5PM EST. Call your doctor for medical advice in the event of side effects.

**Tamper evident: do not use if safety seal is broken or missing**

**MANUFACTURED FOR**

**GIL PHARMACEUTICAL CORP.**

**PONCE, PUERTO RICO 00717-1565**

**[giltuss.com](http://giltuss.com)**

MAXIMUM STRENGTH

**Giltuss® ALLERGY PLUS COUGH & CONGESTION**

ANTIHISTAMINIC, ANTITUSSIVE, & NASAL DECONGESTANT

ALCOHOL FREE. SODIUM FREE. SUGAR FREE. DYE FREE.

RELIEVES

- SNEEZING
- RUNNY NOSE
- ITCHY AND WATERY EYES
- COUGH
- STUFFY NOSE
- SINUS PRESSURE

TUTTI FRUTTI FLAVOR

4FL OZ (118 mL)



UNII:1WS297W6MV)	HYDROCHLORIDE	in 10 mL
------------------	---------------	----------

### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

### Product Characteristics

<b>Color</b>	yellow (Light yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	TUTTI FRUTTI	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58552-138-04	1 in 1 CARTON	10/02/2018	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/02/2018	

**Labeler** - Gil Pharmaceutical Corp (176826592)

### Establishment

Name	Address	ID/FEI	Business Operations
Dextrum Laboratories Inc.		007392322	manufacture(58552-138)

Revised: 10/2025

Gil Pharmaceutical Corp